

Beziehung CIELAB (L^*, a^*, b^*) und adaptiertes (a) CIELAB ($C_{ab,a}^*, L^*$)
 System: R_LRS24_Z48N_N5

CIELAB-Buntonwinkel:

$h_{ab,d} = [40, 0, 44, 349, 44, 0]$

$h_{ab,dx} = [39, 100, 147, 246, 297, 355]$


b^*_{a}

$I^* = (L^* - L_N^*) / (L_W^* - L_N^*)$

$a_{\text{a}}^* = a^* - a_N^* - I^* [a_W^* - a_N^*]$

$b_{\text{a}}^* = b^* - b_N^* - I^* [b_W^* - b_N^*]$

$C_{ab,a}^* = [a_{\text{a}}^{*2} + b_{\text{a}}^{*2}]^{1/2}$



Beziehung CIELAB (L^*, a^*, b^*) und adaptiertes (a) CIELAB ($C_{ab,a}^*, L^*$)
 System: R_LRS21_Z48F_N5

$I^* = (L^* - L_N^*) / (L_W^* - L_N^*)$

CIELAB-Buntnonwinkel:

$a_{ab,d}^* = a^* - a_N^* - I^* [a_W^* - a_N^*]$

$b_{ab,dx}^* = b^* - b_N^* - I^* [b_W^* - b_N^*]$

$h_{ab,d} = [40, 0, 44, 349, 44, 0]$

$h_{ab,dx} = [40, 99, 151, 247, 299, 359]$

$b_{ab,a}^*$

$C_{ab,a}^* = \sqrt{a_{ab,a}^{*2} + b_{ab,a}^{*2}}$

