

$XYZ_w=84.1998, 88.59, 96.46$

$$A = (a - a_n) Y$$

$$B = (b - b_n) Y$$


$$a = a_2 [x/y]$$

$$b = b_2 [z/y]$$

$$a_2 = 1$$

$$b_2 = -0,4$$

$$n = D65$$



### LABCab 85

Name und Spektralbereich

R<sub>m</sub> 561\_770 Y<sub>m</sub> 495\_770

G<sub>m</sub> 475\_573 C<sub>m</sub> 380\_561

B<sub>m</sub> 380\_495 M<sub>m</sub> 573\_475

Ostwald-Optimalfarben (o),  $Y_W=88,6$

6 von maximalem (m)  $C_{AB}$  für D65

in Buntwertdiagramm (A, B)

$XYZ_w=85.421, 88.59, 73.08$

$$A = (a - a_n) Y$$

$$B = (b - b_n) Y$$


$$a = a_2 [x/y]$$

$$b = b_2 [z/y]$$

$$a_2 = 1$$

$$b_2 = -0,4$$

$$n = D50$$



LABCab 85

Name und Spektralbereich

$R_m$  561\_770    $Y_m$  495\_770

$G_m$  475\_573    $C_m$  380\_561

$B_m$  380\_495    $M_m$  573\_475

Ostwald-Optimalfarben (o),  $Y_W=88,6$

6 von maximalem (m)  $C_{AB}$  für D50

in Buntwertdiagramm (A, B)

$XYZ_w=89.4154, 88.59, 57.3$

$$A = (a - a_n) Y$$

$$B = (b - b_n) Y$$

$$a = a_2 [x/y]$$

$$b = b_2 [z/y]$$

$$a_2 = 1$$

$$b_2 = -0,4$$

$$n = P40$$

LABCab 85

Name und Spektralbereich

$R_m$  561\_770    $Y_m$  495\_770


$G_m$  475\_573    $C_m$  380\_561

$B_m$  380\_495    $M_m$  573\_475

Ostwald-Optimalfarben (o),  $Y_W=88,6$

6 von maximalem (m)  $C_{AB}$  für P40

in Buntwertdiagramm ( $A, B$ )



$XYZ_w=97.3152, 88.59, 31.52$

$$A = (a - a_n) Y$$

$$B = (b - b_n) Y$$

$$a = a_2 [x/y]$$

$$b = b_2 [z/y]$$

$$a_2 = 1$$

$$b_2 = -0.4$$

$$n = A00$$

LABCab 85

Name und Spektralbereich

$$R_m \text{ 561\_770 } Y_m \text{ 495\_770}$$


$$G_m \text{ 475\_573 } C_m \text{ 380\_561}$$

$$B_m \text{ 380\_495 } M_m \text{ 573\_475}$$

Ostwald-Optimalfarben (o),  $Y_W=88,6$

6 von maximalem (m)  $C_{AB}$  für A00

in Buntwertdiagramm ( $A, B$ )



$XYZ_w=88.5907, 88.59, 88.59$

$A = (a - a_n) Y$

$B = (b - b_n) Y$


$a = a_2 [x/y]$

$b = b_2 [z/y]$

$a_2 = 1$

$b_2 = -0,4$

$n = E00$



### LABCab 85

Name und Spektralbereich

$R_m \text{ 561\_770}$     $Y_m \text{ 495\_770}$

$G_m \text{ 475\_573}$     $C_m \text{ 380\_561}$

$B_m \text{ 380\_495}$     $M_m \text{ 573\_475}$

Ostwald-Optimalfarben (o),  $Y_W=88,6$

6 von maximalem (m)  $C_{AB}$  für E00

in Buntwertdiagramm (A, B)

$XYZ_w=86.8818, 88.59, 104.73$

$$A = (a - a_n) Y$$

$$B = (b - b_n) Y$$


$$a = a_2 [x/y]$$

$$b = b_2 [z/y]$$

$$a_2 = 1$$

$$b_2 = -0,4$$

$$n = C00$$



### LABCab 85

Name und Spektralbereich

$R_m$  561\_770    $Y_m$  495\_770

$G_m$  475\_573    $C_m$  380\_561

$B_m$  380\_495    $M_m$  573\_475

Ostwald-Optimalfarben (o),  $Y_W=88,6$

6 von maximalem (m)  $C_{AB}$  für C00

in Buntwertdiagramm ( $A, B$ )

$XYZ_w=90.421, 88.59, 71.81$

$$A = (a - a_n) Y$$

$$B = (b - b_n) Y$$


$$a = a_2 [x/y]$$

$$b = b_2 [z/y]$$

$$a_2 = 1$$

$$b_2 = -0,4$$

$$n = P00$$



LABCab 85

Name und Spektralbereich

R<sub>m</sub> 561\_770    Y<sub>m</sub> 495\_770

G<sub>m</sub> 475\_573    C<sub>m</sub> 380\_561

B<sub>m</sub> 380\_495    M<sub>m</sub> 573\_475

Ostwald-Optimalfarben (o),  $Y_W=88,6$

6 von maximalem (m)  $C_{AB}$  für P00

in Buntwertdiagramm (A, B)

$XYZ_w=86.7591, 88.59, 105.38$

$$A = (a - a_n) Y$$

$$B = (b - b_n) Y$$


$$a = a_2 [x/y]$$

$$b = b_2 [z/y]$$

$$a_2 = 1$$

$$b_2 = -0,4$$

$$n = Q00$$



### LABCab 85

Name und Spektralbereich

$R_m$  561\_770    $Y_m$  495\_770

$G_m$  475\_573    $C_m$  380\_561

$B_m$  380\_495    $M_m$  573\_475

Ostwald-Optimalfarben (o),  $Y_W=88,6$

6 von maximalem (m)  $C_{AB}$  für Q00

in Buntwertdiagramm (A, B)

$XYZ_w=83.9954, 88.59, 95.08$

$$A = (a - a_n) Y$$

$$B = (b - b_n) Y$$


$$a = a_2 [x/y]$$

$$b = b_2 [z/y]$$

$$a_2 = 1$$

$$b_2 = -0,4$$

$$n = D65$$



LABCab 85

Name und Spektralbereich

$R_m$  561\_770     $Y_m$  495\_770

$G_m$  475\_573     $C_m$  380\_561

$B_m$  380\_495     $M_m$  573\_475

Ostwald-Optimalfarben (o),  $Y_W=88,6$

6 von maximalem (m)  $C_{AB}$  für D65

in Buntwertdiagramm ( $A, B$ )

$XYZ_w=85.6893, 88.59, 72.12$

$$A = (a - a_n) Y$$

$$B = (b - b_n) Y$$


$$a = a_2 [x/y]$$

$$b = b_2 [z/y]$$

$$a_2 = 1$$

$$b_2 = -0,4$$

$$n = D50$$



LABCab 85

Name und Spektralbereich

$R_m$  561\_770    $Y_m$  495\_770

$G_m$  475\_573    $C_m$  380\_561

$B_m$  380\_495    $M_m$  573\_475

Ostwald-Optimalfarben (o),  $Y_W=88,6$

6 von maximalem (m)  $C_{AB}$  für D50

in Buntwertdiagramm ( $A, B$ )

$XYZ_w=90.1416, 88.59, 57.09$

$$A = (a - a_n) Y$$

$$B = (b - b_n) Y$$

$$a = a_2 [x/y]$$

$$b = b_2 [z/y]$$

$$a_2 = 1$$

$$b_2 = -0,4$$

$$n = P40$$

LABCab 85

Name und Spektralbereich

$R_m$  561\_770    $Y_m$  495\_770


$G_m$  475\_573    $C_m$  380\_561

$B_m$  380\_495    $M_m$  573\_475

Ostwald-Optimalfarben (o),  $Y_W=88,6$

6 von maximalem (m)  $C_{AB}$  für P40

in Buntwertdiagramm ( $A, B$ )



$XYZ_w=98.468, 88.59, 31.18$

$$A = (a - a_n) Y$$

$$B = (b - b_n) Y$$

$$a = a_2 [x/y]$$

$$b = b_2 [z/y]$$

$$a_2 = 1$$

$$b_2 = -0.4$$

$$n = A00$$

LABCab 85

Name und Spektralbereich

$R_m$  561\_770    $Y_m$  495\_770


$G_m$  475\_573    $C_m$  380\_561

$B_m$  380\_495    $M_m$  573\_475

Ostwald-Optimalfarben (o),  $Y_W=88.6$

6 von maximalem (m)  $C_{AB}$  für A00

in Buntwertdiagramm ( $A, B$ )



$XYZ_w=88.5818, 88.59, 88.59$

$$A = (a - a_n) Y$$

$$B = (b - b_n) Y$$


$$a = a_2 [x/y]$$

$$b = b_2 [z/y]$$

$$a_2 = 1$$

$$b_2 = -0,4$$

$$n = E00$$



### LABCab 85

Name und Spektralbereich

$R_m$  561\_770     $Y_m$  495\_770

$G_m$  475\_573     $C_m$  380\_561

$B_m$  380\_495     $M_m$  573\_475

Ostwald-Optimalfarben (o),  $Y_W=88,6$

6 von maximalem (m)  $C_{AB}$  für E00

in Buntwertdiagramm (A, B)

$XYZ_w=86.1862, 88.59, 102.89$

$$A = (a - a_n) Y$$

$$B = (b - b_n) Y$$


$$a = a_2 [x/y]$$

$$b = b_2 [z/y]$$

$$a_2 = 1$$

$$b_2 = -0,4$$

$$n = C00$$



LABCab 85

Name und Spektralbereich

$R_m$  561\_770     $Y_m$  495\_770

$G_m$  475\_573     $C_m$  380\_561

$B_m$  380\_495     $M_m$  573\_475

Ostwald-Optimalfarben (o),  $Y_W=88,6$

6 von maximalem (m)  $C_{AB}$  für  $C00$

in Buntwertdiagramm ( $A, B$ )

$XYZ_w=90.6941, 88.59, 71.98$

$$A = (a - a_n) Y$$

$$B = (b - b_n) Y$$


$$a = a_2 [x/y]$$

$$b = b_2 [z/y]$$

$$a_2 = 1$$

$$b_2 = -0,4$$

$$n = P00$$



### LABCab 85

Name und Spektralbereich

$R_m$  561\_770    $Y_m$  495\_770

$G_m$  475\_573    $C_m$  380\_561

$B_m$  380\_495    $M_m$  573\_475

Ostwald-Optimalfarben (o),  $Y_W=88,6$

6 von maximalem (m)  $C_{AB}$  für P00

in Buntwertdiagramm (A, B)

$XYZ_w=86.5081, 88.59, 104.91$

$$A = (a - a_n) Y$$

$$B = (b - b_n) Y$$


$$a = a_2 [x/y]$$

$$b = b_2 [z/y]$$

$$a_2 = 1$$

$$b_2 = -0,4$$

$$n = Q00$$



### LABCab 85

Name und Spektralbereich

R<sub>m</sub> 561\_770 Y<sub>m</sub> 495\_770

G<sub>m</sub> 475\_573 C<sub>m</sub> 380\_561

B<sub>m</sub> 380\_495 M<sub>m</sub> 573\_475

Ostwald-Optimalfarben (o),  $Y_W=88,6$

6 von maximalem (m)  $C_{AB}$  für Q00

in Buntwertdiagramm (A, B)