

$XYZ_w=84.1998, 88.59, 96.46$

$$a^* = 500 (a' - a'_{n0}) Y^{1/3}$$

$$b^* = 500 (b' - b'_{n0}) Y^{1/3}$$

$$a = a_2 [x/y + 1]$$

$$b = b_2 [z/y + 1/6]^{1/3}$$

$$a_2 = 1/15 = 0.06666$$

$$b_2 = -1/12 = -0.08333$$

$$n = D65$$

LABHNU1 79

Name und Spektralbereich

R_m 561_770 Y_m 495_770


G_m 475_573 C_m 380_561

B_m 380_495 M_m 573_475

Ostwald-Optimalfarben (o), $Y_W=88,6$

6 von maximalem (m) C_{AB} für D65

in Buntheitsdiagramm (A^* , B^*)



$XYZ_w=85.421, 88.59, 73.08$

$$a^* = 500 (a' - a'_{n_0}) Y^{1/3}$$

$$b^* = 500 (b' - b'_{n_0}) Y^{1/3}$$

$$a = a_2 [x/y + 1]$$

$$b = b_2 [z/y + 1/6]^{1/3}$$

$$a_2 = 1/15 = 0.06666$$

$$b_2 = -1/12 = -0.08333$$

$$n = D50$$

LABHNU1 79

Name und Spektralbereich

R_m 561_770 Y_m 495_770


G_m 475_573 C_m 380_561

B_m 380_495 M_m 573_475

Ostwald-Optimalfarben (o), $Y_W=88,6$

6 von maximalem (m) C_{AB} für D50

in Buntheitsdiagramm (A^* , B^*)



$XYZ_w=89.4154, 88.59, 57.3$

$$a^* = 500 (a' - a'_{n0}) Y^{1/3}$$

$$b^* = 500 (b' - b'_{n0}) Y^{1/3}$$

$$a = a_2 [x/y + 1]$$

$$b = b_2 [z/y + 1/6]^{1/3}$$

$$a_2 = 1/15 = 0.06666$$

$$b_2 = -1/12 = -0.08333$$

$$n = P40$$

LABHNU1 79

Name und Spektralbereich

R_m 561_770 Y_m 495_770


G_m 475_573 C_m 380_561

B_m 380_495 M_m 573_475

Ostwald-Optimalfarben (o), $Y_W=88,6$

6 von maximalem (m) C_{AB} für P40

in Buntheitsdiagramm (A^* , B^*)



$XYZ_w=97.3152, 88.59, 31.52$

$$a^* = 500 (a' - a'_{n0}) Y^{1/3}$$

$$b^* = 500 (b' - b'_{n0}) Y^{1/3}$$

$$a = a_2 [x/y + 1]$$

$$b = b_2 [z/y + 1/6]^{1/3}$$

$$a_2 = 1/15 = 0.06666$$

$$b_2 = -1/12 = -0.08333$$

$$n = A00$$

LABHNU1 79

Name und Spektralbereich

R_m 561_770 Y_m 495_770


G_m 475_573 C_m 380_561

B_m 380_495 M_m 573_475

Ostwald-Optimalfarben (o), $Y_W=88,6$

6 von maximalem (m) C_{AB} für A00

in Buntheitsdiagramm (A^* , B^*)



$XYZ_w=88.5907, 88.59, 88.59$

$a^* = 500 (a' - a'_{n0}) Y^{1/3}$

$b^* = 500 (b' - b'_{n0}) Y^{1/3}$

$a = a_2 [x/y + 1]$

$b = b_2 [z/y + 1/6]^{1/3}$

$a_2 = 1/15 = 0.06666$

$b_2 = -1/12 = -0.08333$

$n = E00$

LABHNU1 79

Name und Spektralbereich

R_m 561_770 Y_m 495_770


G_m 475_573 C_m 380_561

B_m 380_495 M_m 573_475

Ostwald-Optimalfarben (o), $Y_W=88,6$

6 von maximalem (m) C_{AB} für E00

in Buntheitsdiagramm (A^* , B^*)



$XYZ_w=86.8818, 88.59, 104.73$

$$a^* = 500 (a' - a'_{n*}) Y^{1/3}$$

$$b^* = 500 (b' - b'_{n*}) Y^{1/3}$$

$$a = a_2 [x/y + 1]$$

$$b = b_2 [z/y + 1/6]^{1/3}$$

$$a_2 = 1/15 = 0.06666$$

$$b_2 = -1/12 = -0.08333$$

$$n = C00$$

LABHNU1 79

Name und Spektralbereich

R_m 561_770 Y_m 495_770


G_m 475_573 C_m 380_561

B_m 380_495 M_m 573_475

Ostwald-Optimalfarben (o), $Y_W=88,6$

6 von maximalem (m) C_{AB} für C00

in Buntheitsdiagramm (A^* , B^*)



$XYZ_w=90.421, 88.59, 71.81$

$$a^* = 500 (a' - a'_{n*}) Y^{1/3}$$

$$b^* = 500 (b' - b'_{n*}) Y^{1/3}$$

$$a = a_2 [x/y + 1]$$

$$b = b_2 [z/y + 1/6]^{1/3}$$

$$a_2 = 1/15 = 0.06666$$

$$b_2 = -1/12 = -0.08333$$

$$n = P00$$

LABHNU1 79

Name und Spektralbereich

R_m 561_770 Y_m 495_770


G_m 475_573 C_m 380_561

B_m 380_495 M_m 573_475

Ostwald-Optimalfarben (o), $Y_W=88,6$

6 von maximalem (m) C_{AB} für P00

in Buntheitsdiagramm (A^* , B^*)



$XYZ_w=86.7591, 88.59, 105.38$

$$a^* = 500 (a' - a'_{n_0}) Y^{1/3}$$

$$b^* = 500 (b' - b'_{n_0}) Y^{1/3}$$

$$a = a_2 [x/y + 1]$$

$$b = b_2 [z/y + 1/6]^{1/3}$$

$$a_2 = 1/15 = 0.06666$$

$$b_2 = -1/12 = -0.08333$$

$$n = Q00$$

LABHNU1 79

Name und Spektralbereich

R_m 561_770 Y_m 495_770


G_m 475_573 C_m 380_561

B_m 380_495 M_m 573_475

Ostwald-Optimalfarben (o), $Y_W=88,6$

6 von maximalem (m) C_{AB} für Q00

in Buntheitsdiagramm (A^* , B^*)



$XYZ_w=83.9954, 88.59, 95.08$

$a^* = 500 (a' - a'_{n0}) Y^{1/3}$

$b^* = 500 (b' - b'_{n0}) Y^{1/3}$

$a = a_2 [x/y + 1]$

$b = b_2 [z/y + 1/6]^{1/3}$

$a_2 = 1/15 = 0.06666$

$b_2 = -1/12 = -0.08333$

$n = D65$

LABHNU1 79

Name und Spektralbereich

$R_m 561_770 \quad Y_m 495_770$


$G_m 475_573 \quad C_m 380_561$

$B_m 380_495 \quad M_m 573_475$

Ostwald-Optimalfarben (o), $Y_W=88,6$

6 von maximalem (m) C_{AB} für D65

in Buntheitsdiagramm (A^*, B^*)



$XYZ_w=85.6893, 88.59, 72.12$

$$a^* = 500 (a' - a'_{n*}) Y^{1/3}$$

$$b^* = 500 (b' - b'_{n*}) Y^{1/3}$$

$$a = a_2 [x/y + 1]$$

$$b = b_2 [z/y + 1/6]^{1/3}$$

$$a_2 = 1/15 = 0.06666$$

$$b_2 = -1/12 = -0.08333$$

$$n = D50$$

LABHNU1 79

Name und Spektralbereich

R_m 561_770 Y_m 495_770


G_m 475_573 C_m 380_561

B_m 380_495 M_m 573_475

Ostwald-Optimalfarben (o), $Y_W=88,6$

6 von maximalem (m) C_{AB} für D50

in Buntheitsdiagramm (A^* , B^*)



$XYZ_w=90.1416, 88.59, 57.09$

$$a^* = 500 (a' - a'_{n0}) Y^{1/3}$$

$$b^* = 500 (b' - b'_{n0}) Y^{1/3}$$

$$a = a_2 [x/y + 1]$$

$$b = b_2 [z/y + 1/6]^{1/3}$$

$$a_2 = 1/15 = 0.06666$$

$$b_2 = -1/12 = -0.08333$$

$$n = P40$$

LABHNU1 79

Name und Spektralbereich

R_m 561_770 Y_m 495_770


G_m 475_573 C_m 380_561

B_m 380_495 M_m 573_475

Ostwald-Optimalfarben (o), $Y_W=88,6$

6 von maximalem (m) C_{AB} für P40

in Buntheitsdiagramm (A^* , B^*)



$XYZ_w=98.468, 88.59, 31.18$

$$a^* = 500 (a' - a'_{n_0}) Y^{1/3}$$

$$b^* = 500 (b' - b'_{n_0}) Y^{1/3}$$

$$a = a_2 [x/y + 1]$$

$$b = b_2 [z/y + 1/6]^{1/3}$$

$$a_2 = 1/15 = 0.06666$$

$$b_2 = -1/12 = -0.08333$$

$$n = A00$$

LABHNU1 79

Name und Spektralbereich

R_m 561_770 Y_m 495_770


G_m 475_573 C_m 380_561

B_m 380_495 M_m 573_475

Ostwald-Optimalfarben (o), $Y_W=88,6$

6 von maximalem (m) C_{AB} für A00

in Buntheitsdiagramm (A^* , B^*)



$XYZ_w=88.5818, 88.59, 88.59$

$a^* = 500 (a' - a'_{n0}) Y^{1/3}$

$b^* = 500 (b' - b'_{n0}) Y^{1/3}$

$a = a_2 [x/y + 1]$

$b = b_2 [z/y + 1/6]^{1/3}$

$a_2 = 1/15 = 0.06666$

$b_2 = -1/12 = -0.08333$

$n = E00$

LABHNU1 79

Name und Spektralbereich

R_m 561_770 Y_m 495_770


G_m 475_573 C_m 380_561

B_m 380_495 M_m 573_475

Ostwald-Optimalfarben (o), $Y_W=88,6$

6 von maximalem (m) C_{AB} für E00

in Buntheitsdiagramm (A^* , B^*)



$XYZ_w=86.1862, 88.59, 102.89$

$$a^* = 500 (a' - a'_{n_0}) Y^{1/3}$$

$$b^* = 500 (b' - b'_{n_0}) Y^{1/3}$$

$$a = a_2 [x/y + 1]$$

$$b = b_2 [z/y + 1/6]^{1/3}$$

$$a_2 = 1/15 = 0.06666$$

$$b_2 = -1/12 = -0.08333$$

$$n = C00$$

LABHNU1 79

Name und Spektralbereich

R_m 561_770 Y_m 495_770


G_m 475_573 C_m 380_561

B_m 380_495 M_m 573_475

Ostwald-Optimalfarben (o), $Y_W=88,6$

6 von maximalem (m) C_{AB} für C00

in Buntheitsdiagramm (A^* , B^*)



$XYZ_w=90.6941, 88.59, 71.98$

$$a^* = 500 (a' - a'_{n*}) Y^{1/3}$$

$$b^* = 500 (b' - b'_{n*}) Y^{1/3}$$

$$a = a_2 [x/y + 1]$$

$$b = b_2 [z/y + 1/6]^{1/3}$$

$$a_2 = 1/15 = 0.06666$$

$$b_2 = -1/12 = -0.08333$$

$$n = P00$$

LABHNU1 79

Name und Spektralbereich

R_m 561_770 Y_m 495_770


G_m 475_573 C_m 380_561

B_m 380_495 M_m 573_475

Ostwald-Optimalfarben (o), $Y_W=88,6$

6 von maximalem (m) C_{AB} für P00

in Buntheitsdiagramm (A^* , B^*)



$XYZ_w=86.5081, 88.59, 104.91$

$$a^* = 500 (a' - a'_{n*}) Y^{1/3}$$

$$b^* = 500 (b' - b'_{n*}) Y^{1/3}$$

$$a = a_2 [x/y + 1]$$

$$b = b_2 [z/y + 1/6]^{1/3}$$

$$a_2 = 1/15 = 0.06666$$

$$b_2 = -1/12 = -0.08333$$

$$n = Q00$$

LABHNU1 79

Name und Spektralbereich

R_m 561_770 Y_m 495_770

G_m 475_573 C_m 380_561

B_m 380_495 M_m 573_475

Ostwald-Optimalfarben (o), $Y_W=88,6$

6 von maximalem (m) C_{AB} für Q00

in Buntheitsdiagramm (A^* , B^*)

