

$XYZ_w=95.0443, 100.0, 108.89$

$a^* = 500 (a' - a'_{n*}) Y^{1/3}$

$b^* = 500 (b' - b'_{n*}) Y^{1/3}$

$a = a_2 [x/y + 1]$

$b = b_2 [z/y + 1/6]^{1/3}$

$a_2 = 1/15 = 0.06666$

$b_2 = -1/12 = -0.08333$

$n = D65$

LABHNU1 79

Name und Spektralbereich

$R_m 565_770 \quad Y_m 495_770$


$G_o 495_565 \quad C_m 380_565$

$B_m 380_495 \quad M_o 565_495$

Optimalfarben (o), $Y_W=100$

4 von maximalem (m) C_{AB} für D65

in Buntheitsdiagramm (A^*, B^*)



$XYZ_w=96.4228, 100.0, 82.49$

$a^* = 500 (a' - a'_{n}) Y^{1/3}$

$b^* = 500 (b' - b'_{n}) Y^{1/3}$

$a = a_2 [x/y + 1]$

$b = b_2 [z/y + 1/6]^{1/3}$

$a_2 = 1/15 = 0.06666$

$b_2 = -1/12 = -0.08333$

$n = D50$

LABHNU1 79

Name und Spektralbereich

$R_m 565_770 \quad Y_m 495_770$


$G_o 495_565 \quad C_m 380_565$

$B_m 380_495 \quad M_o 565_495$

Optimalfarben (o), $Y_W=100$

4 von maximalem (m) C_{AB} für D50

in Buntheitsdiagramm (A^* , B^*)



$XYZ_w=100.932, 100.0, 64.68$

$a^* = 500 (a' - a'_{n*}) Y^{1/3}$

$b^* = 500 (b' - b'_{n*}) Y^{1/3}$

$a = a_2 [x/y + 1]$

$b = b_2 [z/y + 1/6]^{1/3}$

$a_2 = 1/15 = 0.06666$

$b_2 = -1/12 = -0.08333$

$n = P40$

LABHNU1 79

Name und Spektralbereich

$R_m 565_770 \quad Y_m 495_770$


$G_o 495_565 \quad C_m 380_565$

$B_m 380_495 \quad M_o 565_495$

Optimalfarben (o), $Y_W=100$

4 von maximalem (m) C_{AB} für P40

in Buntheitsdiagramm (A^*, B^*)



$XYZ_w=109.849, 100.0, 35.58$

$$a^* = 500 (a' - a'_{n_0}) Y^{1/3}$$

$$b^* = 500 (b' - b'_{n_0}) Y^{1/3}$$

$$a = a_2 [x/y + 1]$$

$$b = b_2 [z/y + 1/6]^{1/3}$$

$$a_2 = 1/15 = 0.06666$$

$$b_2 = -1/12 = -0.08333$$

$$n = A00$$

LABHNU1 79

Name und Spektralbereich

R_m 565_770 Y_m 495_770


G_o 495_565 C_m 380_565

B_m 380_495 M_o 565_495

Optimalfarben (o), $Y_W=100$

4 von maximalem (m) C_{AB} für A00

in Buntheitsdiagramm (A^* , B^*)



$XYZ_w=100.001, 100.0, 100.0$

$a^* = 500 (a' - a'_{n*}) Y^{1/3}$

$b^* = 500 (b' - b'_{n*}) Y^{1/3}$

$a = a_2 [x/y + 1]$

$b = b_2 [z/y + 1/6]^{1/3}$

$a_2 = 1/15 = 0.06666$

$b_2 = -1/12 = -0.08333$

$n = E00$

LABHNU1 79

Name und Spektralbereich

$R_m 565_770 \quad Y_m 495_770$


$G_o 495_565 \quad C_m 380_565$

$B_m 380_495 \quad M_o 565_495$

Optimalfarben (o), $Y_W=100$

4 von maximalem (m) C_{AB} für E00

in Buntheitsdiagramm (A^*, B^*)



$XYZ_w=98.0718, 100.0, 118.22$

$a^* = 500 (a' - a'_{n*}) Y^{1/3}$

$b^* = 500 (b' - b'_{n*}) Y^{1/3}$

$a = a_2 [x/y + 1]$

$b = b_2 [z/y + 1/6]^{1/3}$

$a_2 = 1/15 = 0.06666$

$b_2 = -1/12 = -0.08333$

$n = C00$

LABHNU1 79

Name und Spektralbereich

$R_m 565_770 \quad Y_m 495_770$


$G_o 495_565 \quad C_m 380_565$

$B_m 380_495 \quad M_o 565_495$

Optimalfarben (o), $Y_W=100$

4 von maximalem (m) C_{AB} für C00

in Buntheitsdiagramm (A^* , B^*)



$XYZ_w=102.067, 100.0, 81.06$

$$a^* = 500 (a' - a'_{n*}) Y^{1/3}$$

$$b^* = 500 (b' - b'_{n*}) Y^{1/3}$$

$$a = a_2 [x/y + 1]$$

$$b = b_2 [z/y + 1/6]^{1/3}$$

$$a_2 = 1/15 = 0.06666$$

$$b_2 = -1/12 = -0.08333$$

$$n = P00$$

LABHNU1 79

Name und Spektralbereich

R_m 565_770 Y_m 495_770


G_o 495_565 C_m 380_565

B_m 380_495 M_o 565_495

Optimalfarben (o), $Y_W=100$

4 von maximalem (m) C_{AB} für P00

in Buntheitsdiagramm (A^* , B^*)



$XYZ_w=97.9332, 100.0, 118.95$

$a^* = 500 (a' - a'_{n*}) Y^{1/3}$

$b^* = 500 (b' - b'_{n*}) Y^{1/3}$

$a = a_2 [x/y + 1]$

$b = b_2 [z/y + 1/6]^{1/3}$

$a_2 = 1/15 = 0.06666$

$b_2 = -1/12 = -0.08333$

$n = Q00$

LABHNU1 79

Name und Spektralbereich

$R_m 565_770 \quad Y_m 495_770$


$G_o 495_565 \quad C_m 380_565$

$B_m 380_495 \quad M_o 565_495$

Optimalfarben (o), $Y_W=100$

4 von maximalem (m) C_{AB} für Q00

in Buntheitsdiagramm (A^*, B^*)



$XYZ_w=95.0443, 100.0, 108.89$

$a^* = 500 (a' - a'_{n*}) Y^{1/3}$

$b^* = 500 (b' - b'_{n*}) Y^{1/3}$

$a = a_2 [x/y + 1]$

$b = b_2 [z/y + 1/6]^{1/3}$

$a_2 = 1/15 = 0.06666$

$b_2 = -1/12 = -0.08333$

$n = D65$

LABHNU1 79

Name und Spektralbereich

$R_m 565_770 \quad Y_m 495_770$


$G_o 495_565 \quad C_m 380_565$

$B_m 380_495 \quad M_o 565_495$

Optimalfarben (o), $Y_W=100$

4 von maximalem (m) C_{AB} für D65

in Buntheitsdiagramm (A^*, B^*)



$XYZ_w=96.4228, 100.0, 82.49$

$$a^* = 500 (a' - a'_{n*}) Y^{1/3}$$

$$b^* = 500 (b' - b'_{n*}) Y^{1/3}$$

$$a = a_2 [x/y + 1]$$

$$b = b_2 [z/y + 1/6]^{1/3}$$

$$a_2 = 1/15 = 0.06666$$

$$b_2 = -1/12 = -0.08333$$

$$n = D50$$

LABHNU1 79

Name und Spektralbereich

R_m 565_770 Y_m 495_770


G_o 495_565 C_m 380_565

B_m 380_495 M_o 565_495

Optimalfarben (o), $Y_W=100$

4 von maximalem (m) C_{AB} für D50

in Buntheitsdiagramm (A^* , B^*)



$XYZ_w=100.932, 100.0, 64.68$

$a^* = 500 (a' - a'_{n*}) Y^{1/3}$

$b^* = 500 (b' - b'_{n*}) Y^{1/3}$

$a = a_2 [x/y + 1]$

$b = b_2 [z/y + 1/6]^{1/3}$

$a_2 = 1/15 = 0.06666$

$b_2 = -1/12 = -0.08333$

$n = P40$

LABHNU1 79

Name und Spektralbereich

$R_m 565_770 \quad Y_m 495_770$


$G_o 495_565 \quad C_m 380_565$

$B_m 380_495 \quad M_o 565_495$

Optimalfarben (o), $Y_W=100$

4 von maximalem (m) C_{AB} für P40

in Buntheitsdiagramm (A^*, B^*)



$XYZ_w=109.849, 100.0, 35.58$

$$a^* = 500 (a' - a'_{n_0}) Y^{1/3}$$

$$b^* = 500 (b' - b'_{n_0}) Y^{1/3}$$

$$a = a_2 [x/y + 1]$$

$$b = b_2 [z/y + 1/6]^{1/3}$$

$$a_2 = 1/15 = 0.06666$$

$$b_2 = -1/12 = -0.08333$$

$$n = A00$$

LABHNU1 79

Name und Spektralbereich

R_m 565_770 Y_m 495_770


G_o 495_565 C_m 380_565

B_m 380_495 M_o 565_495

Optimalfarben (o), $Y_w=100$

4 von maximalem (m) C_{AB} für A00

in Buntheitsdiagramm (A^* , B^*)



$XYZ_w=100.001, 100.0, 100.0$

$a^* = 500 (a' - a'_{n*}) Y^{1/3}$

$b^* = 500 (b' - b'_{n*}) Y^{1/3}$

$a = a_2 [x/y + 1]$

$b = b_2 [z/y + 1/6]^{1/3}$

$a_2 = 1/15 = 0.06666$

$b_2 = -1/12 = -0.08333$

$n = E00$

LABHNU1 79

Name und Spektralbereich

$R_m 565_770 \quad Y_m 495_770$


$G_o 495_565 \quad C_m 380_565$

$B_m 380_495 \quad M_o 565_495$

Optimalfarben (o), $Y_W=100$

4 von maximalem (m) C_{AB} für E00

in Buntheitsdiagramm (A^*, B^*)



$XYZ_w=98.0718, 100.0, 118.22$

$a^* = 500 (a' - a'_{n*}) Y^{1/3}$

$b^* = 500 (b' - b'_{n*}) Y^{1/3}$

$a = a_2 [x/y + 1]$

$b = b_2 [z/y + 1/6]^{1/3}$

$a_2 = 1/15 = 0.06666$

$b_2 = -1/12 = -0.08333$

$n = C00$

LABHNU1 79

Name und Spektralbereich

$R_m 565_770 \quad Y_m 495_770$


$G_o 495_565 \quad C_m 380_565$

$B_m 380_495 \quad M_o 565_495$

Optimalfarben (o), $Y_W=100$

4 von maximalem (m) C_{AB} für C00

in Buntheitsdiagramm (A^*, B^*)



$XYZ_w=102.067, 100.0, 81.06$

$$a^* = 500 (a' - a'_{n*}) Y^{1/3}$$

$$b^* = 500 (b' - b'_{n*}) Y^{1/3}$$

$$a = a_2 [x/y + 1]$$

$$b = b_2 [z/y + 1/6]^{1/3}$$

$$a_2 = 1/15 = 0.06666$$

$$b_2 = -1/12 = -0.08333$$

$$n = P00$$

LABHNU1 79

Name und Spektralbereich

R_m 565_770 Y_m 495_770


G_o 495_565 C_m 380_565

B_m 380_495 M_o 565_495

Optimalfarben (o), $Y_W=100$

4 von maximalem (m) C_{AB} für P00

in Buntheitsdiagramm (A^* , B^*)



$XYZ_w=97.9332, 100.0, 118.95$

$a^* = 500 (a' - a'_{n*}) Y^{1/3}$

$b^* = 500 (b' - b'_{n*}) Y^{1/3}$

$a = a_2 [x/y + 1]$

$b = b_2 [z/y + 1/6]^{1/3}$

$a_2 = 1/15 = 0.06666$

$b_2 = -1/12 = -0.08333$

$n = Q00$

LABHNU1 79

Name und Spektralbereich

$R_m 565_770 \quad Y_m 495_770$

$G_o 495_565 \quad C_m 380_565$

$B_m 380_495 \quad M_o 565_495$

Optimalfarben (o), $Y_W=100$

4 von maximalem (m) C_{AB} für Q00

in Buntheitsdiagramm (A^*, B^*)

