

Optimalfarben (o) <i>RYGCBM</i> von maximalem (m) C_{AB} für D65, $Y_w=88,6$									
<i>CodeD65</i>	$L^*_{88.6}$	$a^*_{88.6}$	$b^*_{88.6}$	C^*_{ab}	a'	b'	h_{ab}	i_d, λ^*_d	i_c, λ^*_c
R _m 565_770	66.77	59.2	127.26	140.36	0.2511	-0.0093	65.0	37 589	15 475
Y _m 495_770	93.06	-22.24	114.38	116.52	0.2052	-0.0337	101.0	32 563	14 470
G _o 495_565	74.05	-126.83	81.82	150.93	0.145	-0.0407	147.1	25 525	-1 525c
C _m 380_565	77.44	-64.32	-30.95	71.38	0.181	-0.1027	205.6	16 481	-1 481c
B _m 380_495	28.1	85.54	-112.41	141.25	0.3122	-0.2135	307.2	12 460	28 543
M _o 575_475	70.75	79.0	-38.88	88.05	0.2609	-0.1085	333.7	-1 519c	23 519
N _o 380_770	0.8	-0.01	0.0	0.01	0.2154	-0.0861	158.2	23 515	-1 515c
W _o 380_770	95.41	0.0	0.0	0.0	0.2154	-0.0861	180.0	18 492	-1 492c

Optimalfarben (o) <i>RYGCBM</i> von maximalem (m) C_{AB} für D50, $Y_w=88,6$									
<i>CodeD65</i>	$L^*_{88.6}$	$a^*_{88.6}$	$b^*_{88.6}$	C^*_{ab}	a'	b'	h_{ab}	i_d, λ^*_d	i_c, λ^*_c
R _m 565_770	68.91	61.88	117.76	133.03	0.2528	−0.0092	62.2	38 590	15 476
Y _m 495_770	93.51	−14.99	100.94	102.04	0.2096	−0.0324	98.4	33 566	14 470
G _o 495_565	72.83	−124.74	68.69	142.41	0.1462	−0.0399	151.1	25 525	−1 525c
C _m 380_565	75.68	−76.21	−30.96	82.26	0.1749	−0.0954	202.1	16 483	−1 483c
B _m 380_495	25.16	70.95	−106.44	127.92	0.3025	−0.2077	303.6	12 462	29 549
M _o 575_475	72.02	74.72	−32.8	81.6	0.2588	−0.0971	336.2	−1 520c	24 520
N _o 380_770	0.8	−0.01	0.0	0.01	0.2164	−0.0785	160.0	23 516	−1 516c
W _o 380_770	95.41	0.0	0.0	0.0	0.2164	−0.0785	152.7	24 523	−1 523c

Optimalfarben (o) <i>RYGCBM</i> von maximalem (m) C_{AB} für P40, $Y_w=88,6$									
<i>CodeD65</i>	$L^*_{88.6}$	$a^*_{88.6}$	$b^*_{88.6}$	C^*_{ab}	a'	b'	h_{ab}	i_d, λ^*_d	i_c, λ^*_c
R _m 565_770	71.71	60.3	111.02	126.34	0.2541	-0.0091	61.4	38 591	15 476
Y _m 495_770	93.9	-10.66	91.13	91.75	0.2149	-0.0309	96.6	33 569	14 470
G _o 495_565	70.75	-125.02	57.87	137.76	0.1477	-0.039	155.1	25 525	-1 525c
C _m 380_565	73.13	-85.14	-32.23	91.04	0.172	-0.0905	200.7	16 484	-1 484c
B _m 380_495	22.14	61.44	-102.08	119.14	0.3002	-0.2061	301.0	12 462	30 554
M _o 575_475	74.04	69.31	-26.87	74.34	0.2582	-0.0873	338.8	-1 521c	24 521
N _o 380_770	0.8	-0.01	0.0	0.01	0.2197	-0.0724	161.7	23 518	-1 518c
W _o 380_770	95.41	0.0	0.0	0.0	0.2197	-0.0724	165.7	22 514	-1 514c

Optimalfarben (o) <i>RYGCBM</i> von maximalem (m) C_{AB} für A00, $Y_w=88,6$									
<i>CodeD65</i>	$L^*_{88.6}$	$a^*_{88.6}$	$b^*_{88.6}$	C^*_{ab}	a'	b'	h_{ab}	i_d, λ^*_d	i_c, λ^*_c
R _m 565_770	75.93	57.61	92.62	109.08	0.2573	-0.0089	58.1	38 592	15 477
Y _m 495_770	94.47	-4.08	68.93	69.05	0.2242	-0.0281	93.3	35 575	14 470
G _o 495_565	66.98	-125.33	36.67	130.59	0.1505	-0.0372	163.6	25 525	-1 525c
C _m 380_565	68.62	-103.16	-31.73	107.93	0.1651	-0.078	197.0	17 488	-1 488c
B _m 380_495	16.59	36.76	-88.88	96.19	0.2824	-0.1957	292.4	12 464	33 566
M _o 575_475	77.27	60.63	-16.86	62.93	0.2585	-0.0683	344.4	-1 524c	24 524
N _o 380_770	0.8	-0.01	0.0	0.01	0.226	-0.0593	165.2	24 523	-1 523c
W _o 380_770	95.41	0.0	0.0	0.0	0.226	-0.0593	83.1	35 576	14 471

Optimalfarben (o) <i>RYGCBM</i> von maximalem (m) C_{AB} für E00, $Y_w=88,6$									
<i>CodeD65</i>	$L^*_{88.6}$	$a^*_{88.6}$	$b^*_{88.6}$	C^*_{ab}	a'	b'	h_{ab}	i_d, λ^*_d	i_c, λ^*_c
R _m 565_770	69.15	57.52	126.95	139.37	0.2528	-0.0092	65.6	38 590	15 475
Y _m 495_770	93.34	-19.72	111.66	113.38	0.21	-0.0327	100.0	33 566	14 470
G _o 495_565	72.37	-129.5	76.76	150.54	0.1458	-0.0403	149.3	25 525	-1 525c
C _m 380_565	75.48	-69.14	-33.36	76.77	0.1813	-0.1019	205.7	16 481	-1 481c
B _m 380_495	26.28	83.45	-112.3	139.91	0.3176	-0.2164	306.6	12 460	29 546
M _o 575_475	72.49	75.25	-34.88	82.94	0.2615	-0.1034	335.1	-1 520c	24 520
N _o 380_770	0.8	-0.01	0.0	0.01	0.2191	-0.0837	159.0	23 516	-1 516c
W _o 380_770	95.41	0.0	0.0	0.0	0.2191	-0.0837	86.5	34 573	14 471

Optimalfarben (o) <i>RYGCBM</i> von maximalem (m) C_{AB} für C00, $Y_w=88,6$									
<i>CodeD65</i>	$L^*_{88.6}$	$a^*_{88.6}$	$b^*_{88.6}$	C^*_{ab}	a'	b'	h_{ab}	i_d, λ^*_d	i_c, λ^*_c
R _m 565_770	67.43	55.55	132.25	143.44	0.2509	-0.0093	67.2	37 589	15 475
Y _m 495_770	92.88	-23.86	119.77	122.13	0.2067	-0.0335	101.2	32 564	14 470
G _o 495_565	73.21	-127.37	85.16	153.22	0.1463	-0.0408	146.2	25 526	-1 526c
C _m 380_565	76.92	-60.6	-32.74	68.88	0.185	-0.1061	208.3	16 480	-1 480c
B _m 380_495	29.19	87.31	-113.96	143.57	0.3141	-0.2145	307.4	12 460	28 543
M _o 575_475	71.63	76.92	-38.77	86.14	0.2615	-0.1106	333.2	-1 519c	23 519
N _o 380_770	0.8	-0.01	0.0	0.01	0.2176	-0.0885	157.8	23 515	-1 515c
W _o 380_770	95.41	0.0	0.0	0.0	0.2176	-0.0885	0.0	-1 519c	-1 515c

Optimalfarben (o) <i>RYGCBM</i> von maximalem (m) C_{AB} für P00, $Y_w=88,6$									
<i>CodeD65</i>	$L^*_{88.6}$	$a^*_{88.6}$	$b^*_{88.6}$	C^*_{ab}	a'	b'	h_{ab}	i_d, λ^*_d	i_c, λ^*_c
R _m 565_770	70.99	58.5	119.97	133.47	0.2542	-0.0091	64.0	38 591	15 475
Y _m 495_770	93.66	-14.64	101.96	103.01	0.2139	-0.0316	98.1	33 568	14 470
G _o 495_565	71.09	-128.3	66.97	144.72	0.1469	-0.0396	152.4	25 525	-1 525c
C _m 380_565	73.82	-78.01	-33.69	84.98	0.1771	-0.0968	203.3	16 483	-1 483c
B _m 380_495	24.03	72.68	-107.81	130.02	0.3112	-0.2126	303.9	12 461	30 551
M _o 575_475	73.73	71.37	-30.17	77.49	0.2603	-0.0948	337.0	-1 521c	24 521
N _o 380_770	0.8	-0.01	0.0	0.01	0.2206	-0.078	160.5	23 517	-1 517c
W _o 380_770	95.41	0.0	0.0	0.0	0.2206	-0.078	152.7	24 524	-1 524c

Optimalfarben (o) <i>RYGCBM</i> von maximalem (m) C_{AB} für Q00, $Y_w=88,6$									
<i>CodeD65</i>	$L^*_{88.6}$	$a^*_{88.6}$	$b^*_{88.6}$	C^*_{ab}	a'	b'	h_{ab}	i_d, λ^*_d	i_c, λ^*_c
R _m 565_770	67.22	56.16	132.25	143.68	0.2513	-0.0093	66.9	37 589	15 475
Y _m 495_770	93.02	-25.21	119.93	122.55	0.206	-0.0337	101.8	32 563	14 470
G _o 495_565	73.61	-130.45	85.69	156.08	0.1448	-0.0409	146.6	25 525	-1 525c
C _m 380_565	77.08	-60.89	-32.5	69.02	0.1848	-0.1061	208.0	16 480	-1 480c
B _m 380_495	28.32	92.85	-115.7	148.35	0.3221	-0.2191	308.7	11 459	28 542
M _o 575_475	71.21	79.16	-39.54	88.49	0.2629	-0.1114	333.4	-1 519c	23 519
N _o 380_770	0.8	-0.01	0.0	0.01	0.2175	-0.0887	157.8	23 515	-1 515c
W _o 380_770	95.41	0.0	0.0	0.0	0.2175	-0.0887	134.1	27 536	10 451

Optimalfarben (o) <i>RYGCBM</i> von maximalem (m) C_{AB} für D65, $Y_{w,10}=88,6$									
<i>CodeD65</i>	$L^*_{88.6}$	$a^*_{88.6}$	$b^*_{88.6}$	C^*_{ab}	a'	b'	h_{ab}	i_d, λ^*_d	i_c, λ^*_c
R _m 565_770	64.8	61.55	138.64	151.69	0.2533	0.0	66.0	37 588	13 469
Y _m 495_770	91.19	-14.23	119.01	119.85	0.2086	-0.0302	96.8	32 560	12 464
G _o 495_565	72.96	-107.82	87.73	139.0	0.1546	-0.0364	140.8	25 525	-1 525c
C _m 380_565	78.92	-61.83	-28.28	68.0	0.1826	-0.1006	204.5	15 475	-1 475c
B _m 380_495	37.29	46.02	-97.22	107.56	0.2583	-0.1769	295.3	11 459	29 546
M _o 575_475	71.88	68.97	-37.83	78.67	0.2544	-0.1072	331.2	-1 516c	23 516
N _o 380_770	0.8	-0.01	0.0	0.01	0.2152	-0.0857	158.2	22 510	-1 510c
W _o 380_770	95.41	0.0	0.0	0.0	0.2152	-0.0857	180.0	17 486	-1 486c

Optimalfarben (o) <i>RYGCBM</i> von maximalem (m) C_{AB} für D50, $Y_{w,10}=88,6$									
<i>CodeD65</i>	$L^*_{88.6}$	$a^*_{88.6}$	$b^*_{88.6}$	C^*_{ab}	a'	b'	h_{ab}	i_d, λ^*_d	i_c, λ^*_c
R _m 565_770	67.27	63.37	130.3	144.89	0.2547	0.0	64.0	37 589	13 469
Y _m 495_770	92.0	-8.46	106.08	106.42	0.2127	-0.0291	94.5	32 563	12 464
G _o 495_565	72.04	-106.84	74.85	130.45	0.156	-0.0357	144.9	25 525	-1 525c
C _m 380_565	77.04	-72.41	-28.74	77.91	0.1777	-0.0936	201.6	15 477	-1 477c
B _m 380_495	33.75	33.65	-93.73	99.59	0.2504	-0.1723	289.7	12 461	30 552
M _o 575_475	72.81	66.29	-32.59	73.87	0.2539	-0.0965	333.8	-1 517c	23 517
N _o 380_770	0.8	-0.01	0.0	0.01	0.2166	-0.0782	160.1	22 511	-1 511c
W _o 380_770	95.41	0.0	0.0	0.0	0.2166	-0.0782	0.0	-1 517c	-1 511c

Optimalfarben (o) <i>RYGCBM</i> von maximalem (m) C_{AB} für P40, $Y_{w,10}=88,6$									
<i>CodeD65</i>	$L^*_{88.6}$	$a^*_{88.6}$	$b^*_{88.6}$	C^*_{ab}	a'	b'	h_{ab}	i_d, λ^*_d	i_c, λ^*_c
R _m 565_770	70.35	61.14	124.98	139.14	0.2557	0.0	63.9	38 590	13 469
Y _m 495_770	92.7	-5.51	96.98	97.13	0.2178	-0.0277	93.2	33 566	12 464
G _o 495_565	70.2	-108.32	64.41	126.02	0.1575	-0.035	149.2	25 525	-1 525c
C _m 380_565	74.41	-80.27	-30.39	85.83	0.176	-0.0891	200.7	15 478	-1 478c
B _m 380_495	30.21	26.55	-91.54	95.31	0.249	-0.1713	286.1	12 461	31 557
M _o 575_475	74.54	62.55	-27.33	68.26	0.2548	-0.0874	336.3	-1 519c	23 519
N _o 380_770	0.8	-0.01	0.0	0.01	0.2203	-0.0723	161.8	22 513	-1 513c
W _o 380_770	95.41	0.0	0.0	0.0	0.2203	-0.0723	165.7	21 509	-1 509c

Optimalfarben (o) <i>RYGCBM</i> von maximalem (m) C_{AB} für A00, $Y_{w,10}=88,6$									
<i>CodeD65</i>	$L^*_{88.6}$	$a^*_{88.6}$	$b^*_{88.6}$	C^*_{ab}	a'	b'	h_{ab}	i_d, λ^*_d	i_c, λ^*_c
R _m 565_770	75.06	57.33	107.74	122.05	0.2584	0.0	61.9	38 592	14 470
Y _m 495_770	93.74	-0.79	74.62	74.62	0.2266	-0.0251	90.6	34 572	12 464
G _o 495_565	66.75	-109.87	42.68	117.87	0.1606	-0.0333	158.7	25 525	-1 525c
C _m 380_565	69.63	-95.98	-30.5	100.71	0.1709	-0.0769	197.6	16 481	-1 481c
B _m 380_495	23.43	5.92	-81.89	82.1	0.2344	-0.1629	274.1	12 463	34 570
M _o 575_475	77.45	55.76	-17.93	58.57	0.2567	-0.0687	342.1	-1 522c	24 522
N _o 380_770	0.8	-0.01	0.0	0.01	0.2269	-0.0591	165.3	23 518	-1 518c
W _o 380_770	95.41	0.0	0.0	0.0	0.2269	-0.0591	83.1	34 572	12 464

Optimalfarben (o) <i>RYGCBM</i> von maximalem (m) C_{AB} für E00, $Y_{w,10}=88,6$									
<i>CodeD65</i>	$L^*_{88.6}$	$a^*_{88.6}$	$b^*_{88.6}$	C^*_{ab}	a'	b'	h_{ab}	i_d, λ^*_d	i_c, λ^*_c
R _m 565_770	67.34	59.39	139.66	151.76	0.2547	0.0	66.9	37 589	13 468
Y _m 495_770	91.66	-12.84	117.23	117.93	0.2131	-0.0293	96.2	32 563	12 464
G _o 495_565	71.47	-111.24	83.39	139.02	0.1555	-0.0361	143.1	25 525	-1 525c
C _m 380_565	76.99	-65.98	-30.87	72.84	0.1836	-0.1003	205.0	15 475	-1 475c
B _m 380_495	35.31	45.3	-98.3	108.24	0.2631	-0.1794	294.7	11 459	29 549
M _o 575_475	73.37	66.65	-34.49	75.05	0.2563	-0.103	332.6	-1 517c	23 517
N _o 380_770	0.8	-0.01	0.0	0.01	0.219	-0.0837	159.0	22 510	-1 510c
W _o 380_770	95.41	0.0	0.0	0.0	0.219	-0.0837	0.0	-1 517c	-1 510c

Optimalfarben (o) <i>RYGCBM</i> von maximalem (m) C_{AB} für C00, $Y_{w,10}=88,6$									
<i>CodeD65</i>	$L^*_{88.6}$	$a^*_{88.6}$	$b^*_{88.6}$	C^*_{ab}	a'	b'	h_{ab}	i_d, λ^*_d	i_c, λ^*_c
R _m 565_770	65.34	58.63	143.28	154.82	0.2531	0.0	67.7	37 588	13 468
Y _m 495_770	90.87	-15.11	123.81	124.73	0.21	-0.0301	96.9	32 561	12 464
G _o 495_565	72.04	-107.99	90.64	140.99	0.1558	-0.0365	139.9	25 526	1 408
C _m 380_565	78.53	-59.12	-29.73	66.18	0.1858	-0.1037	206.7	14 474	-1 474c
B _m 380_495	38.56	46.44	-97.81	108.28	0.2595	-0.1776	295.3	11 459	29 546
M _o 575_475	72.81	66.75	-37.46	76.55	0.2546	-0.1091	330.6	-1 516c	23 516
N _o 380_770	0.8	-0.01	0.0	0.01	0.2171	-0.088	157.9	21 509	-1 509c
W _o 380_770	95.41	0.0	0.0	0.0	0.2171	-0.088	152.7	22 514	-1 514c

Optimalfarben (o) <i>RYGCBM</i> von maximalem (m) C_{AB} für P00, $Y_{w,10}=88,6$									
<i>CodeD65</i>	$L^*_{88.6}$	$a^*_{88.6}$	$b^*_{88.6}$	C^*_{ab}	a'	b'	h_{ab}	i_d, λ^*_d	i_c, λ^*_c
R _m 565_770	69.43	59.81	133.58	146.36	0.2558	0.0	65.8	38 590	13 469
Y _m 495_770	92.24	-8.77	107.89	108.25	0.2167	-0.0283	94.6	33 565	12 464
G _o 495_565	70.39	-110.81	73.72	133.09	0.1567	-0.0355	146.3	25 525	-1 525c
C _m 380_565	75.24	-73.9	-31.54	80.36	0.1803	-0.0954	203.1	15 476	-1 476c
B _m 380_495	32.6	36.27	-95.67	102.32	0.258	-0.1765	290.7	11 459	30 553
M _o 575_475	74.37	63.93	-30.32	70.76	0.2561	-0.0949	334.6	-1 518c	23 518
N _o 380_770	0.8	-0.01	0.0	0.01	0.2208	-0.0781	160.5	22 512	-1 512c
W _o 380_770	95.41	0.0	0.0	0.0	0.2208	-0.0781	0.0	-1 518c	-1 512c

Optimalfarben (o) <i>RYGCBM</i> von maximalem (m) C_{AB} für Q00, $Y_{w,10}=88,6$									
<i>CodeD65</i>	$L^*_{88.6}$	$a^*_{88.6}$	$b^*_{88.6}$	C^*_{ab}	a'	b'	h_{ab}	i_d, λ^*_d	i_c, λ^*_c
R _m 565_770	65.18	58.58	143.93	155.39	0.2534	0.0	67.8	37 588	13 468
Y _m 495_770	91.08	-17.26	124.98	126.17	0.2093	-0.0302	97.8	32 560	12 464
G _o 495_565	72.5	-111.44	92.02	144.52	0.1544	-0.0366	140.4	25 525	-1 525c
C _m 380_565	78.65	-58.58	-29.71	65.69	0.1864	-0.1043	206.8	14 474	-1 474c
B _m 380_495	37.71	53.13	-99.95	113.2	0.2667	-0.1815	297.9	11 458	28 544
M _o 575_475	72.36	69.29	-38.51	79.28	0.2565	-0.1103	330.9	-1 516c	23 516
N _o 380_770	0.8	-0.01	0.0	0.01	0.2173	-0.0886	157.8	21 509	-1 509c
W _o 380_770	95.41	0.0	0.0	0.0	0.2173	-0.0886	180.0	17 485	-1 485c