

Optimalfarben (o) <i>RYGCBM</i> von maximalem (m) C_{AB} für D65, $Y_w=100$									
<i>CodeD65</i>	L^*_{100}	a^*_{100}	b^*_{100}	C^*_{ab}	a'	b'	h_{ab}	i_d, λ^*_d	i_c, λ^*_c
R _m 565_770	70.18	61.64	132.51	146.14	0.2511	-0.0093	65.0	37 589	15 475
Y _m 495_770	97.55	-23.15	119.09	121.32	0.2052	-0.0337	101.0	32 563	14 470
G _m 475_575	84.59	-118.85	59.75	133.03	0.1563	-0.0564	153.3	24 520	-1 520c
C _m 380_565	81.29	-66.98	-32.23	74.33	0.181	-0.1027	205.6	16 481	-1 481c
B _m 380_495	29.91	89.06	-117.04	147.07	0.3122	-0.2135	307.2	12 460	28 543
M _m 575_475	65.6	102.71	-46.24	112.65	0.2783	-0.1144	335.7	-1 517c	23 517
G _o 495_565	77.76	-132.05	85.19	157.15	0.145	-0.0407	147.1	25 525	-1 525c
M _o 565_495	74.32	82.25	-40.48	91.68	0.2609	-0.1085	333.7	-1 519c	23 519