

$XYZ_w = 858.975, 908.216, 956.216$

$a^* = 500 (a' - a'_n) Y^{1/3}$

$b^* = 500 (b' - b'_n) Y^{1/3}$

$a' = a_2 [x/y]^{1/3}$

$b' = b_2 [z/y]^{1/3}$

$a_2 = [1/X_{D65}]^{1/3} = 0.2191$

$b_2 = -[1/Z_{D65}]^{1/3} = -0.08376$

$n = D65$

CIELAB D65

Name der Gerätefarbe

$R_{d,RECS}$

$Y_{d,RECS}$

$G_{d,RECS}$

$C_{d,RECS}$


$B_{d,RECS}$

$M_{d,RECS}$

Geräte- & Elementarfarben, $Y_w = 88,6$

des offset-Farbenraums für D65

in Buntheitsdiagramm (a^*_{D65}, b^*_{D65})



$XYZ_w = 873.582, 908.569, 725.748$ *
D65

$a^* = 500 (a' - a'_n) Y^{1/3}$

$b^* = 500 (b' - b'_n) Y^{1/3}$

$a' = a_2 [x/y]^{1/3}$

$b' = b_2 [z/y]^{1/3}$

$a_2 = [1/X_{D65}]^{1/3} = 0.2191$

$b_2 = -[1/Z_{D65}]^{1/3} = -0.08376$

$n = D50$

CIELAB D65

Name der Gerätefarbe

$R_{d,RECS}$

$Y_{d,RECS}$

$G_{d,RECS}$

$C_{d,RECS}$


$B_{d,RECS}$

$M_{d,RECS}$

Geräte- & Elementarfarben, $Y_w = 88,6$

des offset-Farbenraums für D50

in Buntheitsdiagramm (a^*_{D65}, b^*_{D65})



$XYZ_w = 915.75, 908.886, 568.87$ b^*_{D65}

$a^* = 500 (a' - a'_n) Y^{1/3}$

$b^* = 500 (b' - b'_n) Y^{1/3}$

$a' = a_2 [x/y]^{1/3}$

$b' = b_2 [z/y]^{1/3}$

$a_2 = [1/X_{D65}]^{1/3} = 0.2191$

$b_2 = -[1/Z_{D65}]^{1/3} = -0.08376$

$n = P40$

CIELAB D65

Name der Gerätefarbe

$R_{d,RECS}$

$Y_{d,RECS}$

$G_{d,RECS}$

$C_{d,RECS}$


$B_{d,RECS}$

$M_{d,RECS}$

Geräte- & Elementarfarben, $Y_w = 88,6$

des offset-Farbenraums für P40

in Buntheitsdiagramm (a^*_{D65}, b^*_{D65})



$XYZ_w = 999.329, 909.474, 313.950$

$a^* = 500 (a' - a'_n) Y^{1/3}$

$b^* = 500 (b' - b'_n) Y^{1/3}$


$a' = a_2 [x/y]^{1/3}$

$b' = b_2 [z/y]^{1/3}$

$a_2 = [1/X_{D65}]^{1/3} = 0.2191$

$b_2 = -[1/Z_{D65}]^{1/3} = -0.08376$

$n = A00$



CIE LAB D65

Name der Gerätefarbe

$R_{d,RECS}$

$Y_{d,RECS}$

$G_{d,RECS}$

$C_{d,RECS}$

$B_{d,RECS}$

$M_{d,RECS}$

Geräte- & Elementarfarben, $Y_w = 88,6$

des offset-Farbenraums für A00

in Buntheitsdiagramm (a^*_{D65}, b^*_{D65})

$XYZ_w=904.435, 908.455, 876.561$

$a^* = 500 (a' - a'_n) Y^{1/3}$

$b^* = 500 (b' - b'_n) Y^{1/3}$

$a' = a_2 [x/y]^{1/3}$

$b' = b_2 [z/y]^{1/3}$

$a_2 = [1/X_{D65}]^{1/3} = 0.2191$

$b_2 = -[1/Z_{D65}]^{1/3} = -0.08376$

$n = E00$

CIELAB D65

Name der Gerätefarbe

$R_{d,RECS}$

$Y_{d,RECS}$

$G_{d,RECS}$

$C_{d,RECS}$


$B_{d,RECS}$

$M_{d,RECS}$

Geräte- & Elementarfarben, $Y_w=88,6$

des offset-Farbenraums für E00

in Buntheitsdiagramm (a^*_{D65}, b^*_{D65})



$XYZ_w = 885.915, 908.163, 1037.78^*$

$a^* = 500 (a' - a'_n) Y^{1/3}$

$b^* = 500 (b' - b'_n) Y^{1/3}$

$a' = a_2 [x/y]^{1/3}$

$b' = b_2 [z/y]^{1/3}$

$a_2 = [1/X_{D65}]^{1/3} = 0.2191$

$b_2 = -[1/Z_{D65}]^{1/3} = -0.08376$

$n = C00$

CIELAB D65

Name der Gerätefarbe

$R_{d,RECS}$ $Y_{d,RECS}$


$G_{d,RECS}$ $C_{d,RECS}$

$B_{d,RECS}$ $M_{d,RECS}$

Geräte- & Elementarfarben, $Y_w = 88,6$

des offset-Farbenraums für C00

in Buntheitsdiagramm (a^*_{D65}, b^*_{D65})



$XYZ_w = 924.802, 908.732, 711.316$ *
D65

$a^* = 500 (a' - a'_n) Y^{1/3}$

$b^* = 500 (b' - b'_n) Y^{1/3}$

$a' = a_2 [x/y]^{1/3}$

$b' = b_2 [z/y]^{1/3}$

$a_2 = [1/X_{D65}]^{1/3} = 0.2191$

$b_2 = -[1/Z_{D65}]^{1/3} = -0.08376$

$n = P00$

CIELAB D65

Name der Gerätefarbe

$R_{d,RECS}$

$Y_{d,RECS}$

$G_{d,RECS}$

$C_{d,RECS}$


$B_{d,RECS}$

$M_{d,RECS}$

Geräte- & Elementarfarben, $Y_w = 88,6$

des offset-Farbenraums für P00

in Buntheitsdiagramm (a^*_{D65}, b^*_{D65})



$XYZ_w = 884.055, 908.177, 1041.39^*$

$a^* = 500 (a' - a'_n) Y^{1/3}$

$b^* = 500 (b' - b'_n) Y^{1/3}$

$a' = a_2 [x/y]^{1/3}$

$b' = b_2 [z/y]^{1/3}$

$a_2 = [1/X_{D65}]^{1/3} = 0.2191$

$b_2 = -[1/Z_{D65}]^{1/3} = -0.08376$

$n = Q00$

CIELAB D65

Name der Gerätefarbe

$R_{d,RECS}$

$Y_{d,RECS}$

$G_{d,RECS}$

$C_{d,RECS}$


$B_{d,RECS}$

$M_{d,RECS}$

Geräte- & Elementarfarben, $Y_w = 88,6$

des offset-Farbenraums für Q00

in Buntheitsdiagramm (a^*_{D65}, b^*_{D65})



$XYZ_w = 856.262, 907.063, 939.9$ b^*_{D65}

$a^* = 500 (a' - a'_n) Y^{1/3}$

$b^* = 500 (b' - b'_n) Y^{1/3}$

$a' = a_2 [x/y]^{1/3}$

$b' = b_2 [z/y]^{1/3}$

$a_2 = [1/X_{D65}]^{1/3} = 0.2191$

$b_2 = -[1/Z_{D65}]^{1/3} = -0.08376$

$n = D65$

CIELAB D65

Name der Gerätefarbe

$R_{d,RECS}$

$Y_{d,RECS}$

$G_{d,RECS}$

$C_{d,RECS}$


$B_{d,RECS}$

$M_{d,RECS}$

Geräte- & Elementarfarben, $Y_w = 88,6$

des offset-Farbenraums für D65

in Buntheitsdiagramm (a^*_{D65}, b^*_{D65})



$XYZ_w = 875.822, 907.661, 714.215$ b^*_{D65}

$a^* = 500 (a' - a'_n) Y^{1/3}$

$b^* = 500 (b' - b'_n) Y^{1/3}$

$a' = a_2 [x/y]^{1/3}$

$b' = b_2 [z/y]^{1/3}$

$a_2 = [1/X_{D65}]^{1/3} = 0.2191$

$b_2 = -[1/Z_{D65}]^{1/3} = -0.08376$

$n = D50$

CIELAB D65

Name der Gerätefarbe

$R_{d,RECS}$

$Y_{d,RECS}$

$G_{d,RECS}$

$C_{d,RECS}$


$B_{d,RECS}$

$M_{d,RECS}$

Geräte- & Elementarfarben, $Y_w = 88,6$

des offset-Farbenraums für D50

in Buntheitsdiagramm (a^*_{D65}, b^*_{D65})



$XYZ_w=922.693, 908.142, 565.000$ *
D65

$a^* = 500 (a' - a'_n) Y^{1/3}$

$b^* = 500 (b' - b'_n) Y^{1/3}$

$a' = a_2 [x/y]^{1/3}$

$b' = b_2 [z/y]^{1/3}$

$a_2 = [1/X_{D65}]^{1/3} = 0.2191$

$b_2 = -[1/Z_{D65}]^{1/3} = -0.08376$

$n = P40$

CIELAB D65

Name der Gerätefarbe

$R_{d,RECS}$

$Y_{d,RECS}$

$G_{d,RECS}$

$C_{d,RECS}$


$B_{d,RECS}$

$M_{d,RECS}$

Geräte- & Elementarfarben, $Y_w=88,6$

des offset-Farbenraums für P40

in Buntheitsdiagramm (a^*_{D65}, b^*_{D65})



$XYZ_w = 1010.78, 909.03, 309.7$ b^*_{D65}

$a^* = 500 (a' - a'_n) Y^{1/3}$

$b^* = 500 (b' - b'_n) Y^{1/3}$

$a' = a_2 [x/y]^{1/3}$

$b' = b_2 [z/y]^{1/3}$

$a_2 = [1/X_{D65}]^{1/3} = 0.2191$

$b_2 = -[1/Z_{D65}]^{1/3} = -0.08376$

$n = A00$

CIELAB D65

Name der Gerätefarbe

$R_{d,RECS}$

$Y_{d,RECS}$

$G_{d,RECS}$

$C_{d,RECS}$


$B_{d,RECS}$

$M_{d,RECS}$

Geräte- & Elementarfarben, $Y_w = 88,6$


des offset-Farbenraums für A00

in Buntheitsdiagramm (a^*_{D65}, b^*_{D65})



$XYZ_w = 903.609, 907.361, 873.951$
 $a^* = 500 (a' - a'_n) Y^{1/3}$
 $b^* = 500 (b' - b'_n) Y^{1/3}$
 $a' = a_2 [x/y]^{1/3}$
 $b' = b_2 [z/y]^{1/3}$
 $a_2 = [1/X_{D65}]^{1/3} = 0.2191$
 $b_2 = -[1/Z_{D65}]^{1/3} = -0.08376$
 $n = E00$

CIELAB D65
 Name der Gerätefarbe
 $R_{d,RECS}$ $Y_{d,RECS}$
 $G_{d,RECS}$ $C_{d,RECS}$
 $B_{d,RECS}$ $M_{d,RECS}$
 Geräte- & Elementarfarben, $Y_w = 88,6$
 des offset-Farbenraums für E00
 in Buntheitsdiagramm (a^*_{D65}, b^*_{D65})



$XYZ_w = 878.194, 906.929, 1016.01$

$a^* = 500 (a' - a'_n) Y^{1/3}$

$b^* = 500 (b' - b'_n) Y^{1/3}$

$a' = a_2 [x/y]^{1/3}$

$b' = b_2 [z/y]^{1/3}$

$a_2 = [1/X_{D65}]^{1/3} = 0.2191$

$b_2 = -[1/Z_{D65}]^{1/3} = -0.08376$

$n = C00$

CIELAB D65

Name der Gerätefarbe

$R_{d,RECS}$

$Y_{d,RECS}$

$G_{d,RECS}$

$C_{d,RECS}$


$B_{d,RECS}$

$M_{d,RECS}$

Geräte- & Elementarfarben, $Y_w = 88,6$

des offset-Farbenraums für C00

in Buntheitsdiagramm (a^*_{D65}, b^*_{D65})



$XYZ_w = 926.951, 907.82, 710.87$ b^*_{D65}

$a^* = 500 (a' - a'_n) Y^{1/3}$

$b^* = 500 (b' - b'_n) Y^{1/3}$

$a' = a_2 [x/y]^{1/3}$

$b' = b_2 [z/y]^{1/3}$

$a_2 = [1/X_{D65}]^{1/3} = 0.2191$

$b_2 = -[1/Z_{D65}]^{1/3} = -0.08376$

$n = P00$

CIELAB D65

Name der Gerätefarbe

$R_{d,RECS}$

$Y_{d,RECS}$

$G_{d,RECS}$

$C_{d,RECS}$


$B_{d,RECS}$

$M_{d,RECS}$

Geräte- & Elementarfarben, $Y_w = 88,6$

des offset-Farbenraums für P00

in Buntheitsdiagramm (a^*_{D65}, b^*_{D65})



$XYZ_w = 880.693, 906.911, 1034. \mathbf{b}^*_{D65}$

$a^* = 500 (a' - a'_n) Y^{1/3}$

$b^* = 500 (b' - b'_n) Y^{1/3}$

$a' = a_2 [x/y]^{1/3}$

$b' = b_2 [z/y]^{1/3}$

$a_2 = [1/X_{D65}]^{1/3} = 0.2191$

$b_2 = -[1/Z_{D65}]^{1/3} = -0.08376$

$n = Q00$

CIELAB D65

Name der Gerätefarbe

$R_{d,RECS}$

$Y_{d,RECS}$

$G_{d,RECS}$

$C_{d,RECS}$

$B_{d,RECS}$

$M_{d,RECS}$

Geräte- & Elementarfarben, $Y_w = 88,6$

des offset-Farbenraums für Q00

in Buntheitsdiagramm (a^*_{D65}, b^*_{D65})

