

$XYZ_w=84.1998, 88.59, 96.46$

$a^* = 500 (a' - a'_n) Y^{1/3}$

$b^* = 500 (b' - b'_n) Y^{1/3}$

$a' = a_2 [x/y]^{1/3}$

$b' = b_2 [z/y]^{1/3}$

$a_2 = [1/X_{D65}]^{1/3} = 0.2191$

$b_2 = -[1/Z_{D65}]^{1/3} = -0.08376$

$n = D65$

**CIELAB D65**

**Nome e la gamma spettrale**

$R_m$  565\_770     $Y_m$  495\_770


$G_o$  495\_565     $C_m$  380\_565

$B_m$  380\_495     $M_o$  565\_495

Colori ottimi (o),  $Y_w=88,6$

4 di massimo (m)  $C_{AB}$  per D65

nel diagramma di chroma ( $a^*_{D65}, b^*_{D65}$ )



$XYZ_w=85.421, 88.59, 73.08$

$a^* = 500 (a' - a'_n) Y^{1/3}$

$b^* = 500 (b' - b'_n) Y^{1/3}$

$a' = a_2 [x/y]^{1/3}$

$b' = b_2 [z/y]^{1/3}$

$a_2 = [1/X_{D65}]^{1/3} = 0.2191$

$b_2 = -[1/Z_{D65}]^{1/3} = -0.08376$

$n = D50$

**CIELAB D65**

**Nome e la gamma spettrale**

$R_m$  565\_770     $Y_m$  495\_770


$G_o$  495\_565     $C_m$  380\_565

$B_m$  380\_495     $M_o$  565\_495

Colori ottimi (o),  $Y_w=88,6$

4 di massimo (m)  $C_{AB}$  per D50

nel diagramma di chroma ( $a^*_{D65}, b^*_{D65}$ )



$XYZ_w=89.4154, 88.59, 57.3$

$a^* = 500 (a' - a'_n) Y^{1/3}$

$b^* = 500 (b' - b'_n) Y^{1/3}$

$a' = a_2 [x/y]^{1/3}$

$b' = b_2 [z/y]^{1/3}$

$a_2 = [1/X_{D65}]^{1/3} = 0.2191$

$b_2 = -[1/Z_{D65}]^{1/3} = -0.08376$

$n = P40$

**CIELAB D65**

**Nome e la gamma spettrale**

$R_m$  565\_770     $Y_m$  495\_770


$G_o$  495\_565     $C_m$  380\_565

$B_m$  380\_495     $M_o$  565\_495

Colori ottimi (o),  $Y_w=88,6$

4 di massimo (m)  $C_{AB}$  per P40

nel diagramma di chroma ( $a^*_{D65}, b^*_{D65}$ )



$XYZ_w=97.3152, 88.59, 31.52$

$a^* = 500 (a' - a'_n) Y^{1/3}$

$b^* = 500 (b' - b'_n) Y^{1/3}$

$a' = a_2 [x/y]^{1/3}$

$b' = b_2 [z/y]^{1/3}$

$a_2 = [1/X_{D65}]^{1/3} = 0.2191$

$b_2 = -[1/Z_{D65}]^{1/3} = -0.08276$

$n = A00$

**CIELAB D65**

**Nome e la gamma spettrale**

$R_m$  565\_770     $Y_m$  495\_770


$G_o$  495\_565     $C_m$  380\_565

$B_m$  380\_495     $M_o$  565\_495

Colori ottimi (o),  $Y_w=88,6$

4 di massimo (m)  $C_{AB}$  per A00

nel diagramma di chroma ( $a^*_{D65}, b^*_{D65}$ )



$XYZ_w = 88.5907, 88.59, 88.59$

$a^* = 500 (a' - a'_n) Y^{1/3}$

$b^* = 500 (b' - b'_n) Y^{1/3}$

$a' = a_2 [x/y]^{1/3}$

$b' = b_2 [z/y]^{1/3}$

$a_2 = [1/X_{D65}]^{1/3} = 0.2191$

$b_2 = -[1/Z_{D65}]^{1/3} = -0.08376$

$n = E00$

**CIELAB D65**

**Nome e la gamma spettrale**

$R_m$  565\_770     $Y_m$  495\_770


$G_o$  495\_565     $C_m$  380\_565

$B_m$  380\_495     $M_o$  565\_495

Colori ottimi (o),  $Y_w = 88,6$

4 di massimo (m)  $C_{AB}$  per E00

nel diagramma di chroma ( $a^*_{D65}, b^*_{D65}$ )



$XYZ_w=86.8818, 88.59, 104.73$

$a^* = 500 (a' - a'_n) Y^{1/3}$

$b^* = 500 (b' - b'_n) Y^{1/3}$

$a' = a_2 [x/y]^{1/3}$

$b' = b_2 [z/y]^{1/3}$

$a_2 = [1/X_{D65}]^{1/3} = 0.2191$

$b_2 = -[1/Z_{D65}]^{1/3} = -0.08376$

$n = C00$

**CIELAB D65**

**Nome e la gamma spettrale**

$R_m$  565\_770     $Y_m$  495\_770


$G_o$  495\_565     $C_m$  380\_565

$B_m$  380\_495     $M_o$  565\_495

Colori ottimi (o),  $Y_w=88,6$

4 di massimo (m)  $C_{AB}$  per C00

nel diagramma di chroma ( $a^*_{D65}, b^*_{D65}$ )



$XYZ_w=90.421, 88.59, 71.81$

$a^* = 500 (a' - a'_n) Y^{1/3}$

$b^* = 500 (b' - b'_n) Y^{1/3}$

$a' = a_2 [x/y]^{1/3}$

$b' = b_2 [z/y]^{1/3}$

$a_2 = [1/X_{D65}]^{1/3} = 0.2191$

$b_2 = -[1/Z_{D65}]^{1/3} = -0.08376$

$n = P00$

**CIELAB D65**

**Nome e la gamma spettrale**

$R_m$  565\_770     $Y_m$  495\_770


$G_o$  495\_565     $C_m$  380\_565

$B_m$  380\_495     $M_o$  565\_495

Colori ottimi (o),  $Y_w=88,6$

4 di massimo (m)  $C_{AB}$  per P00

nel diagramma di chroma ( $a^*_{D65}, b^*_{D65}$ )



$XYZ_w=86.7591, 88.59, 105.38$

$a^* = 500 (a' - a'_n) Y^{1/3}$

$b^* = 500 (b' - b'_n) Y^{1/3}$


$a' = a_2 [x/y]^{1/3}$

$b' = b_2 [z/y]^{1/3}$

$a_2 = [1/X_{D65}]^{1/3} = 0.2191$

$b_2 = -[1/Z_{D65}]^{1/3} = -0.08376$

$n = Q00$



**CIE LAB D65**

**Nome e la gamma spettrale**

$R_m$  565\_770     $Y_m$  495\_770

$G_0$  495\_565     $C_m$  380\_565

$B_m$  380\_495     $M_0$  565\_495

Colori ottimi (o),  $Y_w=88,6$

4 di massimo (m)  $C_{AB}$  per Q00

nel diagramma di chroma ( $a^*_{D65}, b^*_{D65}$ )

$XYZ_w=84.1998, 88.59, 96.46$

$a^* = 500 (a' - a'_n) Y^{1/3}$

$b^* = 500 (b' - b'_n) Y^{1/3}$

$a' = a_2 [x/y]^{1/3}$

$b' = b_2 [z/y]^{1/3}$

$a_2 = [1/X_{D65}]^{1/3} = 0.2191$

$b_2 = -[1/Z_{D65}]^{1/3} = -0.08376$

$n = D65$

**CIELAB D65**

**Nome e la gamma spettrale**

$R_m$  565\_770     $Y_m$  495\_770


$G_o$  495\_565     $C_m$  380\_565

$B_m$  380\_495     $M_o$  565\_495

Colori ottimi (o),  $Y_w=88,6$

4 di massimo (m)  $C_{AB}$  per D65

nel diagramma di chroma ( $a^*_{D65}, b^*_{D65}$ )



$XYZ_w=85.421, 88.59, 73.08$

$a^* = 500 (a' - a'_n) Y^{1/3}$

$b^* = 500 (b' - b'_n) Y^{1/3}$

$a' = a_2 [x/y]^{1/3}$

$b' = b_2 [z/y]^{1/3}$

$a_2 = [1/X_{D65}]^{1/3} = 0.2191$

$b_2 = -[1/Z_{D65}]^{1/3} = -0.08376$

$n = D50$

**CIELAB D65**

**Nome e la gamma spettrale**

$R_m$  565\_770     $Y_m$  495\_770


$G_o$  495\_565     $C_m$  380\_565

$B_m$  380\_495     $M_o$  565\_495

Colori ottimi (o),  $Y_w=88,6$

4 di massimo (m)  $C_{AB}$  per D50

nel diagramma di chroma ( $a^*_{D65}, b^*_{D65}$ )



$XYZ_w=89.4154, 88.59, 57.3$

$a^* = 500 (a' - a'_n) Y^{1/3}$

$b^* = 500 (b' - b'_n) Y^{1/3}$

$a' = a_2 [x/y]^{1/3}$

$b' = b_2 [z/y]^{1/3}$

$a_2 = [1/X_{D65}]^{1/3} = 0.2191$

$b_2 = -[1/Z_{D65}]^{1/3} = -0.08376$

$n = P40$

**CIELAB D65**

**Nome e la gamma spettrale**

$R_m$  565\_770     $Y_m$  495\_770


$G_o$  495\_565     $C_m$  380\_565

$B_m$  380\_495     $M_o$  565\_495

Colori ottimi (o),  $Y_w=88,6$

4 di massimo (m)  $C_{AB}$  per P40

nel diagramma di chroma ( $a^*_{D65}, b^*_{D65}$ )



$XYZ_w=97.3152, 88.59, 31.52$

$a^* = 500 (a' - a'_n) Y^{1/3}$

$b^* = 500 (b' - b'_n) Y^{1/3}$

$a' = a_2 [x/y]^{1/3}$

$b' = b_2 [z/y]^{1/3}$

$a_2 = [1/X_{D65}]^{1/3} = 0.2191$

$b_2 = -[1/Z_{D65}]^{1/3} = -0.08276$

$n = A00$

**CIELAB D65**

**Nome e la gamma spettrale**

$R_m$  565\_770     $Y_m$  495\_770


$G_o$  495\_565     $C_m$  380\_565

$B_m$  380\_495     $M_o$  565\_495

Colori ottimi (o),  $Y_w=88,6$

4 di massimo (m)  $C_{AB}$  per A00

nel diagramma di chroma ( $a^*_{D65}, b^*_{D65}$ )



$XYZ_w=88.5907, 88.59, 88.59$

$a^* = 500 (a' - a'_n) Y^{1/3}$

$b^* = 500 (b' - b'_n) Y^{1/3}$

$a' = a_2 [x/y]^{1/3}$

$b' = b_2 [z/y]^{1/3}$

$a_2 = [1/X_{D65}]^{1/3} = 0.2191$

$b_2 = -[1/Z_{D65}]^{1/3} = -0.08376$

$n = E00$

**CIELAB D65**

**Nome e la gamma spettrale**

$R_m$  565\_770  $Y_m$  495\_770


$G_o$  495\_565  $C_m$  380\_565

$B_m$  380\_495  $M_o$  565\_495

Colori ottimi (o),  $Y_w=88,6$

4 di massimo (m)  $C_{AB}$  per E00

nel diagramma di chroma ( $a^*_{D65}, b^*_{D65}$ )



$XYZ_w=86.8818, 88.59, 104.73$

$a^* = 500 (a' - a'_n) Y^{1/3}$

$b^* = 500 (b' - b'_n) Y^{1/3}$

$a' = a_2 [x/y]^{1/3}$

$b' = b_2 [z/y]^{1/3}$

$a_2 = [1/X_{D65}]^{1/3} = 0.2191$

$b_2 = -[1/Z_{D65}]^{1/3} = -0.08376$

$n = C00$

**CIELAB D65**

**Nome e la gamma spettrale**

$R_m$  565\_770     $Y_m$  495\_770


$G_o$  495\_565     $C_m$  380\_565

$B_m$  380\_495     $M_o$  565\_495

Colori ottimi (o),  $Y_w=88,6$

4 di massimo (m)  $C_{AB}$  per C00

nel diagramma di chroma ( $a^*_{D65}, b^*_{D65}$ )



$XYZ_w=90.421, 88.59, 71.81$

$a^* = 500 (a' - a'_n) Y^{1/3}$

$b^* = 500 (b' - b'_n) Y^{1/3}$

$a' = a_2 [x/y]^{1/3}$

$b' = b_2 [z/y]^{1/3}$

$a_2 = [1/X_{D65}]^{1/3} = 0.2191$

$b_2 = -[1/Z_{D65}]^{1/3} = -0.08376$

$n = P00$

**CIELAB D65**

**Nome e la gamma spettrale**

$R_m$  565\_770     $Y_m$  495\_770


$G_o$  495\_565     $C_m$  380\_565

$B_m$  380\_495     $M_o$  565\_495

Colori ottimi (o),  $Y_w=88,6$

4 di massimo (m)  $C_{AB}$  per P00

nel diagramma di chroma ( $a^*_{D65}, b^*_{D65}$ )



$XYZ_w = 86.7591, 88.59, 105.38$

$a^* = 500 (a' - a'_n) Y^{1/3}$

$b^* = 500 (b' - b'_n) Y^{1/3}$


$a' = a_2 [x/y]^{1/3}$

$b' = b_2 [z/y]^{1/3}$

$a_2 = [1/X_{D65}]^{1/3} = 0.2191$

$b_2 = -[1/Z_{D65}]^{1/3} = -0.08376$

$n = Q00$



**CIE LAB D65**

**Nome e la gamma spettrale**

$R_m$  565\_770     $Y_m$  495\_770

$G_0$  495\_565     $C_m$  380\_565

$B_m$  380\_495     $M_0$  565\_495

Colori ottimi (o),  $Y_w = 88,6$

4 di massimo (m)  $C_{AB}$  per Q00

nel diagramma di chroma ( $a^*_{D65}, b^*_{D65}$ )