

Colori ottimi (o) RYGBCM di massimo (m) C_{AB} per D65, $Y_w=100$

Code	X ₁₀₀	Y ₁₀₀	Z ₁₀₀	x	y	z	h_{xy}	i_d, λ_d	i_c, λ_c
R _m 565_770	61.78	41.0	0.05	0.6007	0.3987	0.0005	13.6	37 589	16 483
Y _m 495_770	77.09	93.8	6.13	0.4354	0.5298	0.0346	58.5	33 565	11 459
G _m 475_575	23.69	65.19	19.98	0.2176	0.5987	0.1835	109.3	24 523	-1 523c
C _m 380_565	33.26	58.99	108.83	0.1654	0.2933	0.5412	193.6	16 483	37 589
B _m 380_495	17.95	6.19	102.75	0.1414	0.0487	0.8097	238.5	11 459	33 565
M _m 575_475	71.34	34.8	88.9	0.3657	0.1784	0.4557	289.4	-1 523c	24 523
G _o 495_565	15.31	52.79	6.08	0.2063	0.7116	0.0819	105.5	25 529	-1 529c
M _o 565_495	79.73	47.2	102.8	0.347	0.2054	0.4474	285.5	-1 529c	25 529

4-000030-L0

SI760-1N_1

Colori ottimi (o) RYGBCM di massimo (m) C_{AB} per D65, $Y_w=100$

Code	Y ₁₀₀	A ₁₀₀	B ₁₀₀	C_{AB}	a	b	h_{AB}	i_d, λ_d	i_c, λ_c
R _m 565_770	41.0	22.8	17.83	28.95	1.5064	-0.0005	38.0	37 589	16 483
Y _m 495_770	93.8	-12.06	38.4	40.25	0.8218	-0.0261	107.4	33 565	13 467
G _m 475_575	65.19	-38.26	20.4	43.36	0.3634	-0.1226	151.9	25 525	-1 525c
C _m 380_565	58.99	-22.8	-17.83	28.95	0.5638	-0.7379	218.0	16 483	37 589
B _m 380_495	6.19	12.06	-38.4	40.25	2.899	-6.6373	287.4	11 459	32 562
M _m 575_475	34.8	38.26	-20.4	43.36	2.0501	-1.0218	331.9	-1 511c	22 511
G _o 495_565	52.79	-34.87	20.56	40.48	0.29	-0.046	149.4	25 529	-1 529c
M _o 565_495	47.2	34.86	-20.56	40.48	1.6891	-0.8712	329.4	-1 513c	22 513

4-000030-L0

SI760-3N_1

Colori ottimi (o) RYGBCM di massimo (m) C_{AB} per D65, $Y_w=100$

Code	L^*_{100}	a^*_{100}	b^*_{100}	C^*_{ab}	a'	b'	h_{ab}	i_d, λ^*_d	i_c, λ^*_c
R _m 565_770	70.18	61.63	120.13	135.02	0.2511	-0.0093	62.8	38 591	15 476
Y _m 495_770	97.55	-23.15	119.05	121.28	0.2052	-0.0337	101.0	32 563	14 470
G _m 475_575	84.59	-118.83	59.74	133.0	0.1563	-0.0564	153.3	24 520	-1 520c
C _m 380_565	81.29	-66.96	-32.22	74.32	0.1809	-0.1027	205.6	16 481	-1 481c
B _m 380_495	29.91	89.01	-117.0	147.01	0.3121	-0.2134	307.2	12 460	28 543
M _m 575_475	65.6	102.7	-46.24	112.63	0.2782	-0.1144	335.7	-1 517c	23 517
G _o 495_565	77.76	-132.02	85.16	157.11	0.145	-0.0407	147.1	25 525	-1 525c
M _o 565_495	74.32	82.25	-40.47	91.67	0.2608	-0.1085	333.7	-1 519c	23 519

4-000030-L0

SI760-5N_1


Colori ottimi (o) RYGBCM di massimo (m) C_{AB} per D65, $Y_w=100$

CodeD65	L^*_{100}	a^*_{100}	b^*_{100}	C^*_{ab}	a'	b'	h_{ab}	i_d, λ^*_d	i_c, λ^*_c
R _m 565_770	70.18	61.64	132.51	146.14	0.2511	-0.0093	65.0	37 589	15 475
Y _m 495_770	97.55	-23.15	119.09	121.32	0.2052	-0.0337	101.0	32 563	14 470
G _m 475_575	84.59	-118.85	59.75	133.03	0.1563	-0.0564	153.3	24 520	-1 520c
C _m 380_565	81.29	-66.98	-32.23	74.33	0.181	-0.1027	205.6	16 481	-1 481c
B _m 380_495	29.91	89.06	-117.04	147.07	0.3122	-0.2135	307.2	12 460	28 543
M _m 575_475	65.6	102.71	-46.24	112.65	0.2783	-0.1144	335.7	-1 517c	23 517
G _o 495_565	77.76	-132.05	85.19	157.15	0.145	-0.0407	147.1	25 525	-1 525c
M _o 565_495	74.32	82.25	-40.48	91.68	0.2609	-0.1085	333.7	-1 519c	23 519

4-000030-L0


SI760-7N_1

grafico TUB-SI76; RYGBCM: 6 maximum colours
XYZ, YABCh, LabCh* data; 2° and 10°, Y_n=100




4-000030-L0

SI761-1N_1




4-000030-L0

SI761-3N_1




4-000030-L0

SI761-5N_1




4-000030-L0

SI761-7N_1




4-000030-L0

SI761-2N_1




4-000030-L0

SI761-4N_1



4-000030-L0

SI761-6N_1



4-000030-L0

SI761-8N_1

immettere: w/rgb/cmyk -> w/rgb/cmyk-
uscita: nessun cambiamento

