

http://130.149.60.45/~farbmtek/SN83/SN83L0N1.TXT /PS; start output
N: no 3D-linearization (OTL) in file (F) or PS-startup (S), page 1/2

Device colours RYGBCM₄ of maximum (m) C_{AB} for D65, Y_w=88,6

Code	X	Y	Z	x	y	z	h_{xy}	id_m	λ_d	i_c	λ_c
R _{AB} RECS	27.43	15.24	4.05	0.5869	0.3261	0.0868	359.4	41	607	17	486
Y _{AB} RECS	60.4	67.98	9.71	0.4373	0.4923	0.0703	52.6	33	568	13	467
G _{AB} RECS	9.79	20.95	8.39	0.2501	0.5352	0.2145	106.8	25	527	-1	527
C _{AB} RECS	20.02	28.0	66.55	0.1747	0.2444	0.5808	211.5	15	478	35	578
B _{AB} RECS	6.54	4.65	21.62	0.1992	0.1419	0.6587	238.7	11	459	33	565
M _{AB} RECS	30.31	15.98	21.17	0.4493	0.2369	0.3137	326.0	-1	494	18	494
R _{AB} RECS	27.43	15.24	4.05	0.5869	0.3261	0.0868	359.4	41	607	17	486
Y _{AB} RECS	60.4	67.98	9.71	0.4373	0.4923	0.0703	52.6	33	568	13	467
G _{AB} RECS	9.79	20.95	8.39	0.2501	0.5352	0.2145	106.8	25	527	-1	527
C _{AB} RECS	20.02	28.0	66.55	0.1747	0.2444	0.5808	211.5	15	478	35	578
B _{AB} RECS	6.54	4.65	21.62	0.1992	0.1419	0.6587	238.7	11	459	33	565
M _{AB} RECS	30.31	15.98	21.17	0.4493	0.2369	0.3137	326.0	-1	494	18	494
R _{AB} RECS	27.43	15.24	4.05	0.5869	0.3261	0.0868	359.4	41	607	17	486
Y _{AB} RECS	60.4	67.98	9.71	0.4373	0.4923	0.0703	52.6	33	568	13	467
G _{AB} RECS	9.79	20.95	8.39	0.2501	0.5352	0.2145	106.8	25	527	-1	527
C _{AB} RECS	20.02	28.0	66.55	0.1747	0.2444	0.5808	211.5	15	478	35	578
B _{AB} RECS	6.54	4.65	21.62	0.1992	0.1419	0.6587	238.7	11	459	33	565
M _{AB} RECS	30.31	15.98	21.17	0.4493	0.2369	0.3137	326.0	-1	494	18	494
R _{AB} RECS	27.43	15.24	4.05	0.5869	0.3261	0.0868	359.4	41	607	17	486
Y _{AB} RECS	60.4	67.98	9.71	0.4373	0.4923	0.0703	52.6	33	568	13	467
G _{AB} RECS	9.79	20.95	8.39	0.2501	0.5352	0.2145	106.8	25	527	-1	527
C _{AB} RECS	20.02	28.0	66.55	0.1747	0.2444	0.5808	211.5	15	478	35	578
B _{AB} RECS	6.54	4.65	21.62	0.1992	0.1419	0.6587	238.7	11	459	33	565
M _{AB} RECS	30.31	15.98	21.17	0.4493	0.2369	0.3137	326.0	-1	494	18	494

Device colours RYGBCM₄ of maximum (m) C_{AB} for D65, Y_w=88,6









Code	Y	A	B	C _{AB}	a	b	h_{AB}	id_m	λ_d	i_c	λ_c
R _{AB} RECS	15.24	12.94	5.01	13.88	1.7994	-0.1064	21.1	41	607	17	486
Y _{AB} RECS	67.98	-4.22	25.73	26.07	0.8883	-0.0571	99.3	33	568	13	467
G _{AB} RECS	20.95	-10.12	5.76	11.64	0.4674	-0.1603	15.1	26	531	-1	531
C _{AB} RECS	28.0	-6.59	-14.42	15.85	0.715	-0.9506	24.5	15	478	35	578
B _{AB} RECS	4.65	2.11	-6.62	6.95	1.4041	-1.8565	28.7	11	455	32	561
M _{AB} RECS	15.98	15.12	-1.5	15.19	1.8965	-0.5296	35.4	-1	492	18	492
R _{AB} RECS	15.24	12.94	5.01	13.88	1.7994	-0.1064	21.1	41	607	17	486
Y _{AB} RECS	67.98	-4.22	25.73	26.07	0.8883	-0.0571	99.3	33	568	13	467
G _{AB} RECS	20.95	-10.12	5.76	11.64	0.4674	-0.1603	15.1	26	531	-1	531
C _{AB} RECS	28.0	-6.59	-14.42	15.85	0.715	-0.9506	24.5	15	478	35	578
B _{AB} RECS	4.65	2.11	-6.62	6.95	1.4041	-1.8565	28.7	11	455	32	561
M _{AB} RECS	15.98	15.12	-1.5	15.19	1.8965	-0.5296	35.4	-1	492	18	492
R _{AB} RECS	15.24	12.94	5.01	13.88	1.7994	-0.1064	21.1	41	607	17	486
Y _{AB} RECS	67.98	-4.22	25.73	26.07	0.8883	-0.0571	99.3	33	568	13	467
G _{AB} RECS	20.95	-10.12	5.76	11.64	0.4674	-0.1603	15.1	26	531	-1	531
C _{AB} RECS	28.0	-6.59	-14.42	15.85	0.715	-0.9506	24.5	15	478	35	578
B _{AB} RECS	4.65	2.11	-6.62	6.95	1.4041	-1.8565	28.7	11	455	32	561
M _{AB} RECS	15.98	15.12	-1.5	15.19	1.8965	-0.5296	35.4	-1	492	18	492

Device colours RYGBCM₄ of maximum (m) C_{AB} for D65, Y_w=88,6

Code	L*	a*	b*	C _{AB}	a'	b'	h_{AB}	id_m	λ_d	i_c	λ_c
R _{AB} RECS	45.98	63.3	39.99	74.88	0.2665	-0.0538	32.2	-1	480	16	480
Y _{AB} RECS	86.0	-9.78	86.48	87.03	0.2106	-0.0437	96.4	33	566	14	471
G _{AB} RECS	52.9	-62.53	33.64	71.0	0.17	-0.0617	151.7	24	521	-1	521
C _{AB} RECS	59.9	-29.59	-38.87	48.85	0.1959	-0.1117	232.7	15	477	40	604
B _{AB} RECS	25.77	24.96	-44.68	51.19	0.2452	-0.1396	299.1	13	465	30	550
M _{AB} RECS	46.97	70.25	-7.31	70.63	0.2711	-0.0919	354.0	-1	499	19	499
R _{AB} RECS	45.98	63.3	39.99	74.88	0.2665	-0.0538	32.2	-1	480	16	480
Y _{AB} RECS	86.0	-9.78	86.48	87.03	0.2106	-0.0437	96.4	33	566	14	471
G _{AB} RECS	52.9	-62.53	33.64	71.0	0.17	-0.0617	151.7	24	521	-1	521
C _{AB} RECS	59.9	-29.59	-38.87	48.85	0.1959	-0.1117	232.7	15	477	40	604
B _{AB} RECS	25.77	24.96	-44.68	51.19	0.2452	-0.1396	299.1	13	465	30	550
M _{AB} RECS	46.97	70.25	-7.31	70.63	0.2711	-0.0919	354.0	-1	499	19	499
R _{AB} RECS	45.98	63.3	39.99	74.88	0.2665	-0.0538	32.2	-1	480	16	480
Y _{AB} RECS	86.0	-9.78	86.48	87.03	0.2106	-0.0437	96.4	33	566	14	471
G _{AB} RECS	52.9	-62.53	33.64	71.0	0.17	-0.0617	151.7	24	521	-1	521
C _{AB} RECS	59.9	-29.59	-38.87	48.85	0.1959	-0.1117	232.7	15	477	40	604
B _{AB} RECS	25.77	24.96	-44.68	51.19	0.2452	-0.1396	299.1	13	465	30	550
M _{AB} RECS	46.97	70.25	-7.31	70.63	0.2711	-0.0919	354.0	-1	499	19	499

Device colours RYGBCM₄ of maximum (m) C_{AB} for D65, Y_w=88,6

CodeD65	L*	a*	b*	C _{AB}	a'	b'	h_{AB}	id_m	λ_d	i_c	λ_c
R _{AB} RECS	45.98	63.33	40.03	74.92	0.2665	-0.0538	32.2	-1	480	16	480
Y _{AB} RECS	86.0	-9.78	86.51	87.06	0.2106	-0.0437	96.4	33	566	14	471
G _{AB} RECS	52.9	-62.56	33.65	71.04	0.17	-0.0617	151.7	24	521	-1	521
C _{AB} RECS	59.9	-29.59	-38.87	48.86	0.1959	-0.1117	232.7	15	477	40	604
B _{AB} RECS	25.77	24.99	-44.72	51.23	0.2453	-0.1396	299.2	13	465	30	550
M _{AB} RECS	46.97	70.27	-7.31	70.65	0.2711	-0.0919	354.0	-1	499	19	499
R _{AB} RECS	45.98	63.33	40.03	74.92	0.2665	-0.0538	32.2	-1	480	16	480
Y _{AB} RECS	86.0	-9.78	86.51	87.06	0.2106	-0.0437	96.4	33	566	14	471
G _{AB} RECS	52.9	-62.56	33.65	71.04	0.17	-0.0617	151.7	24	521	-1	521
C _{AB} RECS	59.9	-29.59	-38.87	48.86	0.1959	-0.1117	232.7	15	477	40	604
B _{AB} RECS	25.77	24.99	-44.72	51.23	0.2453	-0.1396	299.2	13	465	30	550
M _{AB} RECS	46.97	70.27	-7.31	70.65	0.2711	-0.0919	354.0	-1	499	19	499
R _{AB} RECS	45.98	63.33	40.03	74.92	0.2665	-0.0538	32.2	-1	480	16	480
Y _{AB} RECS	86.0	-9.78	86.51	87.06	0.2106	-0.0437	96.4	33	566	14	471
G _{AB} RECS	52.9	-62.56	33.65	71.04	0.17	-0.0617	151.7	24	521	-1	521
C _{AB} RECS	59.9	-29.59	-38.87	48.86	0.1959	-0.1117	232.7	15	477	40	604
B _{AB} RECS	25.77	24.99	-44.72	51.23	0.2453	-0.1396	299.2	13	465	30	550
M _{AB} RECS	46.97	70.27	-7.31	70.65	0.2711	-0.0919	354.0	-1	499	19	499



TUB-test chart SN83; Offset print output, use of grid G
YABCh, LabCh* data elementary hue circle and grey steps

input: w/rgb/cmyk -> w/rgb/cmyk-
output: no change compared

TUB registration: 20130201-SN83/SN83L0N1.TXT /PS
application for measurement of display output

TUB material: code=thata