



Prøveplansje 3 for fargegjengivelse: metamere farger A og P4000; offset trykk (CMYK); $rgb \rightarrow rgb_{de}$

Serie:
metameric
m
A

**sentral
Z
A/P4000**

metameric
m
P4000

metameric
m
A

$Lab*N0=17.8, 1.3, 0.7$
 $Lab*W0=95.3, 0.3, -4.9$
 $Lab*N=23.1, -3.5, -9.1$
 $Lab*W=95.4, 0.3, -5.0$

grå
g
A/P4000

Lab*N0=17.8 , 1.3 , 0.7
Lab*W0=95.3 , 0.3 , -4.9
Lab*N1=17.7 , 1.0 , 0.7
Lab*W1=95.3 , 0.6 , -5.0

metameric
m
P4000

Lab*N1=17.7, 1.0, 0.7
Lab*W1=95.3, 0.6, -5.0
Lab*N=23.7, -5.0, -8.0
Lab*W=95.5, 0.6, -5.1

28: NW_000* 29: NW_013* 30: NW_025* 31: NW_038* 32: NW_050* 33: NW_063* 34: NW_075* 35: NW_088* 36:28: NW_100* Lab

37: NW_000* 38: NW_013* 39: NW_025* 40: NW_038* 41: NW_050* 42: NW_063* 43: NW_075* 44: NW_088* 45=37: NW_100* Lab

46: NW 000* 47: NW 013* 48: NW 025* 49: NW 038* 50: NW 050* 51: NW 063* 52: NW 075* 53: NW 088* 54: NW 100* Lab

– se lignende filer: <http://130.149.60.45/~farbmetrik/PE33/PE33.HTM>
teknisk informasjon: <http://www.ps.bam.de> eller <http://130.149.60.45/~farbmetrik>



5-113130-L0 PE330-73

TUB-prøveplansje PE33; fargegjengivelse
54 farger; metamere for A&P4000, 3D=1, de=1, *cmyk**

input: $rgb/cmyk \rightarrow rgb_{de}$
output: 3D-linearisering til $cmyk^*_{de}$

