

$XYZ_w=84.1998, 88.59, 96.46$

$a^* = 500 (a' - a'_{n*}) Y^{1/3}$

$b^* = 500 (b' - b'_{n*}) Y^{1/3}$

$a = a_2 [x/y + 1]$

$b = b_2 [z/y + 1/6]^{1/3}$

$a_2 = 1/15 = 0.06666$

$b_2 = -1/12 = -0.08333$

$n = D65$

LABHNU1 79

Nombre y gama espectral


$R_m\ 565\_770 \quad Y_m\ 495\_770$

$G_m\ 475\_575 \quad C_m\ 380\_565$

$B_m\ 380\_495 \quad M_m\ 575\_475$

Colores óptimos (o),  $Y_W=88,6$

6 de chroma máximo (m)  $C_{AB}$  bajo  
en el diagrama croma ( $A^*$ ,  $B^*$ )



$XYZ_w=85.421, 88.59, 73.08$

$$a^* = 500 (a' - a'_{n0}) Y^{1/3}$$

$$b^* = 500 (b' - b'_{n0}) Y^{1/3}$$

$$a = a_2 [x/y + 1]$$

$$b = b_2 [z/y + 1/6]^{1/3}$$

$$a_2 = 1/15 = 0.06666$$

$$b_2 = -1/12 = -0.08333$$

$$n = D50$$

LABHNU1 79

Nombre y gama espectral


$R_m$  565\_770    $Y_m$  495\_770

$G_m$  475\_575    $C_m$  380\_565

$B_m$  380\_495    $M_m$  575\_475

Colores óptimos (o),  $Y_W=88,6$

6 de chroma máximo (m)  $C_{AB}$  bajo  
en el diagrama croma ( $A^*$ ,  $B^*$ )



$XYZ_w=89.4154, 88.59, 57.3$

$$a^* = 500 (a' - a'_{n0}) Y^{1/3}$$

$$b^* = 500 (b' - b'_{n0}) Y^{1/3}$$

$$a = a_2 [x/y + 1]$$

$$b = b_2 [z/y + 1/6]^{1/3}$$

$$a_2 = 1/15 = 0.06666$$

$$b_2 = -1/12 = -0.08333$$

$$n = P40$$

LABHNU1 79

Nombre y gama espectral


$R_m$  565\_770     $Y_m$  495\_770

$G_m$  475\_575     $C_m$  380\_565

$B_m$  380\_495     $M_m$  575\_475

Colores óptimos (o),  $Y_W=88,6$

6 de chroma máximo (m)  $C_{AB}$  bajo  
en el diagrama croma ( $A^*$ ,  $B^*$ )



$XYZ_w=97.3152, 88.59, 31.52$

$$a^* = 500 (a' - a'_{n*}) Y^{1/3}$$

$$b^* = 500 (b' - b'_{n*}) Y^{1/3}$$

$$a = a_2 [x/y + 1]$$

$$b = b_2 [z/y + 1/6]^{1/3}$$

$$a_2 = 1/15 = 0.06666$$

$$b_2 = -1/12 = -0.08333$$

$$n = A00$$

LABHNU1 79

Nombre y gama espectral


$R_m$  565\_770     $Y_m$  495\_770

$G_m$  475\_575     $C_m$  380\_565

$B_m$  380\_495     $M_m$  575\_475

Colores óptimos (o),  $Y_W=88,6$

6 de chroma máximo (m)  $C_{AB}$  bajo  
en el diagrama croma ( $A^*$ ,  $B^*$ )



$XYZ_w=88.5907, 88.59, 88.59$

$a^* = 500 (a' - a'_{n0}) Y^{1/3}$

$b^* = 500 (b' - b'_{n0}) Y^{1/3}$

$a = a_2 [x/y + 1]$

$b = b_2 [z/y + 1/6]^{1/3}$

$a_2 = 1/15 = 0.06666$

$b_2 = -1/12 = -0.08333$

$n = E00$

LABHNU1 79

Nombre y gama espectral


$R_m\ 565\_770 \quad Y_m\ 495\_770$

$G_m\ 475\_575 \quad C_m\ 380\_565$

$B_m\ 380\_495 \quad M_m\ 575\_475$

Colores óptimos (o),  $Y_W=88,6$

6 de chroma máximo (m)  $C_{AB}$  bajo  
en el diagrama croma ( $A^*$ ,  $B^*$ )



$XYZ_w=86.8818, 88.59, 104.73$

$$a^* = 500 (a' - a'_{n_0}) Y^{1/3}$$

$$b^* = 500 (b' - b'_{n_0}) Y^{1/3}$$

$$a = a_2 [x/y + 1]$$

$$b = b_2 [z/y + 1/6]^{1/3}$$

$$a_2 = 1/15 = 0.06666$$

$$b_2 = -1/12 = -0.08333$$

$$n = C00$$

LABHNU1 79

Nombre y gama espectral


$R_m$  565\_770     $Y_m$  495\_770

$G_m$  475\_575     $C_m$  380\_565

$B_m$  380\_495     $M_m$  575\_475

Colores óptimos (o),  $Y_W=88,6$

6 de chroma máximo (m)  $C_{AB}$  bajo  
en el diagrama croma ( $A^*$ ,  $B^*$ )



$XYZ_w=90.421, 88.59, 71.81$

$$a^* = 500 (a' - a'_{n0}) Y^{1/3}$$

$$b^* = 500 (b' - b'_{n0}) Y^{1/3}$$

$$a = a_2 [x/y + 1]$$

$$b = b_2 [z/y + 1/6]^{1/3}$$

$$a_2 = 1/15 = 0.06666$$

$$b_2 = -1/12 = -0.08333$$

$$n = P00$$

LABHNU1 79

Nombre y gama espectral


$R_m$  565\_770     $Y_m$  495\_770

$G_m$  475\_575     $C_m$  380\_565

$B_m$  380\_495     $M_m$  575\_475

Colores óptimos (o),  $Y_W=88,6$

6 de chroma máximo (m)  $C_{AB}$  bajo  
en el diagrama croma ( $A^*$ ,  $B^*$ )



$XYZ_w=86.7591, 88.59, 105.38$

$a^* = 500 (a' - a'_{n_0}) Y^{1/3}$

$b^* = 500 (b' - b'_{n_0}) Y^{1/3}$

$a = a_2 [x/y + 1]$

$b = b_2 [z/y + 1/6]^{1/3}$

$a_2 = 1/15 = 0.06666$

$b_2 = -1/12 = -0.08333$

$n = Q00$

LABHNU1 79

Nombre y gama espectral


$R_m\ 565\_770 \quad Y_m\ 495\_770$

$G_m\ 475\_575 \quad C_m\ 380\_565$

$B_m\ 380\_495 \quad M_m\ 575\_475$

Colores óptimos (o),  $Y_W=88,6$

6 de chroma máximo (m)  $C_{AB}$  bajo  
en el diagrama croma ( $A^*$ ,  $B^*$ )



$XYZ_w=83.9954, 88.59, 95.08$

$$a^* = 500 (a' - a'_{n*}) Y^{1/3}$$

$$b^* = 500 (b' - b'_{n*}) Y^{1/3}$$

$$a = a_2 [x/y + 1]$$

$$b = b_2 [z/y + 1/6]^{1/3}$$

$$a_2 = 1/15 = 0.06666$$

$$b_2 = -1/12 = -0.08333$$

$$n = D65$$

LABHNU1 79

Nombre y gama espectral


$R_m$  565\_770     $Y_m$  495\_770

$G_m$  475\_575     $C_m$  380\_565

$B_m$  380\_495     $M_m$  575\_475

Colores óptimos (o),  $Y_W=88,6$

6 de chroma máximo (m)  $C_{AB}$  bajo  
en el diagrama croma ( $A^*$ ,  $B^*$ )



$XYZ_w=85.6893, 88.59, 72.12$

$a^* = 500 (a' - a'_{n0}) Y^{1/3}$

$b^* = 500 (b' - b'_{n0}) Y^{1/3}$

$a = a_2 [x/y + 1]$

$b = b_2 [z/y + 1/6]^{1/3}$

$a_2 = 1/15 = 0.06666$

$b_2 = -1/12 = -0.08333$

$n = D50$

LABHNU1 79

Nombre y gama espectral


$R_m\ 565\_770 \quad Y_m\ 495\_770$

$G_m\ 475\_575 \quad C_m\ 380\_565$

$B_m\ 380\_495 \quad M_m\ 575\_475$

Colores óptimos (o),  $Y_W=88,6$

6 de chroma máximo (m)  $C_{AB}$  bajo  
en el diagrama croma ( $A^*$ ,  $B^*$ )



$XYZ_w=90.1416, 88.59, 57.09$

$$a^* = 500 (a' - a'_{n*}) Y^{1/3}$$

$$b^* = 500 (b' - b'_{n*}) Y^{1/3}$$

$$a = a_2 [x/y + 1]$$

$$b = b_2 [z/y + 1/6]^{1/3}$$

$$a_2 = 1/15 = 0.06666$$

$$b_2 = -1/12 = -0.08333$$

$$n = P40$$

LABHNU1 79

Nombre y gama espectral


$R_m$  565\_770     $Y_m$  495\_770

$G_m$  475\_575     $C_m$  380\_565

$B_m$  380\_495     $M_m$  575\_475

Colores óptimos (o),  $Y_W=88,6$

6 de chroma máximo (m)  $C_{AB}$  bajo  
en el diagrama croma ( $A^*$ ,  $B^*$ )



$XYZ_w=98.468, 88.59, 31.18$

$$a^* = 500 (a' - a'_{n_0}) Y^{1/3}$$

$$b^* = 500 (b' - b'_{n_0}) Y^{1/3}$$

$$a = a_2 [x/y + 1]$$


$$b = b_2 [z/y + 1/6]^{1/3}$$

$$a_2 = 1/15 = 0.06666$$

$$b_2 = -1/12 = -0.08333$$

$$n = A00$$

LABHNU1 79



Nombre y gama espectral

$R_m$  565\_770     $Y_m$  495\_770

$G_m$  475\_575     $C_m$  380\_565

$B_m$  380\_495     $M_m$  575\_475

Colores óptimos (o),  $Y_W=88,6$

6 de chroma máximo (m)  $C_{AB}$  bajo  
en el diagrama croma ( $A^*, B^*$ )

$XYZ_w=88.5818, 88.59, 88.59$

$a^* = 500 (a' - a'_{n*}) Y^{1/3}$

$b^* = 500 (b' - b'_{n*}) Y^{1/3}$

$a = a_2 [x/y + 1]$

$b = b_2 [z/y + 1/6]^{1/3}$

$a_2 = 1/15 = 0.06666$

$b_2 = -1/12 = -0.08333$

$n = E00$

LABHNU1 79

Nombre y gama espectral


$R_m\ 565\_770 \quad Y_m\ 495\_770$

$G_m\ 475\_575 \quad C_m\ 380\_565$

$B_m\ 380\_495 \quad M_m\ 575\_475$

Colores óptimos (o),  $Y_W=88,6$

6 de chroma máximo (m)  $C_{AB}$  bajo  
en el diagrama croma ( $A^*$ ,  $B^*$ )



$XYZ_w=86.1862, 88.59, 102.89$

$$a^* = 500 (a' - a'_{n0}) Y^{1/3}$$

$$b^* = 500 (b' - b'_{n0}) Y^{1/3}$$

$$a = a_2 [x/y + 1]$$

$$b = b_2 [z/y + 1/6]^{1/3}$$

$$a_2 = 1/15 = 0.06666$$

$$b_2 = -1/12 = -0.08333$$

$$n = C00$$

LABHNU1 79

Nombre y gama espectral


$R_m$  565\_770     $Y_m$  495\_770

$G_m$  475\_575     $C_m$  380\_565

$B_m$  380\_495     $M_m$  575\_475

Colores óptimos (o),  $Y_W=88,6$

6 de chroma máximo (m)  $C_{AB}$  bajo  
en el diagrama croma ( $A^*$ ,  $B^*$ )



$XYZ_w=90.6941, 88.59, 71.98$

$$a^* = 500 (a' - a'_{n*}) Y^{1/3}$$

$$b^* = 500 (b' - b'_{n*}) Y^{1/3}$$

$$a = a_2 [x/y + 1]$$

$$b = b_2 [z/y + 1/6]^{1/3}$$

$$a_2 = 1/15 = 0.06666$$

$$b_2 = -1/12 = -0.08333$$

$$n = P00$$

LABHNU1 79

Nombre y gama espectral


$R_m$  565\_770     $Y_m$  495\_770

$G_m$  475\_575     $C_m$  380\_565

$B_m$  380\_495     $M_m$  575\_475

Colores óptimos (o),  $Y_W=88,6$

6 de chroma máximo (m)  $C_{AB}$  bajo  
en el diagrama croma ( $A^*$ ,  $B^*$ )



$XYZ_w=86.5081, 88.59, 104.91$

$$a^* = 500 (a' - a'_{n*}) Y^{1/3}$$

$$b^* = 500 (b' - b'_{n*}) Y^{1/3}$$

$$a = a_2 [x/y + 1]$$

$$b = b_2 [z/y + 1/6]^{1/3}$$

$$a_2 = 1/15 = 0.06666$$

$$b_2 = -1/12 = -0.08333$$

$$n = Q00$$

LABHNU1 79

Nombre y gama espectral

$R_m$  565\_770     $Y_m$  495\_770

$G_m$  475\_575     $C_m$  380\_565

$B_m$  380\_495     $M_m$  575\_475

Colores óptimos (o),  $Y_W=88,6$

6 de chroma máximo (m)  $C_{AB}$  bajo  
en el diagrama croma ( $A^*$ ,  $B^*$ )

