



CIE data of Ostwald colours of maximum chromatic value
 $Y_w=100$, $Y_m=520_770$, $B_m=380_520$, and D65-sRGB data




1-000030-L0

TE060-1A_1


CIE data of *Ostwald* colours of maximum chromatic value
 $Y_w=100$, $Y_m=520_770$, $B_m=380_520$, and D65-*sRGB* data




CIE data of *Ostwald* colours of maximum chromatic value
 $Y_w=100$, $Y_m=520_770$, $B_m=380_520$, and D65-sRGB data




CIE data of *Ostwald* colours of maximum chromatic value
 $Y_w=100$, $Y_m=520_770$, $B_m=380_520$, and D65-sRGB data



CIE data of *Ostwald* colours of maximum chromatic value
 $Y_w=100$, $Y_m=520_770$, $B_m=380_520$, and D65-sRGB data




CIE data of *Ostwald* colours of maximum chromatic value
 $Y_w=100$, $Y_m=520_770$, $B_m=380_520$, and D65-*sRGB* data




CIE data of *Ostwald* colours of maximum chromatic value
 $Y_w=100$, $Y_m=520_770$, $B_m=380_520$, and D65-*sRGB* data

a^* , b^* CIELAB lightness L^* and radial chroma a^* , b^* , C^*_{ab}
 in the range $Y=0$ to 100




CIE data of *Ostwald* colours of maximum chromatic value
 $Y_w=100$, $Y_m=520_770$, $B_m=380_520$, and D65-*sRGB* data

ab CIE tristimulus value Y and chromaticities a , b , c_{ab}
 in the range $Y=0$ to 100




CIE data of *Ostwald* colours of maximum chromatic value
 $Y_w=100$, $Y_m=520_770$, $B_m=380_520$, and D50-sRGB data




1-000030-L0

TE060-1A_1


CIE data of *Ostwald* colours of maximum chromatic value
 $Y_w=100$, $Y_m=520_770$, $B_m=380_520$, and D50-*sRGB* data




CIE data of *Ostwald* colours of maximum chromatic value
 $Y_w=100$, $Y_m=520_770$, $B_m=380_520$, and D50-sRGB data




CIE data of *Ostwald* colours of maximum chromatic value
 $Y_w=100$, $Y_m=520_770$, $B_m=380_520$, and D50-*sRGB* data



CIE data of *Ostwald* colours of maximum chromatic value
 $Y_w=100$, $Y_m=520_770$, $B_m=380_520$, and D50-*sRGB* data




CIE data of *Ostwald* colours of maximum chromatic value
 $Y_w=100$, $Y_m=520_770$, $B_m=380_520$, and D50-*sRGB* data




CIE data of *Ostwald* colours of maximum chromatic value
 $Y_w=100$, $Y_m=520_770$, $B_m=380_520$, and D50-*sRGB* data

a^* , b^* CIELAB lightness L^* and radial chroma a^* , b^* , C^*_{ab}
 in the range $Y=0$ to 100




CIE data of *Ostwald* colours of maximum chromatic value
 $Y_w=100$, $Y_m=520_770$, $B_m=380_520$, and D50-*sRGB* data

ab CIE tristimulus value *Y* and chromaticities *a*, *b*, *c_{ab}*
 in the range $Y=0$ to 100




CIE data of *Ostwald* colours of maximum chromatic value
 $Y_w=100$, $Y_m=520_770$, $B_m=380_520$, and P40-sRGB data




1-000030-L0

TE060-1A_1


CIE data of *Ostwald* colours of maximum chromatic value
 $Y_w=100$, $Y_m=520_770$, $B_m=380_520$, and P40-sRGB data




CIE data of *Ostwald* colours of maximum chromatic value
 $Y_w=100$, $Y_m=520_770$, $B_m=380_520$, and P40-sRGB data



CIE data of *Ostwald* colours of maximum chromatic value
 $Y_w=100$, $Y_m=520_770$, $B_m=380_520$, and P40-sRGB data




CIE data of *Ostwald* colours of maximum chromatic value
 $Y_w=100$, $Y_m=520_770$, $B_m=380_520$, and P40-sRGB data



1-000030-L0


TE060-1A_1

CIE data of *Ostwald* colours of maximum chromatic value
 $Y_w=100$, $Y_m=520_770$, $B_m=380_520$, and P40-sRGB data




CIE data of *Ostwald* colours of maximum chromatic value
 $Y_w=100$, $Y_m=520_770$, $B_m=380_520$, and P40-sRGB data


a^* , b^* CIELAB lightness L^* and radial chroma a^* , b^* , C^*_{ab}
 in the range $Y=0$ to 100



CIE data of *Ostwald* colours of maximum chromatic value
 $Y_w=100$, $Y_m=520_770$, $B_m=380_520$, and P40-sRGB data




CIE data of *Ostwald* colours of maximum chromatic value
 $Y_w=100$, $Y_m=520_770$, $B_m=380_520$, and A00-sRGB data




1-000030-L0

TE060-1A_1


CIE data of *Ostwald* colours of maximum chromatic value
 $Y_w=100$, $Y_m=520_770$, $B_m=380_520$, and A00-sRGB data




CIE data of *Ostwald* colours of maximum chromatic value
 $Y_w=100$, $Y_m=520_770$, $B_m=380_520$, and A00-sRGB data



CIE data of *Ostwald* colours of maximum chromatic value
 $Y_w=100$, $Y_m=520_770$, $B_m=380_520$, and A00-sRGB data



CIE data of *Ostwald* colours of maximum chromatic value
 $Y_w=100$, $Y_m=520_770$, $B_m=380_520$, and A00-sRGB data




1-000030-L0

TE060-1A_1


CIE data of *Ostwald* colours of maximum chromatic value
 $Y_w=100$, $Y_m=520_770$, $B_m=380_520$, and A00-sRGB data

tristimulus value Y , R_G , Y_B , radial chromatic values A , B , C_{AB}
 in the range $Y=0$ to 100



CIE data of *Ostwald* colours of maximum chromatic value
 $Y_w=100$, $Y_m=520_770$, $B_m=380_520$, and A00-sRGB data

a^* , b^* CIELAB lightness L^* and radial chroma a^* , b^* , C^*_{ab}
 in the range $Y=0$ to 100




1-000030-L0


TE060-1A_1

CIE data of *Ostwald* colours of maximum chromatic value
 $Y_w=100$, $Y_m=520_770$, $B_m=380_520$, and A00-sRGB data

a , b CIE tristimulus value Y and chromaticities a , b , c_{ab}
 in the range $Y=0$ to 100




CIE data of *Ostwald* colours of maximum chromatic value
 $Y_w=100$, $Y_m=520_770$, $B_m=380_520$, and E00-sRGB data



1-000030-L0


TE060-1A_1

CIE data of *Ostwald* colours of maximum chromatic value
 $Y_w=100$, $Y_m=520_770$, $B_m=380_520$, and E00-sRGB data



CIE data of *Ostwald* colours of maximum chromatic value
 $Y_w=100$, $Y_m=520_770$, $B_m=380_520$, and E00-sRGB data


CIELAB lightness L^* and radial chroma a^* , b^* , C^*_{ab}
 in the range $Y=100$ to 100




1-000030-L0

TE060-1A_1


CIE data of *Ostwald* colours of maximum chromatic value
 $Y_w=100$, $Y_m=520_770$, $B_m=380_520$, and E00-sRGB data



CIE data of *Ostwald* colours of maximum chromatic value
 $Y_w=100$, $Y_m=520_770$, $B_m=380_520$, and E00-sRGB data



CIE data of *Ostwald* colours of maximum chromatic value
 $Y_w=100$, $Y_m=520_770$, $B_m=380_520$, and E00-sRGB data




1-000030-L0

TE060-1A_1


CIE data of *Ostwald* colours of maximum chromatic value
 $Y_w=100$, $Y_m=520_770$, $B_m=380_520$, and E00-sRGB data

a^* , b^* CIELAB lightness L^* and radial chroma a^* , b^* , C^*_{ab}
 in the range $Y=0$ to 100




CIE data of *Ostwald* colours of maximum chromatic value
 $Y_w=100$, $Y_m=520_770$, $B_m=380_520$, and E00-sRGB data

a , b CIE tristimulus value Y and chromaticities a , b , c_{ab}
 in the range $Y=0$ to 100




CIE data of *Ostwald* colours of maximum chromatic value
 $Y_w=100$, $Y_m=520_770$, $B_m=380_520$, and C00-sRGB data



1-000030-L0

TE060-1A_1


CIE data of *Ostwald* colours of maximum chromatic value
 $Y_w=100$, $Y_m=520_770$, $B_m=380_520$, and C00-sRGB data




1-000030-L0

TE060-1A_1


CIE data of *Ostwald* colours of maximum chromatic value
 $Y_w=100$, $Y_m=520_770$, $B_m=380_520$, and C00-sRGB data



CIE data of *Ostwald* colours of maximum chromatic value
 $Y_w=100$, $Y_m=520_770$, $B_m=380_520$, and C00-sRGB data




CIE data of *Ostwald* colours of maximum chromatic value
 $Y_w=100$, $Y_m=520_770$, $B_m=380_520$, and C00-sRGB data



1-000030-L0

TE060-1A_1

CIE data of *Ostwald* colours of maximum chromatic value
 $Y_w=100$, $Y_m=520_770$, $B_m=380_520$, and C00-sRGB data




1-000030-L0

TE060-1A_1


CIE data of *Ostwald* colours of maximum chromatic value
 $Y_w=100$, $Y_m=520_770$, $B_m=380_520$, and C00-sRGB data

a^* , b^* , C^*_{ab} CIELAB lightness L^* and radial chroma a^* , b^* , C^*_{ab}
 in the range $Y=0$ to 100




CIE data of *Ostwald* colours of maximum chromatic value
 $Y_w=100$, $Y_m=520_770$, $B_m=380_520$, and C00-*sRGB* data

ab CIE tristimulus value *Y* and chromaticities *a*, *b*, *c_{ab}*
 in the range $Y=0$ to 100




CIE data of *Ostwald* colours of maximum chromatic value
 $Y_w=100$, $Y_m=520_770$, $B_m=380_520$, and P00-sRGB data



1-000030-L0

TE060-1A_1


CIE data of *Ostwald* colours of maximum chromatic value
 $Y_w=100$, $Y_m=520_770$, $B_m=380_520$, and P00-sRGB data




1-000030-L0

TE060-1A_1


CIE data of *Ostwald* colours of maximum chromatic value
 $Y_w=100$, $Y_m=520_770$, $B_m=380_520$, and P00-sRGB data



CIE data of *Ostwald* colours of maximum chromatic value
 $Y_w=100$, $Y_m=520_770$, $B_m=380_520$, and P00-sRGB data




CIE data of *Ostwald* colours of maximum chromatic value
 $Y_w=100$, $Y_m=520_770$, $B_m=380_520$, and P00-sRGB data



1-000030-L0


TE060-1A_1

CIE data of *Ostwald* colours of maximum chromatic value
 $Y_w=100$, $Y_m=520_770$, $B_m=380_520$, and P00-sRGB data



CIE data of *Ostwald* colours of maximum chromatic value
 $Y_w=100$, $Y_m=520_770$, $B_m=380_520$, and P00-sRGB data


a^* , b^* , CIELAB lightness L^* and radial chroma a^* , b^* , C^*_{ab}
 in the range $Y=0$ to 100



1-000030-L0

TE060-1A_1


CIE data of *Ostwald* colours of maximum chromatic value
 $Y_w=100$, $Y_m=520_770$, $B_m=380_520$, and P00-sRGB data



1-000030-L0

TE060-1A_1


CIE data of *Ostwald* colours of maximum chromatic value
 $Y_w=100$, $Y_m=520_770$, $B_m=380_520$, and Q00-sRGB data



1-000030-L0

TE060-1A_1


CIE data of *Ostwald* colours of maximum chromatic value
 $Y_w=100$, $Y_m=520_770$, $B_m=380_520$, and Q00-sRGB data




1-000030-L0

TE060-1A_1


CIE data of *Ostwald* colours of maximum chromatic value
 $Y_w=100$, $Y_m=520_770$, $B_m=380_520$, and Q00-sRGB data



CIE data of *Ostwald* colours of maximum chromatic value
 $Y_w=100$, $Y_m=520_770$, $B_m=380_520$, and Q00-sRGB data




CIE data of *Ostwald* colours of maximum chromatic value
 $Y_w=100$, $Y_m=520_770$, $B_m=380_520$, and Q00-sRGB data



1-000030-L0

TE060-1A_1

CIE data of *Ostwald* colours of maximum chromatic value
 $Y_w=100$, $Y_m=520_770$, $B_m=380_520$, and Q00-sRGB data




1-000030-L0

TE060-1A_1

CIE data of *Ostwald* colours of maximum chromatic value
 $Y_w=100$, $Y_m=520_770$, $B_m=380_520$, and Q00-sRGB data

a^* , b^* CIELAB lightness L^* and radial chroma a^* , b^* , C^*_{ab}
 in the range $Y=0$ to 100



CIE data of *Ostwald* colours of maximum chromatic value
 $Y_w=100$, $Y_m=520_770$, $B_m=380_520$, and Q00-sRGB data

