





















































http://130.149.60.45/~farbmetrik/TE06/TE06L0NA.TXT /PS; transfer output
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 3/8

see similar files: <http://130.149.60.45/~farbmetrik/TE06/TE06L0NA.TXT>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20130201-TE06/TE06L0NA.TXT /PS
application for measurement of display output, no separation

TUB material: code=rha4ta



















TUB-test chart TE06; Ostwald colours, $Y_m=520_770$ & sRGB input: w/rgb/cmyk -> rgb
XYZ, YABCABh, CIELAB, λ_d data for illuminant P40
output: transfer to rgb_d

http://130.149.60.45/~farbmetrik/TE06/TE06L0NA.TXT /PS; transfer output
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 4/8

see similar files: <http://130.149.60.45/~farbmetrik/TE06/TE06L0NA.TXT>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20130201-TE06/TE06L0NA.TXT /PS
application for measurement of display output, no separation

TUB material: code=rha4ta



















TUB-test chart TE06; Ostwald colours, $Y_m=520_770$ & sRGB input: w/rgb/cmyk $\rightarrow$ rgb_d
XYZ, YABCABh, CIELAB, λ_d data for illuminant A00
output: transfer to rgb_d

http://130.149.60.45/~farbmeterik/TE06/TE06L0NA.TXT /PS; transfer output
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 5/8

















see similar files: <http://130.149.60.45/~farbmeterik/TE06/TE06L0NA.TXT>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmeterik>

















TUB registration: 20130201-TE06/TE06L0NA.TXT /PS
application for measurement of display output, no separation

TUB material: code=rha4ta



TUB-test chart TE06; Ostwald colours, $Y_m=520_770$ & sRGB input: w/rgb/cmyk -> rgb
XYZ, YABCABh, CIELAB, λ_d data for illuminant E00
output: transfer to rgb





















TUB-test chart TE06; Ostwald colours, $Y_m=520_770$ & sRGB input: w/rgb/cmyk $\rightarrow$ rgb_d
XYZ, YABCABh, CIELAB, λ_d data for illuminant P00
output: transfer to rgb_d

http://130.149.60.45/~farbmetrik/TE06/TE06L0NA.TXT /PS; transfer output
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 8/8

see similar files: <http://130.149.60.45/~farbmetrik/TE06/TE06L0NA.TXT>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20130201-TE06/TE06L0NA.TXT /PS
application for measurement of display output, no separation

TUB material: code=rha4ta



TUB-test chart TE06; Ostwald colours, $Y_m=520_{770}$ & sRGB input: w/rgb/cmyk -> rgb
XYZ, YABCABh, CIELAB, λ_d data for illuminant Q00
output: transfer to rgb