




$\log \Delta L$ luminance difference threshold • $L_g = 630 \text{ cd/m}^2$



$\log \Delta L$ luminance difference threshold • $L_g=63\text{cd/m}^2$



$\log \Delta L$ luminance difference threshold • $L_g=6,3\text{cd/m}^2$




$\log L/\Delta L$ luminance contrast sensitivity threshold • $L_g = 630 \text{ cd/m}^2$

2 T experiment:

AD 26s G

3 repeats




$\log L/\Delta L$ luminance contrast sensitivity threshold • $L_g=63\text{cd}/\text{m}^2$

2 T experiment:

AD 26s G

3 repeats




$\log L/\Delta L$ luminance contrast sensitivity threshold • $L_g=6,3\text{cd}/\text{m}^2$

2 T experiment:


AD 26s G

3 repeats




$L/\Delta L$ luminance contrast
sensitivity threshold

• $L_g=630\text{cd/m}^2$



$L/\Delta L$ luminance contrast
sensitivity threshold

• $L_g=63\text{cd/m}^2$



$L/\Delta L$ luminance contrast
sensitivity threshold

• $L_g=6,3\text{cd}/\text{m}^2$

40

x
 A 0,39

y
0,41

experiment:
 AD 26°
 G

30

Y 0,49
0,47

3 repeats

B 0,18
0,27

R 0,64
0,32

20

G 0,31
0,50

10



0

-3

-2

-1

0

1

2

$x=\log L$