




http://130.149.60.45/~farbmatrik/TE74/TE74L0NA.TXT /.PS; start output
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 1/22




radial gratings (Siemens-stars) N-W



radial gratings (Siemens-stars) W-N



radial gratings (Siemens-stars) N-Z



radial gratings (Siemens-stars) W-Z

TE740-3, Picture C1W-: Element A: radial gratings N-W, W-N, N-Z and W-Z; PS operator: *rgb/cmy0*

L^*/Y_{input} (absolute)	18.0/2.5	37.3/9.7	56.7/24.6	76.1/49.9	95.4/88.6	N_0 (min.)	W_1 (max.)
$w^*=l^*_{CIELAB, r}$ (relative)							
w^*_{input}	0,000	0,250	0,500	0,750	1,000	N_0 (min.)	W_1 (max.)

TE740-5, Picture C2W-: Element B: 5 visual equidistant L^* -grey steps + N_0 + W_1 ; PS operator: *rgb/cmy0*

L^*/Y_{input} (absolute)	18.0/2.5	23.2/3.8	28.3/5.6	33.5/7.8	38.6/10.5	43.8/13.7	49.0/17.6	54.1/22.1	59.3/27.3	64.4/33.3	69.6/40.2	74.8/47.9	79.9/56.5	85.1/66.2	90.2/76.8	95.4/88.6
No. and Hex code	00;F	01;E	02;D	03;C	04;B	05;A	06;9	07;8	08;7	09;6	10;5	11;4	12;3	13;2	14;1	15;0
$w^*=l^*_{CIELAB, r}$ (relative)																
w^*_{input}	0,000	0,067	0,133	0,200	0,267	0,333	0,400	0,467	0,533	0,600	0,667	0,733	0,800	0,867	0,933	1,000

TE740-7, Picture C3W-: Element C: 16 visual equidistant L^* -grey steps; PS operator: *rgb/cmy0*

test chart TE74; ME16(ISO 9241-306), 3(ISO/IEC 15775)
achromatic test chart N

background step Hex code	0	1	ring step Hex code	0-1
7			8	7-8
E			F	E-F
2			0	2-0
8			6	8-6
F			D	F-D

Landolt-rings W-N

code: background-ring

TE741-1, Picture C4W-: Element D: Landolt-rings W-N; PS operator: *rgb/cmy0*

	120	128	136	144	152	160	168	176	184	192	200	208	216	224	232	240	
120 (+8)																	240
60 (+4)																	120
30 (+2)																	60
15 (+1)																	30
	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	

line raster diameter in lpi

TE741-3, Picture C5W-: Element E: Line raster under 45° (or 135°); PS operator: *rgb/cmy0*


	120	128	136	144	152	160	168	176	184	192	200	208	216	224	232	240	
120 (+8)																	240
60 (+4)																	120
30 (+2)																	60
15 (+1)																	30
	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	

line raster diameter in lpi


TE741-5, Picture C6W-: Element F: Line raster under 90° (or 0°); PS operator: *rgb/cmy0*

input: *rgb/cmyk* -> *rgb/cmyk*
output: no change


http://130.149.60.45/~farbmeterik/TE74/TE74L0NA.TXT /.PS; transfer output
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 2/22




radial gratings (Siemens-stars) N-W



radial gratings (Siemens-stars) W-N




radial gratings (Siemens-stars) N-Z




radial gratings (Siemens-stars) W-Z

TE740-3, Picture C1Wd: Element A: radial gratings N-W, W-N, N-Z and W-Z; PS operator: *rgb/cmy0*




TE740-5, Picture C2Wd: Element B: 5 visual equidistant L^* -grey steps + N_0 + W_1 ; PS operator: *rgb/cmy0*




TE740-7, Picture C3Wd: Element C: 16 visual equidistant L^* -grey steps; PS operator: *rgb/cmy0*

test chart TE74; ME16(ISO 9241-306), 3(ISO/IEC 15775)
achromatic test chart N, 3D=0, de=0, *cmyk*


input: *rgb/cmyk* -> *rgb_d*
output: transfer to *cmyk_d*



TE741-1, Picture C4Wd: Element D: Landolt-rings W-N; PS operator: *rgb/cmy0*



TE741-3, Picture C5Wd: Element E: Line raster under 45° (or 135°); PS operator: *rgb/cmy0*




TE741-5, Picture C6Wd: Element F: Line raster under 90° (or 0°); PS operator: *rgb/cmy0*

TE7400L


TUB registration: 20150901-TE74/TE74L0NA.TXT /.PS
application for measurement of offset print output, separation *cmykn6* (CMYK)

TUB material: code=rha4ta


http://130.149.60.45/~farbmetrik/TE74/TE74L0NA.TXT /.PS; transfer output
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 3/22




radial gratings (Siemens-stars) N-W



radial gratings (Siemens-stars) W-N




radial gratings (Siemens-stars) N-Z




radial gratings (Siemens-stars) W-Z

TE740-3, Picture C1Wd: Element A: radial gratings N-W, W-N, N-Z and W-Z; PS operator: *rgb/cmy0*




TE740-5, Picture C2Wd: Element B: 5 visual equidistant L^* -grey steps + N_0 + W_1 ; PS operator: *rgb/cmy0*




TE740-7, Picture C3Wd: Element C: 16 visual equidistant L^* -grey steps; PS operator: *rgb/cmy0*

test chart TE74; ME16(ISO 9241-306), 3(ISO/IEC 15775)
achromatic test chart N, 3D=0, de=0, *cmyk*


input: *rgb/cmyk* -> *rgb_d*
output: transfer to *cmyk_d*



TE741-1, Picture C4Wd: Element D: Landolt-rings W-N; PS operator: *rgb/cmy0*




TE741-3, Picture C5Wd: Element E: Line raster under 45° (or 135°); PS operator: *rgb/cmy0*




TE741-5, Picture C6Wd: Element F: Line raster under 90° (or 0°); PS operator: *rgb/cmy0*

TUB registration: 20150901-TE74/TE74L0NA.TXT /.PS
application for measurement of offset print output, separation *cmykn6* (CMYK)


TUB material: code=rh4ta




radial gratings (Siemens-stars) N-W



radial gratings (Siemens-stars) W-N




radial gratings (Siemens-stars) N-Z




radial gratings (Siemens-stars) W-Z

TE740-3, Picture C1Wd: Element A: radial gratings N-W, W-N, N-Z and W-Z; PS operator: *rgb/cmy0*




TE740-5, Picture C2Wd: Element B: 5 visual equidistant L^* -grey steps + N_0 + W_1 ; PS operator: *rgb/cmy0*




TE740-7, Picture C3Wd: Element C: 16 visual equidistant L^* -grey steps; PS operator: *rgb/cmy0*




input: *rgb/cmyk* -> *rgb_d*
output: transfer to *cmyk_d*




TE741-1, Picture C4Wd: Element D: Landolt-rings W-N; PS operator: *rgb/cmy0*




TE741-3, Picture C5Wd: Element E: Line raster under 45° (or 135°); PS operator: *rgb/cmy0*




TE741-5, Picture C6Wd: Element F: Line raster under 90° (or 0°); PS operator: *rgb/cmy0*




radial gratings (Siemens-stars) N-W



radial gratings (Siemens-stars) W-N




radial gratings (Siemens-stars) N-Z




radial gratings (Siemens-stars) W-Z

TE740-3, Picture C1Wd: Element A: radial gratings N-W, W-N, N-Z and W-Z; PS operator: *rgb/cmy0*




TE740-5, Picture C2Wd: Element B: 5 visual equidistant L^* -grey steps + N_0 + W_1 ; PS operator: *rgb/cmy0*




TE740-7, Picture C3Wd: Element C: 16 visual equidistant L^* -grey steps; PS operator: *rgb/cmy0*

test chart TE74; ME16(ISO 9241-306), 3(ISO/IEC 15775)
achromatic test chart N, 3D=0, de=0, *cmyk*


input: *rgb/cmyk* -> *rgb_d*
output: transfer to *cmyk_d*




TE741-1, Picture C4Wd: Element D: Landolt-rings W-N; PS operator: *rgb/cmy0*




TE741-3, Picture C5Wd: Element E: Line raster under 45° (or 135°); PS operator: *rgb/cmy0*




TE741-5, Picture C6Wd: Element F: Line raster under 90° (or 0°); PS operator: *rgb/cmy0*




radial gratings (Siemens-stars) N-W



radial gratings (Siemens-stars) W-N




radial gratings (Siemens-stars) N-Z




radial gratings (Siemens-stars) W-Z

TE740-3, Picture C1Wd: Element A: radial gratings N-W, W-N, N-Z and W-Z; PS operator: *rgb/cmy0*




TE740-5, Picture C2Wd: Element B: 5 visual equidistant L^* -grey steps + N_0 + W_1 ; PS operator: *rgb/cmy0*




TE740-7, Picture C3Wd: Element C: 16 visual equidistant L^* -grey steps; PS operator: *rgb/cmy0*

test chart TE74; ME16(ISO 9241-306), 3(ISO/IEC 15775)
achromatic test chart N, 3D=0, de=0, *cmyk*


input: *rgb/cmyk* -> *rgb_d*
output: transfer to *cmyk_d*




TE741-1, Picture C4Wd: Element D: Landolt-rings W-N; PS operator: *rgb/cmy0*



TE741-3, Picture C5Wd: Element E: Line raster under 45° (or 135°); PS operator: *rgb/cmy0*




TE741-5, Picture C6Wd: Element F: Line raster under 90° (or 0°); PS operator: *rgb/cmy0*




see similar files: <http://130.149.60.45/~farbmatrik/TE74/TE74.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmatrik>

<http://130.149.60.45/~farbmatrik/TE74/TE74L0NA.TXT> /PS; transfer output
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 7/22



TUB registration: 20150901-TE74/TE74L0NA.TXT /PS TUB material: code=rha4ta
application for measurement of offset print output, separation cmyn6 (CMYK)


n/λ	HfC_Fd	rgb_Fd	LabCH*F_d	hs_Fd	rgb_Fd	LabCH*F_d	DF*F_d	hs_Md	rgb_Md	LabCH*Md	32.8	41.2	63.8	41.2	76.0	32.8	41.2	63.8	41.2	76.0	32.8	
0/648	R00Y_100_100a	1.0	0.0	0.0	1.0	0.0	0.0	0.0	47.3	63.8	41.2	76.0	32.8	1.0	0.0	0.0	0.0	47.3	63.8	41.2	76.0	32.8
1/657	R13Y_100_100a	0.125	0.0	0.0	1.0	0.0	0.0	0.0	50.9	55.5	46.4	72.3	39.9	1.0	0.116	0.0	0.0	50.9	55.5	46.4	72.3	39.9
2/666	R25Y_100_100a	0.25	0.0	0.0	1.0	0.0	0.0	0.0	55.3	45.8	52.2	69.5	48.7	1.0	0.233	0.0	0.0	55.3	45.8	52.2	69.5	48.7
3/675	R38Y_100_100a	0.375	0.0	0.0	1.0	0.0	0.0	0.0	61.4	34.0	59.9	68.9	60.4	1.0	0.366	0.0	0.0	61.4	34.0	59.9	68.9	60.4
4/684	R50Y_100_100a	0.5	0.0	0.0	1.0	0.0	0.0	0.0	67.2	22.6	67.6	71.2	71.4	1.0	0.5	0.0	0.0	67.2	22.6	67.6	71.2	71.4
5/693	R63Y_100_100a	0.625	0.0	0.0	1.0	0.0	0.0	0.0	74.0	10.4	76.6	77.3	82.2	1.0	0.633	0.0	0.0	74.0	10.4	76.6	77.3	82.2
6/702	R75Y_100_100a	0.75	0.0	0.0	1.0	0.0	0.0	0.0	83.9	83.9	83.9	83.9	83.9	1.0	0.766	0.0	0.0	83.9	83.9	83.9	83.9	83.9
7/711	R88Y_100_100a	1.0	0.0	0.0	1.0	0.0	0.0	0.0	84.5	-6.1	89.8	90.0	93.8	1.0	0.883	0.0	0.0	84.5	-6.1	89.8	90.0	93.8
8/720	Y00C_100_100a	1.0	1.0	0.0	0.0	0.0	0.0	0.0	88.3	-11.9	95.1	95.8	97.1	1.0	0.0	0.0	0.0	88.3	-11.9	95.1	95.8	97.1
9/639	Y13C_100_100a	0.875	1.0	0.0	0.0	0.0	0.0	0.0	86.0	-15.9	89.0	90.4	100.1	0.875	1.0	0.0	0.0	86.0	-15.9	89.0	90.4	100.1
10/558	Y25C_100_100a	0.75	1.0	0.0	0.0	0.0	0.0	0.0	83.3	-19.2	83.7	85.9	102.9	0.75	1.0	0.0	0.0	83.3	-19.2	83.7	85.9	102.9
11/477	Y38C_100_100a	0.625	1.0	0.0	0.0	0.0	0.0	0.0	77.4	-24.9	76.8	80.7	107.9	0.625	1.0	0.0	0.0	77.4	-24.9	76.8	80.7	107.9
12/396	Y50C_100_100a	0.5	1.0	0.0	0.0	0.0	0.0	0.0	72.7	-31.3	66.0	73.1	115.3	0.5	1.0	0.0	0.0	72.7	-31.3	66.0	73.1	115.3
13/315	Y63C_100_100a	0.375	1.0	0.0	0.0	0.0	0.0	0.0	68.3	-37.7	57.4	68.7	123.2	0.375	1.0	0.0	0.0	68.3	-37.7	57.4	68.7	123.2
14/234	Y75C_100_100a	0.25	1.0	0.0	0.0	0.0	0.0	0.0	60.4	-48.8	46.7	67.6	136.2	0.25	1.0	0.0	0.0	60.4	-48.8	46.7	67.6	136.2
15/153	Y88C_100_100a	0.125	1.0	0.0	0.0	0.0	0.0	0.0	57.0	-55.9	38.3	67.8	145.5	0.125	1.0	0.0	0.0	57.0	-55.9	38.3	67.8	145.5
16/72	G00C_100_100a	0.0	1.0	0.0	0.0	0.0	0.0	0.0	51.9	-68.8	28.1	74.3	157.7	0.0	0.0	0.0	0.0	51.9	-68.8	28.1	74.3	157.7
17/73	G13C_100_100a	0.0	1.0	0.0	0.0	0.0	0.0	0.0	52.5	-66.6	19.9	69.5	163.7	0.0	0.0	0.0	0.0	52.5	-66.6	19.9	69.5	163.7
18/74	G25C_100_100a	0.0	1.0	0.0	0.0	0.0	0.0	0.0	53.2	-62.6	11.0	63.6	170.0	0.0	0.0	0.0	0.0	53.2	-62.6	11.0	63.6	170.0
19/75	G38C_100_100a	0.0	1.0	0.0	0.0	0.0	0.0	0.0	54.0	-57.3	0.4	57.3	180.4	0.0	0.0	0.0	0.0	54.0	-57.3	0.4	57.3	180.4
20/76	G50C_100_100a	0.0	1.0	0.0	0.0	0.0	0.0	0.0	54.8	-51.0	-12.3	52.5	193.5	0.0	0.0	0.0	0.0	54.8	-51.0	-12.3	52.5	193.5
21/77	G63C_100_100a	0.0	1.0	0.0	0.0	0.0	0.0	0.0	55.8	-44.7	-22.5	50.1	206.7	0.0	0.0	0.0	0.0	55.8	-44.7	-22.5	50.1	206.7
22/78	G75C_100_100a	0.0	1.0	0.0	0.0	0.0	0.0	0.0	56.8	-38.4	-31.7	49.8	219.6	0.0	0.0	0.0	0.0	56.8	-38.4	-31.7	49.8	219.6
23/79	G88C_100_100a	0.0	1.0	0.0	0.0	0.0	0.0	0.0	57.6	-34.0	-37.7	50.6	227.9	0.0	0.0	0.0	0.0	57.6	-34.0	-37.7	50.6	227.9
24/80	C00B_100_100a	0.0	1.0	0.0	0.0	0.0	0.0	0.0	58.3	-29.2	-43.7	52.6	236.1	0.0	0.0	0.0	0.0	58.3	-29.2	-43.7	52.6	236.1
25/81	C13B_100_100a	0.0	1.0	0.0	0.0	0.0	0.0	0.0	55.4	-25.2	-43.9	50.5	240.0	0.0	0.0	0.0	0.0	55.4	-25.2	-43.9	50.5	240.0
26/62	C25B_100_100a	0.0	1.0	0.0	0.0	0.0	0.0	0.0	52.2	-20.4	-44.1	48.6	245.1	0.0	0.0	0.0	0.0	52.2	-20.4	-44.1	48.6	245.1
27/53	C38B_100_100a	0.0	1.0	0.0	0.0	0.0	0.0	0.0	48.0	-14.3	-44.4	46.6	251.0	0.0	0.0	0.0	0.0	48.0	-14.3	-44.4	46.6	251.1
28/44	C50B_100_100a	0.0	1.0	0.0	0.0	0.0	0.0	0.0	42.7	-6.0	-45.0	45.4	262.3	0.0	0.0	0.0	0.0	42.7	-6.0	-45.0	45.4	262.3
29/35	C63B_100_100a	0.0	1.0	0.0	0.0	0.0	0.0	0.0	37.6	1.8	-45.5	45.5	272.3	0.0	0.0	0.0	0.0	37.6	1.8	-45.5	45.5	272.3
30/26	C75B_100_100a	0.0	1.0	0.0	0.0	0.0	0.0	0.0	32.7	10.5	-46.2	47.4	282.8	0.0	0.0	0.0	0.0	32.7	10.5	-46.2	47.4	282.8
31/17	C88B_100_100a	0.0	1.0	0.0	0.0	0.0	0.0	0.0	28.3	17.8	-47.0	50.3	290.7	0.0	0.0	0.0	0.0	28.3	17.8	-47.0	50.3	290.7
32/8	B00M_100_100a	0.0	0.0	1.0	0.0	0.0	0.0	0.0	25.3	23.5	-47.3	52.8	296.4	0.0	0.0	0.0	0.0	25.3	23.5	-47.3	52.8	296.4
33/89	B13M_100_100a	0.125	0.0	1.0	0.0	0.0	0.0	0.0	29.0	31.2	-42.9	53.1	306.0	0.125	0.0	0.0	0.0	29.0	31.2	-42.9	53.1	306.0
34/170	B25M_100_100a	0.25	0.0	1.0	0.0	0.0	0.0	0.0	31.2	35.6	-39.6	53.3	311.9	0.25	0.0	0.0	0.0	31.2	35.6	-39.6	53.3	311.9
35/251	B38M_100_100a	0.375	0.0	1.0	0.0	0.0	0.0	0.0	33.6	46.9	-31.8	56.7	325.8	0.375	0.0	0.0	0.0	33.6	46.9	-31.8	56.7	325.8
36/332	B50M_100_100a	0.5	0.0	1.0	0.0	0.0	0.0	0.0	37.8	53.8	-26.3	59.9	333.9	0.5	0.0	0.0	0.0	37.8	53.8	-26.3	59.9	333.9
37/413	B63M_100_100a	0.625	0.0	1.0	0.0	0.0	0.0	0.0	41.1	59.3	-21.4	63.0	340.1	0.625	0.0	0.0	0.0	41.1	59.3	-21.4	63.0	340.1
38/494	B75M_100_100a	0.75	0.0	1.0	0.0	0.0	0.0	0.0	43.5	66.4	-14.5	68.0	347.6	0.75	0.0	0.0	0.0	43.5	66.4	-14.5	68.0	347.6
39/575	B88M_100_100a	0.875	0.0	1.0	0.0	0.0	0.0	0.0	46.1	69.7	-11.7	70.7	350.4	0.875	0.0	0.0	0.0	46.1	69.7	-11.7	70.7	350.4
40/656	M00R_100_100a	1.0	0.0	0.0	1.0	0.0	0.0	0.0	48.2	72.8	-8.5	73.3	353.3	1.0	0.0	0.0	0.0	48.2	72.8	-8.5	73.3	353.3
41/655	M13R_100_100a	1.0	0.0	0.0	1.0	0.0	0.0	0.0	48.2	71.7	-4.6	71.8	356.3	1.0	0.0	0.0	0.0	48.2	71.7	-4.6	71.8	356.3
42/654	M25R_100_100a	1.0	0.0	0.0	1.0	0.0	0.0	0.0	48.1	70.6	-0.2	70.6	359.8	1.0	0.0	0.0	0.0	48.1	70.6	-0.2	70.6	359.8
43/653	M38R_100_100a	1.0	0.0	0.0	1.0	0.0	0.0	0.0	48.0	69.0	6.6	69.3	360.0	1.0	0.0	0.0	0.0	48.0	69.0	6.6	69.3	360.0
44/652	M50R_100_100a	1.0	0.0	0.0	1.0	0.0	0.0	0.0	47.7	67.7	14.0	69.1	360.0	1.0	0.0	0.0	0.0	47.7	67.7	14.0	69.1	360.0
45/651	M63R_100_100a	1.0	0.0	0.0	1.0	0.0	0.0	0.0	47.7	66.1	22.3	69.7	360.0	1.0	0.0	0.0	0.0	47.7	66.1	22.3	69.7	360.0
46/650	M75R_100_100a	1.0	0.0	0.0	1.0	0.0	0.0	0.0	47.6	65.0	29.7	71.5	360.0	1.0	0.0	0.0	0.0	47.6	65.0	29.7	71.5	360.0
47/649	M88R_100_100a	1.0	0.0	0.0	1.0	0.0	0.0	0.0	47.4	64.4	35.5	73.6	360.0	1.0	0.0	0.0	0.0	47.4	64.4	35.5	73.6	360.0
48/648	R00Y_100_100a	1.0	0.0	0.0	1.0	0.0	0.0	0.0	47.3	63.8	41.2	76.0	32.8	1.0	0.0	0.0	0.0	47.3	63.8	41.2	76.0	32.8
49/0	NW_000a	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17.7	0.0	0.0	0.0	0.0	0.0								



TUB material: code=rha4ta
nyn6 (CMYK)

test chart 1E/4; ME16(ISO 9241-306), 3(ISO/IEC 15775)
 color and differences, ΔE^* , 3D=0, de=0, *cm*yk
 input: *rgb*/*cm*yk → *rg*bd
 output: transfer to *cm*yk

test chart TE/4; ME16(ISO 9241-306), 3(ISO/IEC 15775)
colors and differences, ΔE^* ; 3D=0, de=0, cmyk
input: rgb/cmyk → rgbd
output: transfer to cmykd



TUB material: code=rha4ta
nyn6 (CMYK)


test chart TE74; ME16(ISO 9241-306), 3(ISO/IEC 15775)
 colors and differences, ΔE^* ; 3D=0, de=0, *cmYk*
 input: *rgb/cmyk* - > *rgbd*
 output: transfer to *cmykd*

1-003830-F0

TE740-7N, Page 9/27-F

test chart TE74; ME16(ISO 9241-306), 3(ISO/IEC 15775)
colors and differences, ΔE^* , 3D=0, de=0, *cm*yk

input: *rgb/cmyk* → *rgb*a
output: transfer to *cm*yk



TUB material: code=rha4ta
nyn6 (CMYK)

input: *rgb/cmyk* $\rightarrow$ *rgb*
output: transfer to *cmyk*

1003930-F0 TE740-7N Page 1022-F

1-003930-F0

3(ISO/IEC 15924-1:2004) = 0, cmvk

mean color difference of this page:




TUB material: code=rha4ta
nyn6 (CMYK)

test chart TE74; ME16(ISO 9241-306), 3(ISO/IEC 15775) colors and differences. ΔE^* : 3D=0, de=0. *cm/yk*

1-0031230-F0	TE740-7N, Page 13/22-F	test chart TE74; ME16(ISO 9241-306), 3(ISO/IEC 15775) colors and differences. ΔE^* , 3D=0. de=0. <i>cm</i> yk	input: <i>rgb/cmyk</i> -> <i>rgb</i> d output: transfer to <i>cm</i> yk	
--------------	------------------------	--	--	--

-0031230-F0



TUB material: code=rha4ta
nyn6 (CMYK)

test chart TE74; ME16(ISO 9241-306), 3(ISO/IEC 15775)
 colors and differences, ΔE^* , 3D=0, de=0, *cmYk*
 input: *rgb/cmyk* - > *rgbd*
 output: transfer to *cmYkd*

9-1

TE740-7N, Page 14/22-F

-0031330-F0

<http://130.149.60.45/~farbmatrik/TE74/TE74L0NA.TXT> / .PS; transfer output
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 15/22

n	H1C*Fd	rgb*Fd	icL*Fd	hsL*Fd	rgb*Fd	LabCH*Fd	LabCH*Fd	rgb*Fd	DF*Fd	hsM*d	rgb*Fd	LabCH*Nd
486	R00Y, 075, 075d	0.75	0.0	0.0	0.0	39.9	47.9	0.0	33.0	60.4	3.4	389
487	R35Y, 075, 075d	0.75	0.0	0.0	0.0	40.0	48.0	0.0	32.9	57.0	3.4	389
488	R10Y, 075, 075d	0.75	0.0	0.0	0.0	40.0	48.0	0.0	32.9	57.0	3.4	389
489	R00Y, 075, 075d	0.75	0.0	0.0	0.0	40.0	48.0	0.0	32.9	57.0	3.4	389
490	R65R, 075, 075d	0.75	0.0	0.0	0.0	40.0	48.0	0.0	32.9	57.0	3.4	389
491	R57R, 075, 075d	0.75	0.0	0.0	0.0	40.0	48.0	0.0	32.9	57.0	3.4	389
492	R30R, 075, 075d	0.75	0.0	0.0	0.0	40.0	48.0	0.0	32.9	57.0	3.4	389
493	B40R, 087, 087d	0.75	0.0	0.0	0.0	40.0	48.0	0.0	32.9	57.0	3.4	389
494	B38R, 100, 100d	0.75	0.0	0.0	0.0	40.0	48.0	0.0	32.9	57.0	3.4	389
495	R15Y, 075, 075d	0.75	0.0	0.0	0.0	40.0	48.0	0.0	32.9	57.0	3.4	389
496	R00Y, 075, 075d	0.75	0.0	0.0	0.0	40.0	48.0	0.0	32.9	57.0	3.4	389
497	R31Y, 075, 075d	0.75	0.0	0.0	0.0	40.0	48.0	0.0	32.9	57.0	3.4	389
498	R11Y, 075, 075d	0.75	0.0	0.0	0.0	40.0	48.0	0.0	32.9	57.0	3.4	389
499	B60R, 075, 075d	0.75	0.0	0.0	0.0	40.0	48.0	0.0	32.9	57.0	3.4	389
500	B50R, 075, 075d	0.75	0.0	0.0	0.0	40.0	48.0	0.0	32.9	57.0	3.4	389
501	B50R, 075, 075d	0.75	0.0	0.0	0.0	40.0	48.0	0.0	32.9	57.0	3.4	389
502	B42R, 087, 087d	0.75	0.0	0.0	0.0	40.0	48.0	0.0	32.9	57.0	3.4	389
503	B36R, 100, 100d	0.75	0.0	0.0	0.0	40.0	48.0	0.0	32.9	57.0	3.4	389
504	R10Y, 075, 075d	0.75	0.0	0.0	0.0	40.0	48.0	0.0	32.9	57.0	3.4	389
505	R00Y, 075, 075d	0.75	0.0	0.0	0.0	40.0	48.0	0.0	32.9	57.0	3.4	389
506	R26Y, 075, 075d	0.75	0.0	0.0	0.0	40.0	48.0	0.0	32.9	57.0	3.4	389
507	R26Y, 075, 075d	0.75	0.0	0.0	0.0	40.0	48.0	0.0	32.9	57.0	3.4	389
508	R60R, 075, 075d	0.75	0.0	0.0	0.0	40.0	48.0	0.0	32.9	57.0	3.4	389
509	B60R, 075, 075d	0.75	0.0	0.0	0.0	40.0	48.0	0.0	32.9	57.0	3.4	389
510	B30R, 075, 075d	0.75	0.0	0.0	0.0	40.0	48.0	0.0	32.9	57.0	3.4	389
511	B30R, 075, 075d	0.75	0.0	0.0	0.0	40.0	48.0	0.0	32.9	57.0	3.4	389
512	B50Y, 075, 075d	0.75	0.0	0.0	0.0	40.0	48.0	0.0	32.9	57.0	3.4	389
513	B50Y, 075, 075d	0.75	0.0	0.0	0.0	40.0	48.0	0.0	32.9	57.0	3.4	389
514	R80Y, 075, 075d	0.75	0.0	0.0	0.0	40.0	48.0	0.0	32.9	57.0	3.4	389
515	R23Y, 075, 075d	0.75	0.0	0.0	0.0	40.0	48.0	0.0	32.9	57.0	3.4	389
516	R10Y, 075, 075d	0.75	0.0	0.0	0.0	40.0	48.0	0.0	32.9	57.0	3.4	389
517	R10Y, 075, 075d	0.75	0.0	0.0	0.0	40.0	48.0	0.0	32.9	57.0	3.4	389
518	B65R, 075, 075d	0.75	0.0	0.0	0.0	40.0	48.0	0.0	32.9	57.0	3.4	389
519	B50R, 075, 075d	0.75	0.0	0.0	0.0	40.0	48.0	0.0	32.9	57.0	3.4	389
520	B30R, 100, 100d	0.75	0.0	0.0	0.0	40.0	48.0	0.0	32.9	57.0	3.4	389
521	R60Y, 075, 075d	0.75	0.0	0.0	0.0	40.0	48.0	0.0	32.9	57.0	3.4	389
522	R60Y, 075, 075d	0.75	0.0	0.0	0.0	40.0	48.0	0.0	32.9	57.0	3.4	389
523	R50Y, 075, 075d	0.75	0.0	0.0	0.0	40.0	48.0	0.0	32.9	57.0	3.4	389
524	R30Y, 075, 075d	0.75	0.0	0.0	0.0	40.0	48.0	0.0	32.9	57.0	3.4	389
525	R30Y, 075, 075d	0.75	0.0	0.0	0.0	40.0	48.0	0.0	32.9	57.0	3.4	389
526	R00Y, 075, 075d	0.75	0.0	0.0	0.0	40.0	48.0	0.0	32.9	57.0	3.4	389
527	R00Y, 075, 075d	0.75	0.0	0.0	0.0	40.0	48.0	0.0	32.9	57.0	3.4	389
528	B50R, 075, 075d	0.75	0.0	0.0	0.0	40.0	48.0	0.0	32.9	57.0	3.4	389
529	B34R, 087, 087d	0.75	0.0	0.0	0.0	40.0	48.0	0.0	32.9	57.0	3.4	389
530	B25R, 100, 100d	0.75	0.0	0.0	0.0	40.0	48.0	0.0	32.9	57.0	3.4	389
531	R85Y, 075, 075d	0.75	0.0	0.0	0.0	40.0	48.0	0.0	32.9	57.0	3.4	389
532	R81Y, 075, 075d	0.75	0.0	0.0	0.0	40.0	48.0	0.0	32.9	57.0	3.4	389
533	R76Y, 075, 075d	0.75	0.0	0.0	0.0	40.0	48.0	0.0	32.9	57.0	3.4	389
534	R60Y, 075, 075d	0.75	0.0	0.0	0.0	40.0	48.0	0.0	32.9	57.0	3.4	389
535	R50Y, 075, 075d	0.75	0.0	0.0	0.0	40.0	48.0	0.0	32.9	57.0	3.4	389
536	R00Y, 075, 075d	0.75	0.0	0.0	0.0	40.0	48.0	0.0	32.9	57.0	3.4	389
537	B50R, 075, 075d	0.75	0.0	0.0	0.0	40.0	48.0	0.0	32.9	57.0	3.4	389
538	B23R, 087, 087d	0.75	0.0	0.0	0.0	40.0	48.0	0.0	32.9	57.0	3.4	389
539	B15R, 100, 100d	0.75	0.0	0.0	0.0	40.0	48.0	0.0	32.9	57.0	3.4	389
540	Y00C, 075, 075d	0.75	0.0	0.0	0.0	40.0	48.0	0.0	32.9	57.0	3.4	389
541	Y00C, 075, 075d	0.75	0.0	0.0	0.0	40.0	48.0	0.0	32.9	57.0	3.4	389
542	Y00C, 075, 075d	0.75	0.0	0.0	0.0	40.0	48.0	0.0	32.9	57.0	3.4	389
543	Y00C, 075, 075d	0.75	0.0	0.0	0.0	40.0	48.0	0.0	32.9	57.0	3.4	389
544	Y00C, 075, 075d	0.75	0.0	0.0	0.0	40.0	48.0	0.0	32.9	57.0	3.4	389
545	Y00C, 075, 075d	0.75	0.0	0.0	0.0	40.0	48.0	0.0	32.9	57.0	3.4	389
546	Y00C, 075, 075d	0.75	0.0	0.0	0.0	40.0	48.0	0.0	32.9	57.0	3.4	389
547	B00R, 087, 087d	0.75	0.0	0.0	0.0	40.0	48.0	0.0	32.9	57.0	3.4	389
548	B00R, 087, 087d	0.75	0.0	0.0	0.0	40.0	48.0	0.0	32.9	57.0	3.4	389
549	Y13C, 087, 087d	0.75	0.0	0.0	0.0	40.0	48.0	0.0	32.9	57.0	3.4	389
550	Y15C, 087, 087d	0.75	0.0	0.0	0.0	40.0	48.0	0.0	32.9	57.0	3.4	389
551	Y18C, 087, 087d	0.75	0.0	0.0	0.0	40.0	48.0	0.0	32.9	57.0	3.4	389
552	Y23C, 087, 087d	0.75	0.0	0.0	0.0	40.0	48.0	0.0	32.9	57.0	3.4	389
553	Y31C, 087, 087d	0.75	0.0	0.0	0.0	40.0	48.0	0.0	32.9	57.0	3.4	389
554	Y50C, 087, 087d	0.75	0.0	0.0	0.0	40.0	48.0	0.0	32.9	57.0	3.4	389
555	G00B, 087, 087d	0.75	0.0	0.0	0.0	40.0	48.0	0.0	32.9	57.0	3.4	389
556	G00B, 087, 087d	0.75	0.0	0.0	0.0	40.0	48.0	0.0	32.9	57.0	3.4	389
557	G73B, 100, 100d	0.75	0.0	0.0	0.0	40.0	48.0	0.0	32.9	57.0	3.4	389
558	Y23C, 100, 100d	0.75	0.0	0.0	0.0	40.0	48.0	0.0	32.9	57.0	3.4	389
559	Y26C, 100, 100d	0.75	0.0	0.0	0.0	40.0	48.0	0.0	32.9	57.0	3.4	389
560	Y31C, 100, 100d	0.75	0.0	0.0	0.0	40.0	48.0	0.0	32.9	57.0	3.4	389
561	Y38C, 100, 100d	0.75	0.0	0.0	0.0	40.0	48.0	0.0	32.9	57.0	3.4	389
562	Y60C, 100, 100d	0.75	0.0	0.0	0.0	40.0	48.0	0.0	32.9	57.0	3.4	389
563	Y68C, 100, 100d	0.75	0.0	0.0	0.0	40.0	48.0	0.0	32.9	57.0	3.4	389
564	G00B, 100, 025d	0.75	0.0	0.0	0.0	40.0	48.0	0.0	32.9	57.0	3.4	389
565	G25B, 100, 025d	0.75	0.0	0.0	0.0	40.0	48.0	0.0	32.9	57.0	3.4	389
566	G50B, 100, 025d	0.75	0.0	0.0	0.0	40.0	48.0	0.0	32.9	57.0	3.4	389

TE740-7N, Page 15/22-F

test chart TE74; ME16(ISO 9241-306), 3(ISO/IEC 15775)
colors and differences, ΔE^* , 3D=0, de=0, cmcyk
input: *rgb/cmyk* -> *rgba*
output: transfer to *cmykd*

I-0031430-F0

see similar files: <http://130.149.60.45/~farbmatrik/TE74/TE74.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmatrik>

http://130.149.60.45/~farbmatrik/TE74/TE74L0NA.TXT /PS; transfer output
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 17/22

test chart TE74; ME16(ISO 9241–306), 3(ISO/IEC 15775)
input: *rgb/cmyk* → *rgbd*
output: transfer to *cmyk*
colors and differences. ΔE^* , $3D=0$, $de=0$. *cmyk*

n	HIC ^{F_d}	rgb^{F_d}	lcr^{F_d}	$h_{\alpha}^{F_d}$	rgb^{F_d}	$LabCh^{F_d}$	$LabCh^{F_d}$	rgb^{F_d}	$LabCh^{F_d}$	DB^{F_d}	$h_{\alpha, \Delta}$	rgb^{F_d}	$LabCh^{F_d}$	$LabCh^{F_d}$
648	R00Y_100_100d	1.0	0.0	0.5	390	32.8	41.2	76.0	63.8	32.8	383	1.0	0.0	0.0
649	R08Y_100_100d	1.0	0.125	1.0	383	28.9	35.5	73.6	65.0	28.6	393	1.0	0.0	0.0
650	R26Y_100_100d	1.0	0.025	1.0	376	14.6	64.4	71.5	65.0	73.4	389	1.0	0.0	0.0
651	R13Y_100_100d	1.0	0.0375	1.0	368	18.5	65.0	69.7	65.0	21.9	377	1.0	0.0	0.0
652	R68Y_100_100d	1.0	0.0	0.5	360	11.6	69.3	71.6	69.3	18.2	368	1.0	0.0	0.0
653	B68Y_100_100d	1.0	0.0625	1.0	352	1.0	69.3	71.6	69.3	11.6	360	1.0	0.0	0.0
654	B61Y_100_100d	1.0	0.075	1.0	344	7.0	70.6	359.8	68.9	5.8	351	1.0	0.0	0.0
655	B55Y_100_100d	1.0	0.0875	1.0	337	1.0	46.1	71.8	70.6	0.4	336	1.0	0.0	0.0
656	B50Y_100_100d	1.0	0.1	0.5	330	7.8	72.8	72.8	48.2	0.6	342	1.0	0.0	0.0
657	R11Y_100_100d	1.0	0.0	1.0	330	35.3	69.3	73.3	48.2	35.3	330	1.0	0.0	0.0
658	R00Y_100_087d	1.0	0.0875	0.562	380	32.8	41.2	76.0	63.8	32.8	389	1.0	0.0	0.0
659	R36Y_100_087d	1.0	0.125	0.562	382	32.8	41.2	76.0	63.8	32.8	389	1.0	0.0	0.0
660	R23Y_100_087d	1.0	0.125	0.562	382	32.8	41.2	76.0	63.8	32.8	389	1.0	0.0	0.0
661	R08Y_100_087d	1.0	0.125	0.562	375	24.4	62.1	73.3	54.8	32.8	382	1.0	0.0	0.0
662	B70Y_100_087d	1.0	0.125	0.625	355	16.8	60.8	71.8	55.7	16.1	365	1.0	0.0	0.0
663	B63Y_100_087d	1.0	0.125	0.562	346	60.8	60.8	71.8	55.7	16.1	365	1.0	0.0	0.0
664	B56Y_100_087d	1.0	0.125	0.562	338	61.5	1.1	61.5	58.3	7.8	354	1.0	0.0	0.0
665	B50Y_100_087d	1.0	0.125	0.562	330	62.7	35.7	62.7	53.6	60.0	0.9	1.6	344	1.0
666	R23Y_100_100d	1.0	0.0	0.5	348	64.1	64.1	73.3	62.7	35.7	337	1.0	0.0	0.0
667	R13Y_100_087d	1.0	0.025	0.562	381	45.2	69.5	48.7	54.0	62.0	1.7	330	1.0	0.0
668	R36Y_100_075d	1.0	0.025	0.625	390	47.9	57.0	32.8	46.7	50.0	1.7	42	1.0	0.0
669	R18Y_100_075d	1.0	0.075	0.625	381	27.6	27.6	57.0	43.2	50.0	3.7	1.0	0.0	0.0
670	R00Y_100_075d	1.0	0.125	0.625	371	18.8	52.8	20.9	58.5	33.4	389	1.0	0.0	0.0
671	R00Y_100_075d	1.0	0.075	0.625	360	11.6	51.8	3.2	47.8	28.6	348	1.0	0.0	0.0
672	B57Y_100_075d	1.0	0.25	0.625	347	52.3	50.3	52.3	48.9	3.2	47.8	1.0	0.0	0.0
673	B50Y_100_075d	1.0	0.25	0.625	339	53.5	53.5	53.5	48.9	3.2	47.8	1.0	0.0	0.0
674	B36Y_100_075d	1.0	0.075	0.625	330	54.6	55.0	54.6	50.3	4.6	330	1.0	0.0	0.0
675	R36Y_100_100d	1.0	0.125	0.562	382	32.8	41.2	76.0	63.8	32.8	389	1.0	0.0	0.0
676	R00Y_100_075d	1.0	0.075	0.625	347	52.3	50.3	52.3	48.9	3.2	47.8	1.0	0.0	0.0
677	R00Y_100_075d	1.0	0.075	0.625	347	52.3	50.3	52.3	48.9	3.2	47.8	1.0	0.0	0.0
678	R00Y_100_075d	1.0	0.075	0.625	347	52.3	50.3	52.3	48.9	3.2	47.8	1.0	0.0	0.0
679	R00Y_100_075d	1.0	0.075	0.625	347	52.3	50.3	52.3	48.9	3.2	47.8	1.0	0.0	0.0
680	R00Y_100_075d	1.0	0.075	0.625	347	52.3	50.3	52.3	48.9	3.2	47.8	1.0	0.0	0.0
681	R00Y_100_075d	1.0	0.075	0.625	347	52.3	50.3	52.3	48.9	3.2	47.8	1.0	0.0	0.0
682	R00Y_100_075d	1.0	0.075	0.625	347	52.3	50.3	52.3	48.9	3.2	47.8	1.0	0.0	0.0
683	R00Y_100_075d	1.0	0.075	0.625	347	52.3	50.3	52.3	48.9	3.2	47.8	1.0	0.0	0.0
684	R00Y_100_075d	1.0	0.075	0.625	347	52.3	50.3	52.3	48.9	3.2	47.8	1.0	0.0	0.0
685	R00Y_100_075d	1.0	0.075	0.625	347	52.3	50.3	52.3	48.9	3.2	47.8	1.0	0.0	0.0
686	R00Y_100_075d	1.0	0.075	0.625	347	52.3	50.3	52.3	48.9	3.2	47.8	1.0	0.0	0.0
687	R00Y_100_075d	1.0	0.075	0.625	347	52.3	50.3	52.3	48.9	3.2	47.8	1.0	0.0	0.0
688	R00Y_100_075d	1.0	0.075	0.625	347	52.3	50.3	52.3	48.9	3.2	47.8	1.0	0.0	0.0
689	R00Y_100_075d	1.0	0.075	0.625	347	52.3	50.3	52.3	48.9	3.2	47.8	1.0	0.0	0.0
690	R00Y_100_075d	1.0	0.075	0.625	347	52.3	50.3	52.3	48.9	3.2	47.8	1.0	0.0	0.0
691	R00Y_100_075d	1.0	0.075	0.625	347	52.3	50.3	52.3	48.9	3.2	47.8	1.0	0.0	0.0
692	R00Y_100_075d	1.0	0.075	0.625	347	52.3	50.3	52.3	48.9	3.2	47.8	1.0	0.0	0.0
693	R00Y_100_075d	1.0	0.075	0.625	347	52.3	50.3	52.3	48.9	3.2	47.8	1.0	0.0	0.0
694	R00Y_100_075d	1.0	0.075	0.625	347	52.3	50.3	52.3	48.9	3.2	47.8	1.0	0.0	0.0
695	R00Y_100_075d	1.0	0.075	0.625	347	52.3	50.3	52.3	48.9	3.2	47.8	1.0	0.0	0.0
696	R00Y_100_075d	1.0	0.075	0.625	347	52.3	50.3	52.3	48.9	3.2	47.8	1.0	0.0	0.0
697	R00Y_100_075d	1.0	0.075	0.625	347	52.3	50.3	52.3	48.9	3.2	47.8	1.0	0.0	0.0
698	R00Y_100_075d	1.0	0.075	0.625	347	52.3	50.3	52.3	48.9	3.2	47.8	1.0	0.0	0.0
699	R00Y_100_075d	1.0	0.075	0.625	347	52.3	50.3	52.3	48.9	3.2	47.8	1.0	0.0	0.0
700	R00Y_100_075d	1.0	0.075	0.625	347	52.3	50.3	52.3	48.9	3.2	47.8	1.0	0.0	0.0
701	R00Y_100_075d	1.0	0.075	0.625	347	52.3	50.3	52.3	48.9	3.2	47.8	1.0	0.0	0.0
702	R00Y_100_075d	1.0	0.075	0.625	347	52.3	50.3	52.3	48.9	3.2	47.8	1.0	0.0	0.0
703	R00Y_100_075d	1.0	0.075	0.625	347	52.3	50.3	52.3	48.9	3.2	47.8	1.0	0.0	0.0
704	R00Y_100_075d	1.0	0.075	0.625	347	52.3	50.3	52.3	48.9	3.2	47.8	1.0	0.0	0.0
705	R00Y_100_075d	1.0	0.075	0.625	347	52.3	50.3	52.3	48.9	3.2	47.8	1.0	0.0	0.0
706	R00Y_100_075d	1.0	0.075	0.625	347	52.3	50.3	52.3	48.9	3.2	47.8	1.0	0.0	0.0
707	R00Y_100_075d	1.0	0.075	0.625	347	52.3	50.3	52.3	48.9	3.2	47.8	1.0	0.0	0.0
708	R00Y_100_075d	1.0	0.075	0.625	347	52.3	50.3	52.3	48.9	3.2	47.8	1.0	0.0	0.0
709	R00Y_100_075d	1.0	0.075	0.625	347	52.3	50.3	52.3	48.9	3.2	47.8	1.0	0.0	0.0
710	R00Y_100_075d	1.0	0.075	0.625	347	52.3	50.3	52.3	48.9	3.2	47.8	1.0	0.0	0.0
711	R00Y_100_075d	1.0	0.075	0.625	347	52.3	50.3	52.3	48.9	3.2	47.8	1.0	0.0	0.0
712	R00Y_100_075d	1.0	0.075	0.625	347	52.3	50.3	52.3	48.9	3.2	47.8	1.0	0.0	0.0
713	R00Y_100_075d	1.0	0.075	0.625	347	52.3	50.3	52.3	48.9	3.2	47.8	1.0	0.0	0.0
714	R00Y_100_075d	1.0	0.075	0.625	347	52.3	50.3	52.3	48.9	3.2	47.8	1.0	0.0	0.0
715	R00Y_100_075d	1.0	0.075	0.625	347	52.3	50.3	52.3	48.9	3.2	47.8	1.0	0.0	0.0
716	R00Y_100_075d	1.0	0.075	0.625	347	52.3	50.3	52.3	48.9	3.2	47.8	1.0	0.0	0.0
717	R00Y_100_075d	1.0	0.075	0.625	347	52.3	50.3	52.3	48.9	3.2	47.8	1.0	0.0	0.0
718	R00Y_100_075d	1.0	0.075	0.625	347	52.3	50.3	52.3	48.9	3.2	47.8	1.0	0.0	0.0
719	R00Y_100_075d	1.0	0.075	0.625	347	52.3	50.3	52.3	48.9	3.2	47.8	1.0	0.0	0.0
720	R00Y_100_075d	1.0	0.075	0.625	347	52.3	50.3	52.3	48.9	3.2	47.8	1.0	0.0	0.0
721	R00Y_100_075d	1.0	0.075	0.625	347	52.3	50.3	52.3	48.9	3.2	47.8	1.0	0.0	0.0
722	R00Y_100_075d	1.0	0.075	0.625	347	52.3	50.3	52.3	48.9	3.2	47.8	1.0	0.0	0.0
723	R00Y_100_075d	1.0	0.075	0.625	347	52.3	50.3	52.3	48.9	3.2	47.8	1.0	0.0	0.0
724	R00Y_100_075d	1.0	0.075	0.625	347	52.3	50.3	52.3	48.9	3.2	47.8	1.0	0.0	0.0
725	R00Y_100_075d	1.0	0.075	0.625	347	52.3	50.3	52.3	48.9	3.2	47.8	1.0	0.0	0.0
726	R00Y_100_075d	1.0	0.075	0.625	347	52.3	50.3	52.3	48.9	3.2	47.8	1.0	0.0	0.0
727	R00Y_100_075d	1.0	0.075	0.625	347	52.3	50.3	52.3	48.9	3.2	47.8	1.0	0.0	0.0
728	NW_100d	1.0	1.0	1.0	360	0.0	0.0	0.0	0.0	0.0	360	1.0	1.0	0.0

Mean color difference of this page:

$\Delta E^{*} = 3.9$

see similar files: <http://130.149.60.45/~farbmtrik/TE74/TE74.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmtrik>

http://130.149.60.45/~farbmatrik/TE74/TE74L0NA.TXT /PS; transfer output
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 19/22

test chart TE74; ME16(ISO 9241-306), 3(ISO/IEC 15775)
 colors and differences, ΔE^* ; 3D=0, de=0, *cmv*k
 input: *rgb*/*cmv*k -> *rgb*k
 output: transfer to *cmv*k_d

[illegible]

<http://130.149.60.45/~farbmatrik/TE74/TE74L0NA.TXT> /.PS; transfer output
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 21/22

n	H1C*Fid	rgb*Fid	ic1*Fid	hs1*Fid	LabCH*Fid	rgb**Fid	LabCH**Fid	DE**Fid	hsM,d	rgb**Md	LabCH**Md
972	NW 0004	0.0	0.0	0.0	0.0	0.0	0.0	0.4	84.7	1.6	95.4
973	NW 0124	0.125	0.125	0.125	0.0	0.125	0.125	-0.2	226.1	3.1	95.4
974	NW 0254	0.25	0.25	0.25	0.0	0.25	0.25	-0.4	236.5	8.3	95.4
975	NW 0374	0.375	0.375	0.375	0.0	0.375	0.375	-0.4	217.4	9.3	95.4
976	NW 0504	0.5	0.5	0.5	0.0	0.5	0.5	-0.4	224.9	8.5	95.4
977	NW 0624	0.625	0.625	0.625	0.0	0.625	0.625	-0.4	220.0	7.5	95.4
978	NW 0754	0.75	0.75	0.75	0.0	0.75	0.75	-0.2	215.6	5.8	95.4
979	NW 0874	0.875	0.875	0.875	0.0	0.875	0.875	0.0	215.9	4.1	95.4
980	NW 1004	1.0	1.0	1.0	0.0	1.0	1.0	0.0	138.2	0.0	95.4
981	NW 0004	0.0	0.0	0.0	0.0	0.0	0.0	0.2	72.2	1.3	95.4
982	NW 0124	0.125	0.125	0.125	0.0	0.125	0.125	-0.3	235.2	2.8	95.4
983	NW 0254	0.25	0.25	0.25	0.0	0.25	0.25	-0.6	235.9	8.2	95.4
984	NW 0374	0.375	0.375	0.375	0.0	0.375	0.375	-0.5	229.4	9.5	95.4
985	NW 0504	0.5	0.5	0.5	0.0	0.5	0.5	-0.1	191.4	8.2	95.4
986	NW 0624	0.625	0.625	0.625	0.0	0.625	0.625	-0.2	210.7	7.3	95.4
987	NW 0754	0.75	0.75	0.75	0.0	0.75	0.75	-0.2	229.6	5.6	95.4
988	NW 0874	0.875	0.875	0.875	0.0	0.875	0.875	0.0	197.4	4.1	95.4
989	NW 1004	1.0	1.0	1.0	0.0	1.0	1.0	0.0	102.7	0.1	95.4
990	NW 0004	0.0	0.0	0.0	0.0	0.0	0.0	0.1	83.1	0.9	95.4
991	NW 0124	0.125	0.125	0.125	0.0	0.125	0.125	-0.3	232.8	2.4	95.4
992	NW 0254	0.25	0.25	0.25	0.0	0.25	0.25	-0.6	237.3	8.0	95.4
993	NW 0374	0.375	0.375	0.375	0.0	0.375	0.375	-0.4	228.2	9.2	95.4
994	NW 0504	0.5	0.5	0.5	0.0	0.5	0.5	-0.3	220.2	8.1	95.4
995	NW 0624	0.625	0.625	0.625	0.0	0.625	0.625	-0.3	224.3	7.1	95.4
996	NW 0754	0.75	0.75	0.75	0.0	0.75	0.75	-0.1	213.1	5.2	95.4
997	NW 0874	0.875	0.875	0.875	0.0	0.875	0.875	0.0	202.8	3.7	95.4
998	NW 1004	1.0	1.0	1.0	0.0	1.0	1.0	0.0	115.5	0.0	95.4
999	NW 0004	0.0	0.0	0.0	0.0	0.0	0.0	0.0	96.0	0.7	95.4
1000	NW 0124	0.125	0.125	0.125	0.0	0.125	0.125	-0.2	233.4	2.0	95.4
1001	NW 0254	0.25	0.25	0.25	0.0	0.25	0.25	-0.4	239.8	7.2	95.4
1002	NW 0374	0.375	0.375	0.375	0.0	0.375	0.375	-0.4	235.0	8.9	95.4
1003	NW 0504	0.5	0.5	0.5	0.0	0.5	0.5	-0.5	230.8	8.1	95.4
1004	NW 0624	0.625	0.625	0.625	0.0	0.625	0.625	-0.3	229.6	6.9	95.4
1005	NW 0754	0.75	0.75	0.75	0.0	0.75	0.75	-0.2	222.5	5.2	95.4
1006	NW 0874	0.875	0.875	0.875	0.0	0.875	0.875	-0.1	179.7	3.9	95.4
1007	NW 1004	1.0	1.0	1.0	0.0	1.0	1.0	0.1	108.6	0.1	95.4
1008	NW 0004	0.0	0.0	0.0	0.0	0.0	0.0	0.4	83.1	2.1	95.4
1009	NW 0124	0.125	0.125	0.125	0.0	0.125	0.125	-0.3	233.6	3.7	95.4
1010	NW 0254	0.25	0.25	0.25	0.0	0.25	0.25	-0.3	233.6	7.4	95.4
1011	NW 0374	0.375	0.375	0.375	0.0	0.375	0.375	-0.5	234.6	8.5	95.4
1012	NW 0504	0.5	0.5	0.5	0.0	0.5	0.5	-0.5	231.7	9.9	95.4
1013	NW 0624	0.625	0.625	0.625	0.0	0.625	0.625	-0.4	232.4	9.7	95.4
1014	NW 0754	0.75	0.75	0.75	0.0	0.75	0.75	-0.5	232.4	8.7	95.4
1015	NW 0874	0.875	0.875	0.875	0.0	0.875	0.875	-0.4	231.8	8.5	95.4
1016	NW 1004	1.0	1.0	1.0	0.0	1.0	1.0	-0.4	231.9	7.3	95.4
1017	NW 0004	0.0	0.0	0.0	0.0	0.0	0.0	-0.3	226.2	4.9	95.4
1018	NW 0124	0.125	0.125	0.125	0.0	0.125	0.125	-0.2	212.1	4.6	95.4
1019	NW 0254	0.25	0.25	0.25	0.0	0.25	0.25	0.0	325.6	1.0	95.4
1020	NW 0374	0.375	0.375	0.375	0.0	0.375	0.375	0.0	87.5	1.7	95.4
1021	NW 0504	0.5	0.5	0.5	0.0	0.5	0.5	0.1	114.3	3.4	95.4
1022	NW 0624	0.625	0.625	0.625	0.0	0.625	0.625	-0.2	234.5	7.0	95.4
1023	NW 0754	0.75	0.75	0.75	0.0	0.75	0.75	-0.3	237.8	8.4	95.4
1024	NW 0874	0.875	0.875	0.875	0.0	0.875	0.875	-0.4	235.5	9.7	95.4
1025	NW 1004	1.0	1.0	1.0	0.0	1.0	1.0	-0.6	236.6	9.1	95.4
1026	NW 0004	0.0	0.0	0.0	0.0	0.0	0.0	-0.4	233.8	8.5	95.4
1027	NW 0124	0.125	0.125	0.125	0.0	0.125	0.125	-0.5	233.8	8.5	95.4
1028	NW 0254	0.25	0.25	0.25	0.0	0.25	0.25	-0.4	233.3	3.3	95.4
1029	NW 0374	0.375	0.375	0.375	0.0	0.375	0.375	-0.4	233.3	3.3	95.4
1030	NW 0504	0.5	0.5	0.5	0.0	0.5	0.5	-0.4	233.3	3.3	95.4
1031	NW 0624	0.625	0.625	0.625	0.0	0.625	0.625	-0.3	233.3	3.3	95.4
1032	NW 0754	0.75	0.75	0.75	0.0	0.75	0.75	-0.3	233.3	3.3	95.4
1033	NW 0874	0.875	0.875	0.875	0.0	0.875	0.875	-0.3	233.3	3.3	95.4
1034	NW 1004	1.0	1.0	1.0	0.0	1.0	1.0	-0.3	233.3	3.3	95.4
1035	NW 0004	0.0	0.0	0.0	0.0	0.0	0.0	-0.3	233.3	3.3	95.4
1036	NW 0124	0.125	0.125	0.125	0.0	0.125	0.125	-0.3	233.3	3.3	95.4
1037	NW 0254	0.25	0.25	0.25	0.0	0.25	0.25	-0.3	233.3	3.3	95.4
1038	NW 0374	0.375	0.375	0.375	0.0	0.375	0.375	-0.3	233.3	3.3	95.4
1039	NW 0504	0.5	0.5	0.5	0.0	0.5	0.5	-0.3	233.3	3.3	95.4
1040	NW 0624	0.625	0.625	0.625	0.0	0.625	0.625	-0.3	233.3	3.3	95.4
1041	NW 0754	0.75	0.75	0.75	0.0	0.75	0.75	-0.3	233.3	3.3	95.4
1042	NW 0874	0.875	0.875	0.875	0.0	0.875	0.875	-0.3	233.3	3.3	95.4
1043	NW 1004	1.0	1.0	1.0	0.0	1.0	1.0	-0.3	233.3	3.3	95.4
1044	NW 0004	0.0	0.0	0.0	0.0	0.0	0.0	-0.3	233.3	3.3	95.4
1045	NW 0124	0.125	0.125	0.125	0.0	0.125	0.125	-0.3	233.3	3.3	95.4
1046	NW 0254	0.25	0.25	0.25	0.0	0.25	0.25	-0.3	233.3	3.3	95.4
1047	NW 0374	0.375	0.375	0.375	0.0	0.375	0.375	-0.3	233.3	3.3	95.4
1048	NW 0504	0.5	0.5	0.5	0.0	0.5	0.5	-0.3	233.3	3.3	95.4
1049	NW 0624	0.625	0.625	0.625	0.0	0.625	0.625	-0.3	233.3	3.3	95.4
1050	NW 0754	0.75	0.75	0.75	0.0	0.75	0.75	-0.3	233.3	3.3	95.4
1051	NW 0874	0.875	0.875	0.875	0.0	0.875	0.875	-0.3	233.3	3.3	95.4
1052	NW 1004	1.0	1.0	1.0	0.0	1.0	1.0	-0.3	233.3	3.3	95.4

Mean color difference of this page:

delta E* = 5.5

test chart TE74; ME16(ISO 9241-306), 3(ISO/IEC 15775)
colors and differences, ΔE^* , 3D=0, de=0, cmyn
input: *rgb/cmyk* -> *rgb*
output: transfer to *cmyk*

TUB registration: 20150901-TE74/TE74L0NA.TXT /.PS
application for measurement of offset print output, separation cmyn6 (CMYK)

TUB material: code=rha4ta

see similar files: <http://130.149.60.45/~farbmatrik/TE74/TE74.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmatrik>

<http://130.149.60.45/~farbmatrik/TE74/TE74L0NA.TXT> /.PS; transfer output
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 22/22

n	HC*Fd	rgb*Fd	icr_Fd	hsl_Fd	rgb*Fd	LabCh*Fd	LabCh*Fd	hsl_Fd	rgb*Fd	LabCh*Fd	LabCh*Fd	DE*Fd	hsl_Fd	rgb*Fd	LabCh*Fd	DE*Fd	hsl_Fd	rgb*Fd	LabCh*Fd
1053	NW_086d	0.866	0.866	0.866	0.866	85.0	0.0	0.0	0.0	0.0	0.0	204.5	0.0	0.0	0.0	177.8	0.0	0.0	0.0
1054	NW_093d	0.933	0.933	0.933	0.933	90.2	0.0	0.0	0.0	0.0	0.0	191.5	0.0	0.0	0.0	182.5	0.0	0.0	0.0
1055	NW_100d	1.0	1.0	1.0	1.0	95.4	0.0	0.0	0.0	0.0	0.0	204.5	0.0	0.0	0.0	204.5	0.0	0.0	0.0
1056	NW_006d	0.066	0.066	0.066	0.066	22.8	0.0	0.0	0.0	0.0	0.0	61.5	0.0	0.0	0.0	61.5	0.0	0.0	0.0
1057	NW_013d	0.133	0.133	0.133	0.133	28.0	0.0	0.0	0.0	0.0	0.0	96.3	0.0	0.0	0.0	96.3	0.0	0.0	0.0
1058	NW_020d	0.2	0.2	0.2	0.2	33.2	0.0	0.0	0.0	0.0	0.0	151.6	0.0	0.0	0.0	151.6	0.0	0.0	0.0
1059	NW_026d	0.266	0.266	0.266	0.266	38.3	0.0	0.0	0.0	0.0	0.0	242.3	0.0	0.0	0.0	242.3	0.0	0.0	0.0
1060	NW_033d	0.333	0.333	0.333	0.333	43.6	0.0	0.0	0.0	0.0	0.0	243.3	0.0	0.0	0.0	243.3	0.0	0.0	0.0
1061	NW_040d	0.4	0.4	0.4	0.4	48.8	0.0	0.0	0.0	0.0	0.0	240.2	0.0	0.0	0.0	240.2	0.0	0.0	0.0
1062	NW_046d	0.466	0.466	0.466	0.466	53.9	0.0	0.0	0.0	0.0	0.0	235.4	0.0	0.0	0.0	235.4	0.0	0.0	0.0
1063	NW_053d	0.533	0.533	0.533	0.533	59.1	0.0	0.0	0.0	0.0	0.0	235.2	0.0	0.0	0.0	235.2	0.0	0.0	0.0
1064	NW_060d	0.6	0.6	0.6	0.6	64.3	0.0	0.0	0.0	0.0	0.0	231.6	0.0	0.0	0.0	231.6	0.0	0.0	0.0
1065	NW_066d	0.666	0.666	0.666	0.666	69.5	0.0	0.0	0.0	0.0	0.0	235.5	0.0	0.0	0.0	235.5	0.0	0.0	0.0
1066	NW_073d	0.734	0.734	0.734	0.734	74.7	0.0	0.0	0.0	0.0	0.0	225.3	0.0	0.0	0.0	225.3	0.0	0.0	0.0
1067	NW_080d	0.8	0.8	0.8	0.8	79.9	0.0	0.0	0.0	0.0	0.0	221.2	0.0	0.0	0.0	221.2	0.0	0.0	0.0
1068	NW_086d	0.866	0.866	0.866	0.866	85.0	0.0	0.0	0.0	0.0	0.0	220.3	0.0	0.0	0.0	220.3	0.0	0.0	0.0
1069	NW_093d	0.933	0.933	0.933	0.933	90.2	0.0	0.0	0.0	0.0	0.0	125.8	0.0	0.0	0.0	125.8	0.0	0.0	0.0
1070	NW_100d	1.0	1.0	1.0	1.0	95.4	0.0	0.0	0.0	0.0	0.0	92.4	0.0	0.0	0.0	92.4	0.0	0.0	0.0
1071	NW_006d	0.066	0.066	0.066	0.066	22.8	0.0	0.0	0.0	0.0	0.0	78.4	0.0	0.0	0.0	78.4	0.0	0.0	0.0
1072	NW_013d	0.133	0.133	0.133	0.133	28.0	0.0	0.0	0.0	0.0	0.0	275.2	0.0	0.0	0.0	275.2	0.0	0.0	0.0
1073	NW_020d	0.2	0.2	0.2	0.2	33.2	0.0	0.0	0.0	0.0	0.0	31.4	0.0	0.0	0.0	31.4	0.0	0.0	0.0
1074	NW_026d	0.266	0.266	0.266	0.266	38.3	0.0	0.0	0.0	0.0	0.0	237.9	0.0	0.0	0.0	237.9	0.0	0.0	0.0
1075	NW_033d	0.333	0.333	0.333	0.333	43.6	0.0	0.0	0.0	0.0	0.0	26.5	0.0	0.0	0.0	26.5	0.0	0.0	0.0
1076	NW_040d	0.4	0.4	0.4	0.4	48.8	0.0	0.0	0.0	0.0	0.0	95.6	0.0	0.0	0.0	95.6	0.0	0.0	0.0
1077	NW_046d	0.466	0.466	0.466	0.466	53.9	0.0	0.0	0.0	0.0	0.0	299.9	0.0	0.0	0.0	299.9	0.0	0.0	0.0
1078	NW_053d	0.533	0.533	0.533	0.533	59.1	0.0	0.0	0.0	0.0	0.0	24.6	0.0	0.0	0.0	24.6	0.0	0.0	0.0
1079	NW_060d	0.6	0.6	0.6	0.6	64.3	0.0	0.0	0.0	0.0	0.0	75.3	0.0	0.0	0.0	75.3	0.0	0.0	0.0
1080	NW_066d	0.666	0.666	0.666	0.666	69.5	0.0	0.0	0.0	0.0	0.0	357.5	0.0	0.0	0.0	357.5	0.0	0.0	0.0
1081	NW_073d	0.734	0.734	0.734	0.734	74.7	0.0	0.0	0.0	0.0	0.0	43.7	0.0	0.0	0.0	43.7	0.0	0.0	0.0
1082	NW_080d	0.8	0.8	0.8	0.8	79.9	0.0	0.0	0.0	0.0	0.0	24.6	0.0	0.0	0.0	24.6	0.0	0.0	0.0
1083	NW_086d	0.866	0.866	0.866	0.866	85.0	0.0	0.0	0.0	0.0	0.0	25.8	0.0	0.0	0.0	25.8	0.0	0.0	0.0
1084	NW_093d	0.933	0.933	0.933	0.933	90.2	0.0	0.0	0.0	0.0	0.0	25.8	0.0	0.0	0.0	25.8	0.0	0.0	0.0
1085	NW_100d	1.0	1.0	1.0	1.0	95.4	0.0	0.0	0.0	0.0	0.0	25.8	0.0	0.0	0.0	25.8	0.0	0.0	0.0
1086	NW_006d	0.066	0.066	0.066	0.066	22.8	0.0	0.0	0.0	0.0	0.0	25.8	0.0	0.0	0.0	25.8	0.0	0.0	0.0
1087	NW_013d	0.133	0.133	0.133	0.133	28.0	0.0	0.0	0.0	0.0	0.0	25.8	0.0	0.0	0.0	25.8	0.0	0.0	0.0
1088	NW_020d	0.2	0.2	0.2	0.2	33.2	0.0	0.0	0.0	0.0	0.0	25.8	0.0	0.0	0.0	25.8	0.0	0.0	0.0
1089	NW_026d	0.266	0.266	0.266	0.266	38.3	0.0	0.0	0.0	0.0	0.0	25.8	0.0	0.0	0.0	25.8	0.0	0.0	0.0
1090	NW_033d	0.333	0.333	0.333	0.333	43.6	0.0	0.0	0.0	0.0	0.0	25.8	0.0	0.0	0.0	25.8	0.0	0.0	0.0
1091	NW_040d	0.4	0.4	0.4	0.4	48.8	0.0	0.0	0.0	0.0	0.0	25.8	0.0	0.0	0.0	25.8	0.0	0.0	0.0
1092	NW_046d	0.466	0.466	0.466	0.466	53.9	0.0	0.0	0.0	0.0	0.0	25.8	0.0	0.0	0.0	25.8	0.0	0.0	0.0
1093	NW_053d	0.533	0.533	0.533	0.533	59.1	0.0	0.0	0.0	0.0	0.0	25.8	0.0	0.0	0.0	25.8	0.0	0.0	0.0
1094	NW_060d	0.6	0.6	0.6	0.6	64.3	0.0	0.0	0.0	0.0	0.0	25.8	0.0	0.0	0.0	25.8	0.0	0.0	0.0
1095	NW_066d	0.666	0.666	0.666	0.666	69.5	0.0	0.0	0.0	0.0	0.0	25.8	0.0	0.0	0.0	25.8	0.0	0.0	0.0
1096	NW_073d	0.734	0.734	0.734	0.734	74.7	0.0	0.0	0.0	0.0	0.0	25.8	0.0	0.0	0.0	25.8	0.0	0.0	0.0
1097	NW_080d	0.8	0.8	0.8	0.8	79.9	0.0	0.0	0.0	0.0	0.0	25.8	0.0	0.0	0.0	25.8	0.0	0.0	0.0
1098	NW_086d	0.866	0.866	0.866	0.866	85.0	0.0	0.0	0.0	0.0	0.0	25.8	0.0	0.0	0.0	25.8	0.0	0.0	0.0
1099	NW_093d	0.933	0.933	0.933	0.933	90.2	0.0	0.0	0.0	0.0	0.0	25.8	0.0	0.0	0.0	25.8	0.0	0.0	0.0
1100	NW_100d	1.0	1.0	1.0	1.0	95.4	0.0	0.0	0.0	0.0	0.0	25.8	0.0	0.0	0.0	25.8	0.0	0.0	0.0
1101	NW_006d	0.066	0.066	0.066	0.066	22.8	0.0	0.0	0.0	0.0	0.0	25.8	0.0	0.0	0.0	25.8	0.0	0.0	0.0
1102	NW_013d	0.133	0.133	0.133	0.133	28.0	0.0	0.0	0.0	0.0	0.0	25.8	0.0	0.0	0.0	25.8	0.0	0.0	0.0
1103	NW_020d	0.2	0.2	0.2	0.2	33.2	0.0	0.0	0.0	0.0	0.0	25.8	0.0	0.0	0.0	25.8	0.0	0.0	0.0
1104	NW_026d	0.266	0.266	0.266	0.266	38.3	0.0	0.0	0.0	0.0	0.0	25.8	0.0	0.0	0.0	25.8	0.0	0.0	0.0
1105	NW_033d	0.333	0.333	0.333	0.333	43.6	0.0	0.0	0.0	0.0	0.0	25.8	0.0	0.0	0.0	25.8	0.0	0.0	0.0
1106	NW_040d	0.4	0.4	0.4	0.4	48.8	0.0	0.0	0.0	0.0	0.0	25.8	0.0	0.0	0.0	25.8	0.0	0.0	0.0
1107	NW_046d	0.466	0.466	0.466	0.466	53.9	0.0	0.0	0.0	0.0	0.0	25.8	0.0	0.0	0.0	25.8	0.0	0.0	0.0
1108	NW_053d	0.533	0.533	0.533	0.533	59.1	0.0	0.0	0.0	0.0	0.0	25.8	0.0	0.0	0.0	25.8	0.0	0.0	0.0
1109	NW_060d	0.6	0.6	0.6	0.6														