


http://130.149.60.45/~farbmetrik/TE84/TE84L0NA.TXT /.PS; start output

N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 1/22


see similar files: <http://130.149.60.45/~farbmetrik/TE84/TE84.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20150701-TE84/TE84L0NA.TXT /.PS
application for measurement of offset print output


TUB material: code=rha4ta




TE841-1, Picture D4W-: 16 equidistant steps W-R-, W-G-, W-B-, W-N; *rgb/cmy0 set(rgb/cmyk)color*




TE841-3, Picture D5W-: Script and Landolt-rings N; R-, G-, B-, Z; PS operator *rgb->rgb_ setrgbcolor*




TE841-5, Picture D6W-: Landolt-rings W-R-, W-G-; PS operator *rgb setrgbcolor*



TE841-7, Picture D7W-: Landolt-rings W-B-, W-N; PS operator *rgb setrgbcolor*



TE840-5, Picture D2W-: radial gratings W-R-, W-G-, W-B-, W-N; PS operator *rgb->rgb_ setrgbcolor*



TE840-7, Picture D3W-: 14 CIE-test colours and 2 + 16 grey steps (sf); *rgb/cmy0 set(rgb/cmyk)color*



test chart TE84; 4(ISO/IEC 15775 + ISO/IEC TR 24705)
chromatic test chart RGB

input: *rgb/cmyk* -> *w/rgb/cmyk*-
output: no change




http://130.149.60.45/~farbmetrik/TE84/TE84L0NA.TXT / .PS; transfer output
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 2/22

TE8400L


TUB registration: 20150701-TE84/TE84L0NA.TXT / .PS
application for measurement of offset print output, separationcmykn6 (CMYK)

TUB material: code=rha4ta


see similar files: http://130.149.60.45/~farbmetrik/TE84/TE84.HTM
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik



TE841-1, Picture D4Wd: 16 equidistant steps W-R_d; W-G_d; W-B_d; W-N; rgb/cmy0->rgb_d setrgbcolor




TE841-3, Picture D5Wd: Script and Landolt-rings N; R_d; G_d; B_d; Z; PS operator rgb->rgb_d setrgbcolor




TE840-5, Picture D2Wd: radial gratings W-R_d; W-G_d; W-B_d; W-N; PS operator rgb->rgb_d setrgbcolor



TE840-7, Picture D3Wd: 14 CIE-test colours and 2 + 16 grey steps (sf); rgb/cmy0->rgb_d setrgbcolor



TE841-5, Picture D6Wd: Landolt-rings W-R_d; W-G_d; PS operator rgb->rgb_d setrgbcolor




TE841-7, Picture D7Wd: Landolt-rings W-B_d; W-N; PS operator rgb->rgb_d setrgbcolor

test chart TE84; 4(ISO/IEC 15775 + ISO/IEC TR 24705)
chromatic test chart RGB, 3D=0, de=0, cmyk


input: rgb/cmyk -> rgb_d
output: transfer to cmyk_d

1-003130-E0


1-003130-E0



TE841-1, Picture D4Wd: 16 equidistant steps $W-R_d$; $W-G_d$; $W-B_d$; $W-N$; $rgb/cmy0 \rightarrow rgb_d$ setrgbcolor




TE841-3, Picture D5Wd: Script and Landolt-rings N ; R_d ; G_d ; B_d ; Z ; PS operator $rgb \rightarrow rgb_d$ setrgbcolor




TE840-5, Picture D2Wd: radial gratings $W-R_d$; $W-G_d$; $W-B_d$; $W-N$; PS operator $rgb \rightarrow rgb_d$ setrgbcolor



TE840-7, Picture D3Wd: 14 CIE-test colours and 2 + 16 grey steps (sf); $rgb/cmy0 \rightarrow rgb_d$ setrgbcolor



TE841-5, Picture D6Wd: Landolt-rings $W-R_d$; $W-G_d$; PS operator $rgb \rightarrow rgb_d$ setrgbcolor




TE841-7, Picture D7Wd: Landolt-rings $W-B_d$; $W-N$; PS operator $rgb \rightarrow rgb_d$ setrgbcolor

http://130.149.60.45/~farbmetrik/TE84/TE84L0NA.TXT / .PS; transfer output
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 4/22

see similar files: <http://130.149.60.45/~farbmetrik/TE84/TE84.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>


TUB registration: 20150701-TE84/TE84L0NA.TXT / .PS
application for measurement of offset print output, separationcmykn6 (CMYK)
TUB material: code=rha4ta




TE840-5, Picture D2Wd: radial gratings W-R_d; W-G_d; W-B_d; W-N; PS operator *rgb*->*rgb_d* setrgbcolor




TE840-7, Picture D3Wd: 14 CIE-test colours and 2 + 16 grey steps (sf); *rgb/cmy0*->*rgb_d* setrgbcolor




TE841-1, Picture D4Wd: 16 equidistant steps W-R_d; W-G_d; W-B_d; W-N; *rgb/cmy0*->*rgb_d* setrgbcolor



TE841-3, Picture D5Wd: Script and Landolt-rings N; R_d; G_d; B_d; Z; PS operator *rgb*->*rgb_d* setrgbcolor



TE841-5, Picture D6Wd: Landolt-rings W-R_d; W-G_d; PS operator *rgb*->*rgb_d* setrgbcolor



TE841-7, Picture D7Wd: Landolt-rings W-B_d; W-N; PS operator *rgb*->*rgb_d* setrgbcolor


test chart TE84; 4(ISO/IEC 15775 + ISO/IEC TR 24705)
chromatic test chart RGB, 3D=0, de=0, *cmyk*

input: *rgb/cmyk* -> *rgb_d*
output: transfer to *cmyk_d*

http://130.149.60.45/~farbmetrik/TE84/TE84L0NA.TXT / .PS; transfer output
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 5/22

see similar files: <http://130.149.60.45/~farbmetrik/TE84/TE84.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20150701-TE84/TE84L0NA.TXT / .PS
application for measurement of offset print output, separationcmykn6 (CMYK)
TUB material: code=rha4ta




TE840-5, Picture D2Wd: radial gratings W-R_d; W-G_d; W-B_d; W-N; PS operator *rgb*->*rgb_d* setrgbcolor




TE840-7, Picture D3Wd: 14 CIE-test colours and 2 + 16 grey steps (sf); *rgb/cmy0*->*rgb_d* setrgbcolor


test chart TE84; 4(ISO/IEC 15775 + ISO/IEC TR 24705)
chromatic test chart RGB, 3D=0, de=0, *cmyk*




TE841-1, Picture D4Wd: 16 equidistant steps W-R_d; W-G_d; W-B_d; W-N; *rgb/cmy0*->*rgb_d* setrgbcolor



TE841-3, Picture D5Wd: Script and Landolt-rings N; R_d; G_d; B_d; Z; PS operator *rgb*->*rgb_d* setrgbcolor




TE841-5, Picture D6Wd: Landolt-rings W-R_d; W-G_d; PS operator *rgb*->*rgb_d* setrgbcolor




TE841-7, Picture D7Wd: Landolt-rings W-B_d; W-N; PS operator *rgb*->*rgb_d* setrgbcolor


input: *rgb/cmyk* -> *rgb_d*
output: transfer to *cmyk_d*




TE841-1, Picture D4Wd: 16 equidistant steps W-R_d; W-G_d; W-B_d; W-N; rgb/cmy0->rgb_d setrgbcolor




TE841-3, Picture D5Wd: Script and Landolt-rings N; R_d; G_d; B_d; Z; PS operator rgb->rgb_d setrgbcolor




TE840-5, Picture D2Wd: radial gratings W-R_d; W-G_d; W-B_d; W-N; PS operator rgb->rgb_d setrgbcolor




TE840-7, Picture D3Wd: 14 CIE-test colours and 2 + 16 grey steps (sf); rgb/cmy0->rgb_d setrgbcolor



TE841-5, Picture D6Wd: Landolt-rings W-R_d; W-G_d; PS operator rgb->rgb_d setrgbcolor




TE841-7, Picture D7Wd: Landolt-rings W-B_d; W-N; PS operator rgb->rgb_d setrgbcolor





<http://130.149.60.45/~farbmetrik/TE84/TE84L0NA.TXT> /.PS; transfer output
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 7/22

input: *rgb/cmyk* -> *rgba*
output: transfer to *cmykd*

test chart TE84; 4(ISO/IEC 15775 + ISO/IEC TR 24705)
colors and differences, ΔE^* , 3D=0, de=0, *cmyk*







<http://130.149.60.45/~farbmetrik/TE84/TE84L0NA.TXT> /.PS; transfer output
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 10/22

input: *rgb/cmyk* -> *rgba*
output: transfer to *cmykd*


test chart TE84; 4(ISO/IEC 15775 + ISO/IEC TR 24705)
colors and differences, ΔE^* , 3D=0, de=0, *cmyk*

<http://130.149.60.45/~farbmetrik/TE84/TE84L0NA.TXT> /.PS; transfer output
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 11/22

test chart TE84; 4(ISO/IEC 15775 + ISO/IEC TR 24705)
colors and differences, ΔE^* , 3D=0, de=0, cmyk
input: *rgb/cmyk* -> *rgba*
output: transfer to *cmykd*

<http://130.149.60.45/~farbmetrik/TE84/TE84L0NA.TXT> /.PS; transfer output
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 12/22

test chart TE84; 4(ISO/IEC 15775 + ISO/IEC TR 24705)
colors and differences, ΔE^* , 3D=0, de=0, cmyk
input: *rgb/cmyk* -> *rgba*
output: transfer to *cmykd*



<http://130.149.60.45/~farbmetrik/TE84/TE84L0NA.TXT> /.PS; transfer output
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 13/22


input: *rgb/cmyk* -> *rgba*
output: transfer to *cmykd*

test chart TE84; 4(ISO/IEC 15775 + ISO/IEC TR 24705)
colors and differences, ΔE^* , 3D=0, de=0, *cmyk*

1-0031230-F0

<http://130.149.60.45/~farbmetrik/TE84/TE84L0NA.TXT> /.PS; transfer output
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 14/22


test chart TE84; 4(ISO/IEC 15775 + ISO/IEC TR 24705)
colors and differences, ΔE^* , 3D=0, de=0, cmyk
input: *rgb/cmyk* -> *rgba*
output: transfer to *cmykd*



<http://130.149.60.45/~farbmetrik/TE84/TE84L0NA.TXT> /.PS; transfer output
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 15/22

input: *rgb/cmyk* -> *rgba*
output: transfer to *cmykd*

test chart TE84; 4(ISO/IEC 15775 + ISO/IEC TR 24705)
colors and differences, ΔE^* , 3D=0, de=0, *cmyk*



<http://130.149.60.45/~farbmetrik/TE84/TE84L0NA.TXT> /.PS; transfer output
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 16/22

input: *rgb/cmyk* -> *rgba*
output: transfer to *cmykd*

test chart TE84; 4(ISO/IEC 15775 + ISO/IEC TR 24705)
colors and differences, ΔE^* , 3D=0, de=0, *cmyk*


1-0031530-F0

<http://130.149.60.45/~farbmetrik/TE84/TE84L0NA.TXT> /.PS; transfer output
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 17/22

test chart TE84; 4(ISO/IEC 15775 + ISO/IEC TR 24705)
colors and differences, ΔE^* , 3D=0, de=0, cmyk
input: *rgb/cmyk* -> *rgba*
output: transfer to *cmykd*

<http://130.149.60.45/~farbmetrik/TE84/TE84L0NA.TXT> /.PS; transfer output
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 18/22

test chart TE84; 4(ISO/IEC 15775 + ISO/IEC TR 24705)
colors and differences, ΔE^* , 3D=0, de=0, cmyk
input: *rgb/cmyk* -> *rgba*
output: transfer to *cmykd*



<http://130.149.60.45/~farbmetrik/TE84/TE84L0NA.TXT> /.PS; transfer output
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 19/22


input: *rgb/cmyk* -> *rgba*
output: transfer to *cmykd*

test chart TE84; 4(ISO/IEC 15775 + ISO/IEC TR 24705)
colors and differences, ΔE^* , 3D=0, de=0, *cmyk*

1-0031830-F0

<http://130.149.60.45/~farbmetrik/TE84/TE84L0NA.TXT> /.PS; transfer output
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 20/22

test chart TE84; 4(ISO/IEC 15775 + ISO/IEC TR 24705)
colors and differences, ΔE^* , 3D=0, de=0, cmyk
input: *rgb/cmyk* -> *rgba*
output: transfer to *cmykd*



<http://130.149.60.45/~farbmetrik/TE84/TE84L0NA.TXT> /.PS; transfer output
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 21/22

input: *rgb/cmyk* -> *rgba*
output: transfer to *cmykd*

test chart TE84; 4(ISO/IEC 15775 + ISO/IEC TR 24705)
colors and differences, ΔE^* , 3D=0, de=0, *cmyk*

1-0032030-F0

<http://130.149.60.45/~farbmetrik/TE84/TE84L0NA.TXT> /.PS; transfer output
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 22/22

test chart TE84; 4(ISO/IEC 15775 + ISO/IEC TR 24705)
colors and differences, ΔE^* , 3D=0, de=0, cmyk
input: *rgb/cmyk* -> *rgba*
output: transfer to *cmykd*