

rgb*_e- und CIE-Daten eines Elementar-Bunttonkreises nach CIE R1-47:2009 für Offsetdruck

XYZ_e, Lab*_e und Lab*_a-Daten für relative Stufung des Elementarbunttons h_{AB} von Lab*_a

16-stufiger Elementar-Bunttonkreis mit Ziel-Elementar-Buntton: $h_{AB,a} = 25.4, 93.1, 159.3, 270.5$

Code	X	Y	Z	x	y	L*	a*	b*	L*	a*	b*	C _{AB,a}	h _{AB,a}	rgb → rgb*
R00Y=R	31.4	17.3	6.6	0.566	0.313	48.7	66.5	32.9	48.7	66.7	31.8	73.9	25.4	1.00 0.00 0.00
R25Y	34.5	22.5	5.1	0.555	0.361	54.5	52.6	49.2	54.5	52.9	47.9	71.4	42.2	1.00 0.25 0.00
R50Y	40.5	31.9	6.2	0.514	0.405	63.2	36.4	59.5	63.2	35.0	58.0	67.8	58.9	1.00 0.50 0.00
R75Y	48.6	44.8	7.6	0.48	0.443	72.7	17.1	70.4	72.7	17.6	68.8	71.1	75.5	1.00 0.75 0.00
Y00G=Y	63.1	68.2	10.2	0.445	0.481	86.1	-4.0	85.1	86.1	-3.3	83.2	83.3	92.3	1.00 1.00 0.00
Y25G	41.3	53.0	10.1	0.396	0.507	77.8	-25.6	71.3	77.8	-25.0	69.6	74.0	109.8	0.75 1.00 0.00
Y50G	24.2	36.8	9.3	0.344	0.523	67.1	-41.3	55.2	67.1	-40.9	53.7	67.6	127.3	0.50 1.00 0.00
Y75G	14.9	27.7	9.8	0.285	0.527	59.6	-56.0	40.7	59.6	-55.6	39.3	68.2	144.7	0.25 1.00 0.00
G00B=G	12.2	24.9	15.6	0.232	0.471	56.9	-61.7	20.9	56.9	-61.5	19.6	64.5	162.2	0.00 1.00 0.00
G25B	15.6	27.3	15.0	0.2	0.35	59.3	-50.8	-7.1	59.3	-50.5	-8.5	51.2	189.5	0.00 1.00 0.50
G50B	19.3	29.6	15.1	0.181	0.279	61.3	-39.4	-28.0	61.3	-39.1	-29.4	49.0	216.9	0.00 1.00 1.00
G75B	18.4	23.9	62.3	0.176	0.228	56.0	-20.9	-41.7	56.0	-20.6	-43.0	47.7	244.3	0.00 0.50 1.00
B00R=B	11.6	12.0	39.6	0.183	0.19	41.2	1.3	-44.0	41.2	1.3	-45.0	45.0	271.7	0.00 0.00 1.00
B25R	7.5	5.3	24.3	0.203	0.24	27.5	20.4	-29.6	27.5	20.1	-29.6	37.4	301.1	0.00 0.00 1.00
B50R	16.8	9.8	24.6	0.327	0.191	37.4	50.1	-29.6	37.4	50.1	-30.6	58.7	328.5	1.00 0.00 0.00
B75R	33.8	17.9	20.9	0.465	0.247	49.4	72.2	-2.5	49.4	72.4	-3.7	72.5	357.0	1.00 0.00 0.50

5-stufige gleichabständige Graureihe mit Ziel-Helligkeit: $L^* = 22.2, 40.7, 59.3, 77.8, 96.3$

Code	X	Y	Z	x	y	L*	a*	b*	L*	a*	b*	C _{AB,a}	h _{AB,a}	rgb → rgb*
n000w=N	3.5	3.6	3.8	0.317	0.332	22.5	0.2	0.7	22.5	0.0	0.0	0.0	37.9	0.00 0.00 0.00
n025w	11.1	11.7	12.9	0.31	0.327	40.8	-0.3	-0.4	40.8	-0.3	-1.4	1.4	256.8	0.25 0.25 0.25
n050w	25.7	27.2	30.0	0.31	0.328	59.2	-0.2	-0.6	59.2	-0.2	-1.8	1.8	258.1	0.50 0.50 0.50
n075w	49.9	52.9	57.3	0.311	0.33	77.8	-0.8	-0.2	77.8	-0.2	-1.4	1.4	259.2	0.75 0.75 0.75
n100w=W	86.0	91.0	95.9	0.315	0.333	96.4	-0.8	2.1	96.4	-0.8	0.0	0.0	100.0	1.00 1.00 1.00

TG00-3N, Seite 1/2

rgb*_e- und CIE-Daten eines Elementar-Bunttonkreises nach CIE R1-47:2009 für Offsetdruck

XYZ_e, YAB*_e und Lab*_a-Daten für relative Stufung des Elementarbunttons h_{AB} von Lab*_a

16-stufiger Elementar-Bunttonkreis mit Ziel-Elementar-Buntton: $h_{AB,a} = 25.4, 93.1, 159.3, 270.5$

Code	X	Y	Z	x	y	L*	a*	b*	L*	a*	b*	C _{AB,a}	h _{AB,a}	rgb → rgb*
R00Y=R	31.4	17.3	6.6	0.566	0.313	48.7	66.5	32.9	48.7	66.7	31.8	73.9	25.4	1.00 0.00 0.00
R25Y	34.5	22.5	5.1	0.555	0.361	54.5	52.6	49.2	54.5	52.9	47.9	71.4	42.2	1.00 0.25 0.00
R50Y	40.5	31.9	6.2	0.514	0.405	63.2	36.4	59.5	63.2	35.0	58.0	67.8	58.9	1.00 0.50 0.00
R75Y	48.6	44.8	7.6	0.48	0.443	72.7	17.1	70.4	72.7	17.6	68.8	71.1	75.5	1.00 0.75 0.00
Y00G=Y	63.1	68.2	10.2	0.445	0.481	86.1	-4.0	85.1	86.1	-3.3	83.2	83.3	92.3	1.00 1.00 0.00
Y25G	41.3	53.0	10.1	0.396	0.507	77.8	-25.6	71.3	77.8	-25.0	69.6	74.0	109.8	0.75 1.00 0.00
Y50G	24.2	36.8	9.3	0.344	0.523	67.1	-41.3	55.2	67.1	-40.9	53.7	67.6	127.3	0.50 1.00 0.00
Y75G	14.9	27.7	9.8	0.285	0.527	59.6	-56.0	40.7	59.6	-55.6	39.3	68.2	144.7	0.25 1.00 0.00
G00B=G	12.2	24.9	15.6	0.232	0.471	56.9	-61.7	20.9	56.9	-61.5	19.6	64.5	162.2	0.00 1.00 0.00
G25B	15.6	27.3	15.0	0.2	0.35	59.3	-50.8	-7.1	59.3	-50.5	-8.5	51.2	189.5	0.00 1.00 0.50
G50B	19.3	29.6	15.1	0.181	0.279	61.3	-39.4	-28.0	61.3	-39.1	-29.4	49.0	216.9	0.00 1.00 1.00
G75B	18.4	23.9	62.3	0.176	0.228	56.0	-20.9	-41.7	56.0	-20.6	-43.0	47.7	244.3	0.00 0.50 1.00
B00R=B	11.6	12.0	39.6	0.183	0.19	41.2	1.3	-44.0	41.2	1.3	-45.0	45.0	271.7	0.00 0.00 1.00
B25R	7.5	5.3	24.3	0.203	0.24	27.5	20.4	-29.6	27.5	20.1	-29.6	37.4	301.1	0.00 0.00 1.00
B50R	16.8	9.8	24.6	0.327	0.191	37.4	50.1	-29.6	37.4	50.1	-30.6	58.7	328.5	1.00 0.00 0.00
B75R	33.8	17.9	20.9	0.465	0.247	49.4	72.2	-2.5	49.4	72.4	-3.7	72.5	357.0	1.00 0.00 0.50

5-stufige gleichabständige Graureihe mit Ziel-Helligkeit: $L^* = 22.2, 40.7, 59.3, 77.8, 96.3$

Code	X	Y	Z	a	b	A _a	B _a	C _{AB,a}	h _{AB,a}	L _a [*]	a _a [*]	b _a [*]	C _{AB,a}	h _{AB,a}	rgb → rgb [*]
n000w=N	3.5	3.6	3.8	0.317	0.332	22.5	0.0	0.0	0.5	22.5	0.0	0.0	0.0	37.9	0.00 0.00 0.00
n025w	11.1	11.7	12.9	0.316	0.346	-0.4210	-0.2	0.2	271.5	40.8	-0.3	-1.4	1.4	256.8	0.25 0.25 0.25
n050w	25.7	27.2	30.0	0.314	0.344	-0.44	-0.4	0.5	266.5	59.2	-0.3	-1.8	1.8	258.1	0.50 0.50 0.50
n075w	49.9	52.9	57.3	0.314	0.344	-0.4330	-0.6	0.6	264.9	77.8	-0.2	-1.4	1.4	259.2	0.75 0.75 0.75
n100w=W	86.0	91.0	95.9	0.315	0.345	-0.4210	0.0	0.0	99.2	96.4	0.0	0.0	0.0	100.0	1.00 1.00 1.00

TG00-7N, Seite 2/2

rgb*_e- und CIE-Daten eines Elementar-Bunttonkreises nach CIE R1-47:2009 für Offsetdruck

XYZ_e, Lab*_e und Lab*_a-Daten für relative Stufung des Elementarbunttons h_{AB} von YAB_a

16-stufiger Elementar-Bunttonkreis mit Ziel-Elementar-Buntton: $h_{AB,a} = 17.8, 93.1, 159.3, 270.5$

Code	X	Y	Z	x	y	L _{AB}	a _{AB}	b _{AB}	L [*] _a	a [*] _a	b [*] _a	C _{AB,a}	h _{AB,a}	rgb→	
R00Y=R	31.3	17.3	6.3	0.569	0.315	17.8	48.7	66.5	34.1	48.7	66.6	33.0	74.3	26.3	1.00 0.00 0.00
R25Y	37.1	26.5	5.6	0.535	0.382	36.6	58.5	44.1	53.9	58.5	44.4	52.6	68.8	49.1	1.00 0.25 0.00
R50Y	43.6	36.8	6.8	0.499	0.422	55.5	67.1	27.2	63.9	67.1	27.2	62.4	68.3	66.0	1.00 0.50 0.00
R75Y	51.1	48.9	8.1	0.472	0.452	74.2	75.3	12.7	73.4	75.3	13.2	71.7	72.9	79.5	1.00 0.75 0.00
Y00G=Y	62.9	68.0	10.2	0.445	0.481	93.1	86.0	-3.8	84.9	86.0	-3.2	83.1	83.2	92.2	1.00 1.00 0.00
Y25G	49.0	59.9	9.6	0.413	0.505	109.7	81.8	-20.6	79.6	81.8	-20.0	77.8	80.4	104.4	0.75 1.00 0.00
Y50G	29.4	41.9	9.3	0.364	0.519	126.2	70.8	-36.0	61.4	70.8	-35.5	59.8	69.6	120.7	0.50 1.00 0.00
Y75G	16.6	29.3	9.9	0.298	0.524	142.7	61.0	-52.2	42.8	61.0	-51.9	41.4	66.4	141.4	0.25 1.00 0.00
G00B=G	12.2	24.9	15.6	0.232	0.471	159.3	56.9	-61.2	21.0	56.9	-61.5	19.7	64.6	162.1	0.00 1.00 0.00
G25B	15.1	27.0	15.0	0.204	0.365	187.1	59.0	-52.5	-3.3	59.0	-52.2	-4.7	52.4	185.1	0.00 1.00 0.50
G50B	17.4	28.5	46.6	0.188	0.307	214.8	60.3	-44.8	-19.1	60.3	-44.5	-20.4	49.0	247.0	0.00 1.00 1.00
G75B	21.9	31.4	71.0	0.176	0.252	242.7	62.8	-33.3	-37.5	62.8	-33.0	-38.9	51.0	229.6	0.00 0.50 1.00
B00R=B	11.8	12.4	40.3	0.183	0.192	270.5	41.8	0.0	-43.9	41.8	0.0	-44.9	44.9	270.5	0.00 0.00 1.00
B25R	9.4	6.1	23.9	0.201	0.19	270.5	41.8	0.0	-43.9	41.8	0.0	-44.9	44.9	270.5	0.00 0.00 1.00
B50R	17.2	9.9	24.5	0.332	0.192	324.2	37.8	51.0	-28.9	37.8	51.0	-29.9	59.1	329.6	1.00 0.00 0.00
B75R	32.4	17.2	24.6	0.436	0.232	350.9	48.6	71.1	-10.4	48.6	71.2	-11.6	72.2	350.7	1.00 0.00 0.50

5-stufige gleichabständige Graureihe mit Ziel-Helligkeit: $L^* = 22.2, 40.7, 59.3, 77.8, 96.3$

Code	X	Y	Z	x	y	L _{AB}	L*	a*	b*	L _a *	a _a *	b _a *	C _{ab,a}	h _{ab,a}	rgb->
n000w=N	3.5	3.6	3.8	0.317	0.332	0.5	22.5	0.2	0.7	22.5	0.0	0.0	0.0	37.9	0.00 0.00 0.00
n025w	11.1	11.7	12.9	0.31	0.327	27.15	40.8	-0.3	-0.4	40.8	-0.3	-1.4	1.4	256.8	0.25 0.25 0.25
n050w	25.7	27.2	30.0	0.31	0.328	59.2	-0.6	-0.4	59.2	-0.3	-1.8	1.8	258.1	0.50 0.50 0.50	
n075w	49.9	52.9	57.3	0.311	0.33	64.9	-0.8	-0.2	77.8	-0.2	-1.4	1.4	259.2	0.75 0.75 0.75	
n100w=W	86.0	91.0	95.9	0.315	0.333	99.2	96.4	-0.8	2.1	96.4	-0.8	0.0	0.0	100.0	1.00 1.00 1.00

TG001-3N, Seite 1/2

rgb*_e- und CIE-Daten eines Elementar-Bunttonkreises nach CIE R1-47:2009 für Offsetdruck

XYZ_e, YAB*_e und Lab*_a-Daten für relative Stufung des Elementarbunttons h_{AB} von YAB_a

16-stufiger Elementar-Bunttonkreis mit Ziel-Elementar-Buntton: $h_{AB,a} = 17.8, 93.1, 159.3, 270.5$

Code	X	Y	Z	a	b	L*	a*	b*	L*	a*	b*	C _{AB,a}	h _{AB,a}	rgb →
R00Y=R	31.3	17.3	6.3	1.805	-1.145	14.9	15.6	17.8	48.7	66.6	33.4	76.3	26.3	1.00,0.2
R25Y	37.1	26.5	5.6	1.398	-0.088	12.8	14.9	16.6	58.5	44.1	52.6	68.7	9.7	1.00,0.2
R50Y	43.6	36.8	6.8	1.184	-0.475	10.9	15.5	55.5	67.1	27.7	62.8	68.3	66.0	1.00,0.5
R75Y	51.1	48.1	7.9	0.967	-0.66	8.4	13.3	13.7	17.7	13.7	17.7	9.5	1.00,0.5	
R100Y	60.8	10.2	0.925	-0.04	-0.33	24.2	24.6	3.1	86.0	3.2	83.2	92.7	1.00,0.5	
Y00C=Y	49.0	59.9	9.6	0.017	-0.064	-7.6	21.4	22.8	109.7	81.8	-20.7	77.8	0.14	0.75,1.0
Y50G	29.4	41.9	9.3	0.701	-0.089	-10.2	13.9	17.3	126.2	70.8	-35.5	59.8	129.7	0.50,1.0
Y75G	16.6	29.3	9.9	0.568	-0.135	-11.0	8.3	13.8	142.7	61.0	-51.4	66.4	141.4	0.25,1.0
G00B=G	12.2	24.9	15.6	0.033	-0.251	-11.2	4.2	16.2	16.5	-61.5	19.7	64.6	162.1	0.00,1.0
G25B	17.0	27.5	13.3	0.553	-0.112	-10.2	10.0	18.7	167.1	60.0	-50.0	65.0	167.1	0.00,1.0
G50B	24.8	28.0	16.2	0.654	-0.165	-9.5	6.6	11.5	214.8	60.3	-44.5	-204.8	49.0	0.00,1.0
G75B	21.9	31.4	71.0	0.697	-0.904	-7.8	-15.1	10.7	242.7	62.8	-33.0	-38.9	51.0	0.296,0.0
B00R=B	11.8	12.4	40.3	0.954	-1.301	0.1	-10.9	10.9	270.5	41.8	0.4	-44.9	249.7	0.00,0.1
B25R	6.6	25.8	12.7	0.364	-0.36	0.2	-9.5	16.2	34.2	37.8	51.0	-42.6	54.6	0.08,0.0
B50R	7.2	49.9	24.3	0.725	-0.682	0.5	-6.2	9.5	32.4	37.8	51.0	-42.6	54.6	0.08,0.0
B75R	3.2	17.2	24.5	1.188	-0.57	16.1	-2.5	35.9	48.6	71.2	-11.6	72.2	35.9	1.00,0.0