

$XYZ_w = 84.1998, 88.59, 96.46$

$a^* = 500 (a' - a'_n) Y^{1/3}$

$b^* = 500 (b' - b'_n) Y^{1/3}$

$a = a_2 [x/y + 1]$

$b = b_2 [z/y + 1/6]^{1/3}$

$a_2 = 1/15 = 0.06666$

$b_2 = -1/12 = -0.08333$

$n = D65$

LABHNU1 79

Nome e la gamma spettrale

$R_m$  561\_770  $Y_m$  520\_770

$G_m$  475\_573  $C_m$  380\_561

$B_m$  380\_520  $M_m$  573\_475


$G_o$  520\_570  $M_o$  570\_520

10 colori ottimi (o),  $Y_w = 88,6$

8 di massimo (m)  $C_{AB}$  per D65

nel diagramma di chroma ( $A^*, B^*$ )

Parameter:  $c_{ab}$



$XYZ_w=85.421, 88.59, 73.08$

$a^* = 500 (a' - a'_n) Y^{1/3}$

$b^* = 500 (b' - b'_n) Y^{1/3}$

$a = a_2 [x/y + 1]$

$b = b_2 [z/y + 1/6]^{1/3}$

$a_2 = 1/15 = 0.06666$

$b_2 = -1/12 = -0.08333$

$n = D50$

LABHNU1 79

Nome e la gamma spettrale

$R_m$  561\_770  $Y_m$  520\_770

$G_m$  475\_573  $C_m$  380\_561

$B_m$  380\_520  $M_m$  573\_475


$G_o$  520\_570  $M_o$  570\_520

10 colori ottimi (o),  $Y_w=88,6$

8 di massimo (m)  $C_{AB}$  per D50

nel diagramma di chroma ( $A^*, B^*$ )

Parameter:  $c_{ab}$



$XYZ_w = 89.4154, 88.59, 57.3$

$a^* = 500 (a' - a'_n) Y^{1/3}$

$b^* = 500 (b' - b'_n) Y^{1/3}$

$a = a_2 [x/y + 1]$

$b = b_2 [z/y + 1/6]^{1/3}$

$a_2 = 1/15 = 0.06666$

$b_2 = -1/12 = -0.08333$

$n = P40$

LABHNU1 79

Nome e la gamma spettrale

$R_m$  561\_770  $Y_m$  520\_770

$G_m$  475\_573  $C_m$  380\_561

$B_m$  380\_520  $M_m$  573\_475


$G_o$  520\_570  $M_o$  570\_520

10 colori ottimi (o),  $Y_w = 88,6$

8 di massimo (m)  $C_{AB}$  per P40

nel diagramma di chroma ( $A^*, B^*$ )

Parameter:  $c_{ab}$



$XYZ_w=97.3152, 88.59, 31.52$

$a^* = 500 (a' - a'_n) Y^{1/3}$

$b^* = 500 (b' - b'_n) Y^{1/3}$

$a = a_2 [x/y + 1]$

$b = b_2 [z/y + 1/6]^{1/3}$

$a_2 = 1/15 = 0.06666$

$b_2 = -1/12 = -0.08333$

$n = A00$

LABHNU1 79

Nome e la gamma spettrale

$R_m$  561\_770     $Y_m$  520\_770

$G_m$  475\_573     $C_m$  380\_561


$B_m$  380\_520     $M_m$  573\_475

$G_o$  520\_570     $M_o$  570\_520

10 colori ottimi (o),  $Y_w=88,6$

8 di massimo (m)  $C_{AB}$  per A00

nel diagramma di chroma ( $A^*, B^*$ )



$XYZ_w = 88.5907, 88.59, 88.59$

$a^* = 500 (a' - a'_n) Y^{1/3}$

$b^* = 500 (b' - b'_n) Y^{1/3}$

$a = a_2 [x/y + 1]$

$b = b_2 [z/y + 1/6]^{1/3}$

$a_2 = 1/15 = 0.06666$

$b_2 = -1/12 = -0.08333$

$n = E00$

LABHNU1 79

Nome e la gamma spettrale

$R_m$  561\_770     $Y_m$  520\_770

$G_m$  475\_573     $C_m$  380\_561

$B_m$  380\_520     $M_m$  573\_475


$G_o$  520\_570     $M_o$  570\_520

10 colori ottimi (o),  $Y_w = 88,6$

8 di massimo (m)  $C_{AB}$  per E00

nel diagramma di chroma ( $A^*, B^*$ )

Parameter:  $c_{ab}$



$XYZ_w = 86.8818, 88.59, 104.73$

$a^* = 500 (a' - a'_n) Y^{1/3}$

$b^* = 500 (b' - b'_n) Y^{1/3}$

$a = a_2 [x/y + 1]$

$b = b_2 [z/y + 1/6]^{1/3}$

$a_2 = 1/15 = 0.06666$

$b_2 = -1/12 = -0.08333$

$n = C00$

LABHNU1 79

Nome e la gamma spettrale

$R_m$  561\_770     $Y_m$  520\_770

$G_m$  475\_573     $C_m$  380\_561

$B_m$  380\_520     $M_m$  573\_475


$G_o$  520\_570     $M_o$  570\_520

10 colori ottimi (o),  $Y_w = 88,6$

8 di massimo (m)  $C_{AB}$  per C00

nel diagramma di chroma ( $A^*, B^*$ )

Parameter:  $c_{ab}$



$XYZ_w=90.421, 88.59, 71.81$

$a^* = 500 (a' - a'_n) Y^{1/3}$

$b^* = 500 (b' - b'_n) Y^{1/3}$

$a = a_2 [x/y + 1]$

$b = b_2 [z/y + 1/6]^{1/3}$

$a_2 = 1/15 = 0.06666$

$b_2 = -1/12 = -0.08333$

$n = P00$

LABHNU1 79

Nome e la gamma spettrale

$R_m$  561\_770  $Y_m$  520\_770

$G_m$  475\_573  $C_m$  380\_561

$B_m$  380\_520  $M_m$  573\_475


$G_o$  520\_570  $M_o$  570\_520

10 colori ottimi (o),  $Y_w=88,6$

8 di massimo (m)  $C_{AB}$  per P00

nel diagramma di chroma ( $A^*, B^*$ )

Parameter:  $c_{ab}$



$XYZ_w = 86.7591, 88.59, 105.38$

$a^* = 500 (a' - a'_n) Y^{1/3}$

$b^* = 500 (b' - b'_n) Y^{1/3}$

$a = a_2 [x/y + 1]$

$b = b_2 [z/y + 1/6]^{1/3}$

$a_2 = 1/15 = 0.06666$

$b_2 = -1/12 = -0.08333$

$n = Q00$

LABHNU1 79

Nome e la gamma spettrale

$R_m$  561\_770     $Y_m$  520\_770

$G_m$  475\_573     $C_m$  380\_561

$B_m$  380\_520     $M_m$  573\_475


$G_o$  520\_570     $M_o$  570\_520

10 colori ottimi (o),  $Y_w = 88,6$

8 di massimo (m)  $C_{AB}$  per Q00

nel diagramma di chroma ( $A^*, B^*$ )

Parameter:  $c_{ab}$





$XYZ_w=83.9954, 88.59, 95.08$

$a^* = 500 (a' - a'_n) Y^{1/3}$

$b^* = 500 (b' - b'_n) Y^{1/3}$

$a = a_2 [x/y + 1]$

$b = b_2 [z/y + 1/6]^{1/3}$

$a_2 = 1/15 = 0.06666$

$b_2 = -1/12 = -0.08333$

$n = D65$

LABHNU1 79

Nome e la gamma spettrale

$R_m$  561\_770  $Y_m$  520\_770

$G_m$  475\_573  $C_m$  380\_561

$B_m$  380\_520  $M_m$  573\_475


$G_o$  520\_570  $M_o$  570\_520

10 colori ottimi (o),  $Y_w=88,6$

8 di massimo (m)  $C_{AB}$  per D65

nel diagramma di chroma ( $A^*, B^*$ )

Parameter:  $c_{ab}$



$XYZ_w=85.6893, 88.59, 72.12$

$a^* = 500 (a' - a'_n) Y^{1/3}$

$b^* = 500 (b' - b'_n) Y^{1/3}$

$a = a_2 [x/y + 1]$

$b = b_2 [z/y + 1/6]^{1/3}$

$a_2 = 1/15 = 0.06666$

$b_2 = -1/12 = -0.08333$

$n = D50$

LABHNU1 79

Nome e la gamma spettrale

$R_m$  561\_770  $Y_m$  520\_770

$G_m$  475\_573  $C_m$  380\_561

$B_m$  380\_520  $M_m$  573\_475


$G_o$  520\_570  $M_o$  570\_520

10 colori ottimi (o),  $Y_w=88,6$

8 di massimo (m)  $C_{AB}$  per D50

nel diagramma di chroma ( $A^*, B^*$ )

Parameter:  $c_{ab}$



$XYZ_w=90.1416, 88.59, 57.09$

$a^* = 500 (a' - a'_n) Y^{1/3}$

$b^* = 500 (b' - b'_n) Y^{1/3}$

$a = a_2 [x/y + 1]$

$b = b_2 [z/y + 1/6]^{1/3}$

$a_2 = 1/15 = 0.06666$

$b_2 = -1/12 = -0.08333$

$n = P40$

LABHNU1 79

Nome e la gamma spettrale

$R_m$  561\_770     $Y_m$  520\_770

$G_m$  475\_573     $C_m$  380\_561

$B_m$  380\_520     $M_m$  573\_475


$G_o$  520\_570     $M_o$  570\_520

10 colori ottimi (o),  $Y_w=88,6$

8 di massimo (m)  $C_{AB}$  per P40

nel diagramma di chroma ( $A^*, B^*$ )

Parameter:  $c_{ab}$



$XYZ_w=98.468, 88.59, 31.18$

$a^* = 500 (a' - a'_n) Y^{1/3}$

$b^* = 500 (b' - b'_n) Y^{1/3}$

$a = a_2 [x/y + 1]$

$b = b_2 [z/y + 1/6]^{1/3}$

$a_2 = 1/15 = 0.06666$

$b_2 = -1/12 = -0.08333$

$n = A00$

LABHNU1 79

Nome e la gamma spettrale

$R_m$  561\_770     $Y_m$  520\_770

$G_m$  475\_573     $C_m$  380\_561

$B_m$  380\_520     $M_m$  573\_475


$G_o$  520\_570     $M_o$  570\_520

10 colori ottimi (o),  $Y_w=88,6$

8 di massimo (m)  $C_{AB}$  per A00

nel diagramma di chroma ( $A^*, B^*$ )

Parameter:  $c_{ab}$



$XYZ_w = 88.5818, 88.59, 88.59$

$a^* = 500 (a' - a'_n) Y^{1/3}$

$b^* = 500 (b' - b'_n) Y^{1/3}$

$a = a_2 [x/y + 1]$

$b = b_2 [z/y + 1/6]^{1/3}$

$a_2 = 1/15 = 0.06666$

$b_2 = -1/12 = -0.08333$

$n = E00$

LABHNU1 79

Nome e la gamma spettrale

$R_m$  561\_770  $Y_m$  520\_770

$G_m$  475\_573  $C_m$  380\_561

$B_m$  380\_520  $M_m$  573\_475


$G_o$  520\_570  $M_o$  570\_520

10 colori ottimi (o),  $Y_w = 88,6$

8 di massimo (m)  $C_{AB}$  per E00

nel diagramma di chroma ( $A^*, B^*$ )

Parameter:  $c_{ab}$



$XYZ_w = 86.1862, 88.59, 102.89$

$a^* = 500 (a' - a'_n) Y^{1/3}$

$b^* = 500 (b' - b'_n) Y^{1/3}$

$a = a_2 [x/y + 1]$

$b = b_2 [z/y + 1/6]^{1/3}$

$a_2 = 1/15 = 0.06666$

$b_2 = -1/12 = -0.08333$

$n = C00$

LABHNU1 79

Nome e la gamma spettrale

$R_m$  561\_770  $Y_m$  520\_770

$G_m$  475\_573  $C_m$  380\_561

$B_m$  380\_520  $M_m$  573\_475


$G_o$  520\_570  $M_o$  570\_520

10 colori ottimi (o),  $Y_w = 88,6$

8 di massimo (m)  $C_{AB}$  per C00

nel diagramma di chroma ( $A^*, B^*$ )

Parameter:  $c_{ab}$



$XYZ_w=90.6941, 88.59, 71.98$

$a^* = 500 (a' - a'_n) Y^{1/3}$

$b^* = 500 (b' - b'_n) Y^{1/3}$

$a = a_2 [x/y + 1]$

$b = b_2 [z/y + 1/6]^{1/3}$

$a_2 = 1/15 = 0.06666$

$b_2 = -1/12 = -0.08333$

$n = P00$

LABHNU1 79

Nome e la gamma spettrale

$R_m$  561\_770     $Y_m$  520\_770

$G_m$  475\_573     $C_m$  380\_561

$B_m$  380\_520     $M_m$  573\_475


$G_o$  520\_570     $M_o$  570\_520

10 colori ottimi (o),  $Y_w=88,6$

8 di massimo (m)  $C_{AB}$  per P00

nel diagramma di chroma ( $A^*, B^*$ )

Parameter:  $c_{ab}$



$XYZ_w = 86.5081, 88.59, 104.91$

$a^* = 500 (a' - a'_n) Y^{1/3}$

$b^* = 500 (b' - b'_n) Y^{1/3}$

$a = a_2 [x/y + 1]$

$b = b_2 [z/y + 1/6]^{1/3}$

$a_2 = 1/15 = 0.06666$

$b_2 = -1/12 = -0.08333$

$n = Q00$

LABHNU1 79

Nome e la gamma spettrale

$R_m$  561\_770  $Y_m$  520\_770

$G_m$  475\_573  $C_m$  380\_561

$B_m$  380\_520  $M_m$  573\_475

$G_o$  520\_570  $M_o$  570\_520

10 colori ottimi (o),  $Y_w = 88,6$

8 di massimo (m)  $C_{AB}$  per Q00

nel diagramma di chroma ( $A^*, B^*$ )

Parameter:  $c_{ab}$

