

$\log [\Delta L, \Delta a L, \Delta b L]$

• $L_g = 60 \text{ cd/m}^2$

3 difference thresholds

2 x y *Exp.: WDN_WN*


A 0,32 0,36 09 5s

experiments: average

$F = A3 + A1 * L^{A2}$

data & P-A3-fit

A1 A2 A3 Δ
0.01 0.713 0.037 0.001



$\log [L/\Delta L, L/(\Delta a L), L/(\Delta b L)]$ • $L_g=60\text{cd/m}^2$
 3 sensitivity thresholds

2 *Exp.: WDN_WN*
 09 5s

1 *average*

$$F=A3+A1*L^{A2}$$

data & P-A3-fit

A1	A2	A3	Δ
0.01	0.713	0.037	0.001

x y
 A 0,32 0,36
 experiments:

-1

-2

-3

-2

-1

0

1

2

$x=\log L$

$L/\Delta L, L/(\Delta a L), L/(\Delta b L)$

• $L_g = 60 \text{ cd/m}^2$

sensitivity thresholds

x y *Exp.: WDN_WN*

A 0,32 0,36 09 5s

experiments: average

$F = A3 + A1 * L^{A2}$

data & P-A3-fit

A1	A2	A3	Δ
0.01	0.713	0.037	0.001

