

$\log [\Delta L, \Delta a L, \Delta b L]$

• $L_g = 60 \text{ cd/m}^2$

3 difference thresholds


x y *Exp.: WDS_WS, TM, BY*
A 0,32 0,36 09 5s

experiments: average

$F = A3 + A1 * L^{A2}$

data & P-A3-fit

A1	A2	A3	Δ
0.01	0.713	0.037	0.001
0.007	0.857	0.036	0.0
0.007	0.676	0.016	0.0



log $[L/\Delta L, L/(\Delta a L), L/(\Delta b L)]$
 3 sensitivity thresholds

Exp.: WDS_WS, TBSY

09 5s


average

$$F = A3 + A1 * L^{A2}$$

data & P-A3-fit

A1	A2	A3	Δ
0.01	0.713	0.037	0.001
0.007	0.857	0.036	0.0
0.007	0.676	0.016	0.0

x y
 A 0,32 0,36
 experiments:



$L/\Delta L, L/(\Delta a L), L/(\Delta b L)$

sensitivity thresholds

x y *Exp.: WDS_WS, TM, BY*

A 0,32 0,36 09 5s

experiments: average

$F=A3+A1*L^{A2}$

data & P-A3-fit

A1 A2 A3 Δ

0.01 0.713 0.037 0.001

0.007 0.857 0.036 0.0

0.007 0.676 0.016 0.0

