

$\log [\Delta L, \Delta a L, \Delta b L]$

• $L_g = 60 \text{ cd/m}^2$

3 difference thresholds


x y *Exp.: QPN_QN, TM, BY*
A 0,32 0,36 09 5s

experiments: average

$F = A3 + A1 * L^{A2}$

data & P-A3-fit

A1	A2	A3	Δ
0.009	0.902	0.053	0.003
0.01	0.874	0.04	0.0
0.009	0.822	0.025	0.001



$\log [L/\Delta L, L/(\Delta a L), L/(\Delta b L)]$ • $L_g=60\text{cd/m}^2$
 3 sensitivity thresholds

2 *Exp.: QPN_QN, TM*
 09 5s

average

$$F=A3+A1*L^{A2}$$

data & P-A3-fit

A1	A2	A3	Δ
0.009	0.902	0.053	0.003
0.01	0.874	0.04	0.0
0.009	0.822	0.025	0.001

x y
 A 0,32 0,36
 experiments:



$L/\Delta L, L/(\Delta a L), L/(\Delta b L)$

• $L_g = 60 \text{ cd/m}^2$

sensitivity thresholds

x y *Exp.: QPN_QN, TM, BY*

A 0,32 0,36 09 5s

experiments: average

$F = A3 + A1 * L^{A2}$

data & P-A3-fit

A1	A2	A3	Δ
0.009	0.902	0.053	0.003

0.01	0.874	0.04	0.0
------	-------	------	-----

0.009	0.822	0.025	0.001
-------	-------	-------	-------

