

$\log [\Delta L, \Delta a L, \Delta b L]$

• $L_g=60\text{cd}/\text{m}^2$

3 difference thresholds

2 x y *Exp.: WDN-RC*

A 0,32 0,36 30 5s


experiments: average


$$F = A_3 + A_1 * L^{A_2}$$

data & P-A3-fit

A1 A2 A3 Δ

0.001 1.031 0.003 0.099



$\log [L/\Delta L, L/(\Delta a L), L/(\Delta b L)]$  $g \cdot 60 \text{ cd/m}^2$
3 sensitivity thresholds

2 \top *Exp.: WDN-RC* *

30 5s

average


$$F = A_3 + A_1 * L^{A_2}$$

data & P-A3-fit

A1 A2 A3 Δ

0.001 1.031 0.003 0.099

x y
A 0,32 0,36
experiments:



$L/\Delta L$, $L/(\Delta a L)$, $L/(\Delta b L)$
sensitivity thresholds

• $L_g \geq 60 \text{ cd/m}^2$

400 x y Exp.: $WDN - RC$

A 0,32 0,36 30 5s

experiments: average

$$F = A_3 + A_1 * L^{A_2}$$

data & P-A3-fit

A1 A2 A3 Δ

0.001 1.031 0.003 0.099

100 *

