



$\log \Delta L$ luminance difference
threshold; $\Delta L = L \cdot F$

• $L_g = 0,1 \text{ cd/m}^2$
 $PCO = 0,3$



$\log \Delta L$ luminance difference
threshold; $\Delta L = L \cdot F$

• $L_g = 1 \text{ cd/m}^2$
 $p_{c0} = 0,3$




log ΔL luminance difference threshold; $\Delta L = L \cdot F$

• $L_g = 10 \text{ cd/m}^2$
 $p_{c0} = 0.3$


$x \quad y$
A 0,39 0,41 LI 0,4s A
 $A1=32.52$ equation
 $A2=-0.49$
 $A3=1.0$
 $A4=0.33$

$$F = A1(F3'/F3 + F4'/F4); \Delta L = L \cdot F$$



$\log \Delta L$ luminance difference
threshold; $\Delta L = L \cdot F$

• $L_g = 100 \text{ cd/m}^2$
 $PCO = 0,3$



log ΔL luminance difference threshold; $\Delta L = L \cdot F$

• $L_g = 1000 \text{ cd/m}^2$
 $p_{CO} = 0,3$

$x \quad y$
A 0,39 0,41 LI 0,4s A
 $A1 = 51.84$ equation
 $A2 = -2.11$
 $A3 = 1.0$
 $A4 = 0.33$

$$F = A1(F3'/F3 + F4'/F4); \Delta L = L \cdot F$$

