

log ΔL luminance difference threshold • $L_g = 6,3 \text{ cd/m}^2$

02 26s R 6,3cd/m²; hyp3

$$\Delta L = A_1 \cdot A_2 \cdot A_3 \cdot L^t / (L^t + A_2)^2$$

$$A_1 = 184.5$$


$$A_2 = 7.1$$

$$A_3 = 0.8 = t$$

$$A_6 = 1048.0$$

$$A_7 = 11.59$$

$$\Delta = 22.19$$



$\log(L/\Delta L)$ luminance contrast sensitivity threshold • $L_g = 6,3 \text{ cd/m}^2$

02 26s R 6,3cd/m²; hyp3

$$\log(L/\Delta L) = A_1 + A_3 \cdot \frac{A_2}{(L^{\Delta} + A_2)^2}$$

$$A_1 = 184.5$$


$$A_2 = 7.1$$

$$A_3 = 0.8 = 1$$

$$A_4 = 1048.0$$

$$A_7 = 11.59$$

$$\Delta = 22.19$$



$L/\Delta L$ luminance contrast sensitivity threshold • $L_g = 6,3 \text{ cd/m}^2$

02 26s R 6,3cd/m²; hyp3

$$L/\Delta L = A_1 \cdot A_2 \cdot t \cdot L / (L^t + A_2)^2$$

$$A_1 = 184.5$$


$$A_2 = 7.1$$

$$A_3 = 0.8 = t$$

$$A_6 = 1048.0$$

$$A_7 = 11.59$$

$$\Delta = 22.19$$



T^* luminance difference
threshold sum

• $L_g = 6,3 \text{ cd/m}^2$

02 26s R 6,3cd/m²; hyp3

$$T^* = A_1 \cdot L^t / (L^t + A_2)$$

$$A_1 = 184.5$$

$$A_2 = 7.1$$

$$A_3 = 0.8 = t$$

$$A_6 = 1048.0$$

$$A_7 = 11.59$$

$$\Delta = 22.19$$

