

log ΔL luminance difference threshold • $L_g = 630 \text{ cd/m}^2$

2 04 26s A&Y 630 cd/m^2 ; hyp2

$$\Delta L = A_1 \cdot A_2 \cdot A_3 \cdot L^t / (L^t + A_2)^2$$

1 $A_1 = 143.7$ $A_1 = 183.2$

$A_2 = 135.3$ $A_2 = 62.7$

0 $A_3 = 0.8 = t$ $A_3 = 0.8 = t$

$A_6 = 15550.0$ $A_6 = 9191.6$

$A_7 = 461.6$ $A_7 = 176.4$

-1 $\Delta = 0.518$ $\Delta = 0.518$



$\log(L/\Delta L)$ luminance contrast sensitivity threshold • $L_g=630\text{cd/m}^2$

04 26s A&Y 630cd/m²; hyp2

$$\log(L/\Delta L) = A_1 \cdot A_2 \cdot t \cdot L / (L_g + L)^2$$

$$A_1=143.7 \quad A_1=183.2$$


$$A_2=135.3 \quad A_2=62.5$$

$$A_3=0.8=t \quad A_3=0.8=t$$

$$A_6=15550.0 \quad A_6=9191.0$$

$$A_7=461.6 \quad A_7=176.4$$

$$\Delta=0.518 \quad \Delta=0.518$$



$L/\Delta L$ luminance contrast sensitivity threshold

• $L_g = 630 \text{ cd/m}^2$

04 26s A&Y 630 cd/m^2 ; hyp2

$$L/\Delta L = A_1 \cdot A_2 \cdot t \cdot L / (L^t + A_2)^2$$

$$A_1 = 143.7 \quad A_1 = 183.2$$


$$A_2 = 135.3 \quad A_2 = 62.7$$

$$A_3 = 0.8 = t \quad A_3 = 0.8 = t$$

$$A_6 = 15550.0 \quad A_6 = 9191.0$$

$$A_7 = 461.6 \quad A_7 = 176.4$$

$$\Delta = 0.518 \quad \Delta = 0.518$$



T^* luminance difference
threshold sum

• $L_g = 630 \text{ cd/m}^2$

04 26s A&Y 630 cd/m^2 ; hyp2

$$T^* = A_1 \cdot L^t / (L^t + A_2)$$

$$A_1 = 143.7 \quad A_1 = 183.2$$

$$A_2 = 135.3 \quad A_2 = 62.7$$

$$A_3 = 0.8 = t \quad A_3 = 0.8 = t$$

$$A_6 = 15550.0 \quad A_6 = 9191.0$$

$$A_7 = 461.6 \quad A_7 = 176.4$$

$$\Delta = 0.518 \quad \Delta = 0.518$$

