

$\log [\Delta a \cdot L]$

difference thresholds

• $L_g = 60 \text{ cd/m}^2$

2 WDN_RC 30 5s A; pot3


$$\Delta a \cdot L = [A_1 + A_3 \cdot L]^t$$

$$A_1 = 0.018$$

$$A_2 = 0.808 = t$$

$$A_3 = 0.003$$

$$\Delta = 0.0$$



$\log [L(\Delta a \cdot L)]$

sensitivity thresholds

• $L_g = 60 \text{ cd/m}^2$

WDN_RC 30 5s A; $n=3$


$$\log[L/(\Delta a \cdot L)] = L / [A_1 + A_3 \cdot L]^t$$

$$A_1 = 0.018$$

$$A_2 = 0.808 = t$$

$$A_3 = 0.003$$

$$\Delta = 0.0$$



$[L(\Delta a \cdot L)]$

sensitivity thresholds

• $L_g = 60 \text{ cd/m}^2$

400 WDN_RC 30 5s A; pot3

$$L/(\Delta a \cdot L) = L / [A_1 + A_3 \cdot L]^t$$

$$A_1 = 0.018$$

$$A_2 = 0.808 = t$$

$$A_3 = 0.003$$

$$\Delta = 0.0$$

100

0

-3 -2 -1 0 1 2

$x = \log L$

