

$\log [\Delta a \cdot L]$

difference thresholds

• $L_g = 60 \text{ cd/m}^2$

WDN_GM 30 5s A; pot3

$$\Delta a \cdot L = [A_1 + A_3 \cdot L]^t$$

1

$$A_1 = 0.32$$

0

$$A_2 = 2.617 = t$$

-1

$$A_3 = 0.001$$

$$\Delta = 0.015$$



$\log [L(\Delta a \cdot L)]$

sensitivity thresholds

WDN_GM 30 5s A; cot3

$$\log[L/(\Delta a \cdot L)] = L / [A_1 + A_3 \cdot L]^t$$

1

$$A_1 = 0.32$$

0

$$A_2 = 2.617 = t$$

-1

$$A_3 = 0.001$$

$$\Delta = 0.015$$

-2
-3

-2
-1
0
1
2

60 cd/m^2

g

$x = \log L$

$L / (\Delta a \cdot L)$
sensitivity thresholds

400 WDN_GM 30 5s A; pot3

$$L / (\Delta a \cdot L) = L / [A_1 + A_3 \cdot L^t]$$

$$A_1 = 0.32$$

$$A_2 = 2.617 = t$$

$$A_3 = 0.001$$

$$\Delta = 0.015$$

