

log [$\Delta a \cdot L$, ΔL]

● $L_g = 60 \text{ cd/m}^2$

difference thresholds

2 WDN_RC&WN 30 5s A; pot3

$$\Delta a \cdot L = [A_1 + A_3 \cdot L]^t$$


$$1 \Delta L = [A_1 + A_3 \cdot L]^t$$

$$A_1 = 0.06 \quad A_1 = 0.129$$

$$A_2 = 1.339 = t \quad A_2 = 1.079 = t$$

$$A_3 = 0.001 \quad A_3 = 0.004$$

$$\Delta = 0.005 \quad \Delta = 0.002$$



$\log [L(\Delta a \cdot L, \Delta L)]$

sensitivity thresholds

WDN_RC&WN 30

5s, 4, pot3

60cd/m²

$$\log[L/(\Delta a \cdot L)] = L \cdot [A_1 + A_3 \cdot L]^t$$


$$\log[L/(\Delta L)] = L / [A_1 + A_3 \cdot L]^t$$

$$A_1=0.06 \quad A_1=0.129$$

$$A_2=1.339=t \quad A_2=1.079=t$$

$$A_3=0.001 \quad A_3=0.004$$

$$\Delta=0.005 \quad \Delta=0.002$$



$L/(\Delta a \cdot L, \Delta L)$

sensitivity thresholds

