

log ΔL luminance difference threshold • $L_g = 63 \text{ cd/m}^2$

02 0,1&26s B 63cd/m²; pot3

$$\Delta L = A_4 [A_1 + A_3 \cdot L]^t$$


$$A_1 = 0.01 \quad A_1 = 0.0$$

$$A_2 = 0.95 = t \quad A_2 = 0.78 = t$$

$$A_3 = 0.0 \quad A_3 = 0.0$$

$$A_4 = 10.0 \quad A_4 = 10.0$$

$$\Delta = 0.0 \quad \Delta = 0.0$$



$\log(L/\Delta L)$ luminance contrast sensitivity threshold • $L_g = 63 \text{ cd/m}^2$

02 0,1&26s B 63cd/m²; pot3

$$\log(L/\Delta L) = L / [A_4 : (A_1 + A_3 \cdot L)^t]$$

$$A_1 = 0.01$$

$$A_1 = 0.01$$

$$A_2 = 0.95 = t$$

$$A_2 = 0.78 = t$$

$$A_3 = 0.0$$


$$A_3 = 0.0$$

$$A_4 = 10.0$$

$$A_4 = 10.0$$

$$\Delta = 0.0$$

$$\Delta = 0.0$$



$L/\Delta L$ luminance contrast sensitivity threshold • $L_g = 63 \text{ cd/m}^2$

02 0,1&26s B 63 cd/m^2 ; pot3

$$L/\Delta L = L / [A_4 \cdot (A_1 + A_3 \cdot L)^t]$$

$$A_1 = 0.01$$

$$A_1 = 0.0$$

$$A_2 = 0.95 = t$$

$$A_2 = 0.78 = t$$

$$A_3 = 0.0$$


$$A_3 = 0.0$$

$$A_4 = 10.0$$

$$A_4 = 10.0$$

$$\Delta = 0.0$$

$$\Delta = 0.0$$



T^* luminance difference
threshold sum

• $L_g = 63 \text{ cd/m}^2$

80 02 0,1&26s B 63cd/m²; pot3

$$T^* = A_4[A_1 + A \cdot L^t - 1]$$

60 $A_1=0.01$ $A_1=0.0$

$A_2=0.95=t$ $A_2=0.78=t$

40 $A_3=0.0$ $A_3=0.0$

$A_4=10.0$ $A_4=10.0$

20 $\Delta=0.0$ $\Delta=0.0$

