

see similar files: <http://130.149.60.45/~farbmetrik/UE51/UE51.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

%XS	YS	ZS	X0	Y0	Z0	X1	Y1	Z1	DV	dE*ab	dE*CH	dE*94	dE*CM	dE*00	dE*85	NR	Code	L*	a*	b*	%
%CIEXYZ*1000 data for all colour (a) of experiment, iim=330, Richter threshold data %																					
0090383	0100000	0087548	0006284	0006960	0006400	0006320	0007000	0006436	0001000	00091	00091	00091	00096	00072	01044	11000300	(WDN_WN60)	32	0	-1	%
0090383	0100000	0087548	0004305	0004770	0004349	0004341	0004810	0004386	0001000	00117	00117	00117	00143	00086	01340	11000301	(WDN_WN60)	26	0	-1	%
0090383	0100000	0087548	0002981	0003304	0002968	0003009	0003335	0002995	0001000	00112	00112	00112	00160	00078	01241	11000302	(WDN_WN60)	21	0	-1	%
0090383	0100000	0087548	0002060	0002274	0001994	0002087	0002305	0002020	0001000	00143	00143	00143	00248	00096	01486	11000303	(WDN_WN60)	17	0	0	%
0090383	0100000	0087548	0001608	0001760	0001504	0001625	0001780	0001522	0001000	00114	00114	00114	00222	00075	01102	11000304	(WDN_WN60)	14	0	0	%
0090383	0100000	0087548	0001156	0001260	0001037	0001174	0001280	0001055	0001000	00142	00142	00142	00277	00091	01234	11000305	(WDN_WN60)	11	1	1	%
0090383	0100000	0087548	0000838	0000910	0000717	0000856	0000930	0000734	0001000	00175	00175	00175	00342	00108	01347	11000306	(WDN_WN60)	8	1	2	%
0090383	0100000	0087548	0000584	0000630	0000471	0000602	0000650	0000488	0001000	00180	00180	00180	00353	00109	01454	11000307	(WDN_WN60)	6	1	1	%
0095189	0100000	0044159	0188033	0196900	0086683	0189179	0198100	0087211	0001000	00294	00294	00294	00140	00134	01548	11000308	(QPN_QN60)	130	1	0	%
0095189	0100000	0044159	0113834	0119955	0054910	0114489	0120645	0055226	0001000	00235	00235	00235	00121	00127	01448	11000309	(QPN_QN60)	107	-1	-3	%
0095189	0100000	0044159	0070177	0074134	0034757	0070565	0074545	0034949	0001000	00193	00193	00193	00108	00122	01372	11000310	(QPN_QN60)	89	-1	-4	%
0095189	0100000	0044159	0047003	0049670	0023417	0047268	0049950	0023549	0001000	00172	00172	00172	00105	00124	01373	11000311	(QPN_QN60)	76	-1	-3	%
0095189	0100000	0044159	0032536	0034310	0016027	0032707	0034490	0016111	0001000	00141	00141	00141	00093	00116	01247	11000312	(QPN_QN60)	65	0	-3	%
0095189	0100000	0044159	0023436	0024595	0011376	0023579	0024745	0011446	0001000	00147	00147	00147	00105	00135	01405	11000313	(QPN_QN60)	57	0	-2	%
0095189	0100000	0044159	0016923	0017690	0007982	0017018	0017789	0008027	0001000	00122	00122	00122	00095	00122	01251	11000314	(QPN_QN60)	49	0	-1	%
0095189	0100000	0044159	0012333	0012820	0005619	0012429	0012920	0005662	0001000	00151	00151	00151	00130	00138	01636	11000315	(QPN_QN60)	43	1	0	%
0095189	0100000	0044159	0008860	0009150	0003853	0008935	0009230	0003889	0001000	00153	00153	00152	00147	00129	01708	11000316	(QPN_QN60)	36	1	1	%
0095189	0100000	0044159	0006430	0006589	0002654	0006487	0006650	0002680	0001000	00142	00142	00142	00153	00112	01625	11000317	(QPN_QN60)	31	2	2	%
0095189	0100000	0044159	0004580	0004654	0001778	0004628	0004705	0001801	0001000	00153	00153	00151	00188	00114	01702	11000318	(QPN_QN60)	26	2	3	%
0095189	0100000	0044159	0004799	0005085	0002408	0004865	0005154	0002438	0001000	00197	00197	00197	00235	00148	02249	11000319	(OPN_ON60)	27	-1	-2	%
0095189	0100000	0044159	0002951	0003145	0001549	0002998	0003195	0001571	0001000	00194	00194	00194	00285	00136	02121	11000320	(OPN_ON60)	21	-1	-2	%
0095189	0100000	0044159	0001798	0001920	0000972	0001836	0001960	0000990	0001000	00215	00215	00215	00419	00144	02126	11000321	(OPN_ON60)	15	-1	-2	%
0095189	0100000	0044159	0001184	0001265	0000643	0001213	0001295	0000657	0001000	00213	00213	00212	00414	00136	01845	11000322	(OPN_ON60)	11	-1	-2	%
0095189	0100000	0044159	0000815	0000870	0000438	0000834	0000890	0000447	0001000	00507	00507	00496	00784	00602	01360	11000323	(OPN_ON60)	8	-1	-2	%
0095189	0100000	0044159	0000582	0000620	0000307	0000601	0000640	0000316	0001000	00180	00180	00180	00353	00108	01455	11000324	(OPN_ON60)	6	0	-1	%
0095189	0100000	0044159	0000423	0000450	0000217	0000442	0000470	0000226	0001000	00180	00180	00180	00353	00107	01527	11000325	(OPN_ON60)	4	0	-1	%
0095189	0100000	0044159	0000273	0000290	0000136	0000292	0000310	0000145	0001000	00180	00180	00180	00353	00105	01603	11000326	(OPN_ON60)	3	0	0	%
0095189	0100000	0044159	0000220	0000229	0000104	0000239	0000250	0000113	0001000	00180	00180	00180	00353	00105	01633	11000327	(OPN_ON60)	2	0	0	%
0095189	0100000	0044159	0000154	0000160	0000069	0000173	0000180	0000078	0001000	00180	00180	00180	00353	00105	01670	11000328	(OPN_ON60)	2	0	0	%
0095189	0100000	0044159	0000107	0000110	0000045	0000126	0000130	0000053	0001000	00180	00180	00180	00353	00104	01697	11000329	(OPN_ON60)	1	0	0	%

%XS	YS	ZS	X0	Y0	Z0	X1	Y1	Z1	DV	dE*ab	dE*CH	dE*94	dE*CM	dE*00	dE*85	NR	Code	L*	a*	b*	%
%CIEXYZ*1000 data for all colour (a) of experiment, iim=330, Richter threshold data %																					
Minimum, maximum and average colour difference value																					
STRESS constant F and STRESS value S																					
iai+1 = 330, d_CIELABmin = 0.05, d_CIELABmax = 4.85, d_CIELABave = 0.9																					
iai+1 = 330, CIELAB_Fa = 0.9, CIELAB_STRESSa = 61.04																					
iai+1 = 330, d_CIELCHmin = 0.05, d_CIELCHmax = 4.85, d_CIELCHave = 0.9																					
iai+1 = 330, CIELCHFa = 0.9, CIELCHSTRESSa = 61.04																					
iai+1 = 330, d_C94LCHmin = 0.05, d_C94LCHmax = 1.72, d_C94LCHave = 0.52																					
iai+1 = 330, C94LCHFa = 0.52, C94LCHSTRESSa = 47.82																					
iai+1 = 330, d_CCMLCHmin = 0.04, d_CCMLCHmax = 2.49, d_CCMLCHave = 0.73																					
iai+1 = 330, CCMLCHFa = 0.73, CCMLCHSTRESSa = 50.08																					
iai+1 = 330, d_C00LCHmin = 0.05, d_C00LCHmax = 1.72, d_C00LCHave = 0.59																					
iai+1 = 330, C00LCHFa = 0.59, C00LCHSTRESSa = 52.55																					
iai+1 = 330, d_C85LCHmin = 0.54, d_C85LCHmax = 3.91, d_C85LCHave = 1.86																					
iai+1 = 330, C85LCHFa = 1.86, C85LCHSTRESSa = 30.23																					

see similar files: <http://130.149.60.45/~farbmetrik/UE51/UE51.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

%L*a*b*	a*	b*	C*ab0	hab0	L*1	a*1	b*1	C*ab1	hab1	DV	dE*ab	dE*94	dE*CM	dE*00	dE*85	NR	Code	L*	a*	b*	%
%CIELAB	data for all colour (a) of experiment, iim=330, Richter threshold data %																				
48.68	-4.86	-23.88	24.37	258.49	48.68	-4.94	-24.24	24.74	258.46	1.0	0.372	0.177	0.205	0.178	1.555	11000000	(BDY_BY60)	49	-5	-24	%
48.15	-2.74	-18.09	18.3	261.39	48.15	-2.86	-18.56	18.78	261.23	1.0	0.481	0.265	0.307	0.27	1.978	11000001	(BDY_BY60)	48	-3	-18	%
48.63	-2.06	-11.64	11.82	259.95	48.63	-2.17	-12.07	12.26	259.79	1.0	0.441	0.288	0.342	0.295	1.757	11000002	(BDY_BY60)	49	-2	-12	%
48.82	-1.53	-7.18	7.35	257.92	48.82	-1.64	-7.61	7.79	257.84	1.0	0.439	0.33	0.412	0.336	1.706	11000003	(BDY_BY60)	49	-2	-7	%
48.9	-0.53	-3.27	3.32	260.81	48.9	-0.62	-3.74	3.79	260.46	1.0	0.473	0.412	0.563	0.418	1.797	11000004	(BDY_BY60)	49	-1	-4	%
47.61	-0.41	-0.09	0.42	192.3	47.61	-0.5	-0.54	0.74	227.06	1.0	0.465	0.459	0.7	0.466	1.743	11000005	(BDY_BY60)	48	0	0	%
47.28	2.69	10.89	11.21	76.11	47.28	2.55	10.14	10.46	75.86	1.0	0.758	0.504	0.604	0.515	2.134	11000006	(BDY_BY60)	47	3	11	%
51.78	4.42	27.98	28.33	81.0	51.78	4.33	27.16	27.5	80.94	1.0	0.824	0.362	0.422	0.366	1.463	11000007	(BDY_BY60)	52	4	28	%
49.2	5.52	38.86	39.25	81.9	49.2	5.43	37.62	38.01	81.77	1.0	1.24	0.45	0.545	0.456	1.602	11000008	(BDY_BY60)	49	5	38	%
49.6	6.72	54.62	55.03	82.98	49.6	6.62	52.62	53.03	82.82	1.0	2.006	0.581	0.755	0.591	1.575	11000009	(BDY_BY60)	50	7	54	%
50.09	7.28	75.7	76.05	84.5	50.1	7.16	70.84	71.2	84.22	1.0	4.859	1.108	1.596	1.144	1.74	11000010	(BDY_BY60)	50	7	73	%
47.56	70.42	53.28	88.31	37.1	47.57	70.35	50.89	86.83	35.88	1.0	2.385	0.859	1.589	0.997	1.9	11000011	(RDC_BY60)	48	70	52	%
46.74	54.73	30.58	62.7	29.19	46.75	54.63	29.26	61.98	28.17	1.0	1.32	0.6	1.087	0.652	2.163	11000012	(RDC_BY60)	47	55	30	%
47.25	41.3	10.34	42.58	14.06	47.26	41.22	9.45	42.29	12.91	1.0	0.899	0.528	0.998	0.513	2.598	11000013	(RDC_BY60)	47	41	10	%
47.92	24.11	9.3	25.85	21.1	47.93	23.99	8.51	25.46	19.53	1.0	0.8	0.535	1.05	0.525	2.361	11000014	(RDC_BY60)	48	24	9	%
48.01	11.2	3.57	11.76	17.67	48.01	11.1	2.92	11.48	14.73	1.0	0.655	0.537	1.202	0.499	2.247	11000015	(RDC_BY60)	48	11	3	%
47.82	-0.32	-0.74	0.81	246.68	47.82	-0.44	-1.24	1.32	250.3	1.0	0.517	0.499	0.75	0.509	1.932	11000016	(RDC_BY60)	48	0	-1	%
47.06	-12.53	-2.78	12.83	192.51	47.06	-12.64	-3.31	13.07	194.7	1.0	0.548	0.441	0.513	0.421	2.105	11000017	(RDC_BY60)	47	-13	-3	%
47.89	-31.3	-5.42	31.77	189.83	47.89	-31.46	-6.0	32.02	190.8	1.0	0.595	0.379	0.363	0.381	2.282	11000018	(RDC_BY60)	48	-31	-6	%
49.16	-42.55	-6.88	43.11	189.18	49.16	-42.69	-7.4	43.32	189.83	1.0	0.538	0.308	0.285	0.314	2.062	11000019	(RDC_BY60)	49	-43	-7	%
49.54	-54.16	-8.09	54.76	188.5	49.54	-54.32	-8.59	54.99	188.99	1.0	0.527	0.267	0.248	0.274	1.993	11000020	(RDC_BY60)	50	-54	-8	%
49.91	-64.64	-9.09	65.27	188.01	49.92	-64.86	-9.61	65.56	188.43	1.0	0.561	0.253	0.241	0.26	2.053	11000021	(RDC_BY60)	50	-65	-9	%
48.8	-82.44	51.33	97.11	148.08	48.81	-82.71	49.22	96.25	149.24	1.0	2.131	0.809	0.861	0.669	1.846	11000022	(GDV_BY60)	49	-83	50	%
48.15	-57.22	32.63	65.87	150.3	48.15	-57.41	31.47	65.47	151.26	1.0	1.175	0.564	0.555	0.481	1.791	11000023	(GDV_BY60)	48	-57	32	%
47.52	-33.19	17.44	37.5	152.27	47.52	-33.35	16.62	37.27	153.5	1.0	0.838	0.523	0.513	0.465	1.953	11000024	(GDV_BY60)	48	-33	17	%
48.17	-18.22	9.03	20.34	153.64	48.17	-18.34	8.31	20.13	155.61	1.0	0.726	0.544	0.596	0.493	2.139	11000025	(GDV_BY60)	48	-18	9	%
47.9	-7.57	3.46	8.33	155.45	47.9	-7.69	2.85	8.2	159.61	1.0	0.612	0.54	0.712	0.516	2.095	11000026	(GDV_BY60)	48	-8	3	%
47.66	-0.07	-0.56	0.56	262.6	47.66	-0.17	-1.08	1.09	261.04	1.0	0.532	0.518	0.789	0.523	2.005	11000027	(GDV_BY60)	48	0	-1	%
45.73	8.44	-4.98	9.8	329.42	45.75	8.3	-5.6	10.01	325.94	1.0	0.637	0.544	1.098	0.511	2.517	11000028	(GDV_BY60)	46	8	-5	%
44.5	19.38	-11.13	22.35	330.12	44.5	19.23	-11.68	22.51	328.71	1.0	0.572	0.419	0.77	0.378	2.358	11000029	(TDM_BY60)	45	19	-11	%
44.34	27.89	-15.82	32.07	330.43	44.35	27.76	-16.41	32.25	329.41	1.0	0.6	0.393	0.675	0.358	2.542	11000030	(GDV_BY60)	44	28	-16	%
43.63	34.05	-19.01	39.0	330.82	43.64	33.92	-19.58	39.17	330.0	1.0	0.586	0.359	0.603	0.325	2.522	11000031	(GDV_BY60)	44	34	-19	%
43.17	39.4	-21.81	45.03	331.03	43.18	39.29	-22.35	45.21	330.36	1.0	0.557	0.321	0.534	0.289	2.432	11000032	(GDV_BY60)	43	39	-22	%
45.64	-80.71	-12.2	81.62	188.59	45.64	-80.96	-12.72	81.96	188.92	1.0	0.576	0.223	0.222	0.229	2.177	11000033	(TDM_BY60)	46	-81	-12	%
45.7	-51.35	-9.21	52.18	190.17	45.7	-51.57	-9.73	52.48	190.68	1.0	0.556	0.276	0.261	0.281	2.127	11000034	(TDM_BY60)	46	-51	-9	%
46.65	-27.96	-5.85	28.57	191.81	46.65	-28.08	-6.31	28.78	192.66	1.0	0.474	0.311	0.303	0.309	1.849	11000035	(TDM_BY60)	47	-28	-6	%
48.01	-15.13	-3.73	15.59	193.84	48.01	-15.25	-4.2	15.82	195.43	1.0	0.49	0.376	0.418	0.358	1.87	11000036	(TDM_BY60)	48	-15	-4	%
48.62	-6.25	-2.01	6.56	197.86	48.62	-6.35	-2.52	6.83	201.65	1.0	0.517	0.453	0.583	0.442	1.952	11000037	(TDM_BY60)	49	-6	-2	%
47.71	-0.6	-0.66	0.89	227.88	47.71	-0.69	-1.15	1.34	238.8	1.0	0.498	0.481	0.718	0.485	1.877	11000038	(TDM_BY60)	48	-1	-1	%
46.71	29.52	-4.81	29.91	350.74	46.71	29.42	-5.37	29.91	349.65	1.0	0.569	0.392	0.756	0.34	2.235	11000039	(TDM_BY60)	47	29	-5	%
46.95	59.57	-10.03	60.41	350.43	46.96	59.45	-10.64	60.4	349.84	1.0	0.621	0.326	0.595	0.27	2.512	11000040	(TDM_BY60)	47	60	-10	%
48.26	79.28	-14.01	80.51	349.97	48.27	79.2	-14.64	80.54	349.52	1.0	0.639	0.289	0.543	0.234	2.62	11000041	(TDM_BY60)	48	79	-14	%
48.45	92.12	-16.85	93.65	349.63	48.46	92.05	-17.54	93.7	349.21	1.0	0.696	0.289	0.558	0.23	2.89	11000042	(TDM_BY60)	48	92	-17	%
48.54	100.77	-19.32	102.61	349.14	48.55	100.68	-20.07	102.66	348.72	1.0	0.747	0.294	0.578	0.232	3.124	11000043	(TDM_BY60)	49	101	-20	%
59.13	0.18	1.29	1.3	81.94	59.13	0.13	1.04	1.05	82.81	1.0	0.255	0.241	0.355	0.249	0.837	11000044	(WDN_BY60)	59	0	1	%
47.93	-0.04	-0.35	0.36	263.2	47.93	-0.09	-0.6	0.61	261.5	1.0	0.25	0.246	0.379	0.25	0.939	11000045	(WDN_BY60)	48	0	0	%
38.58	-0.08	-1.18	1.18	265.88	38.58	-0.13	-1.44	1.45	264.83	1.0	0.27	0.257	0.379	0.26	1.102	11000046	(WDN_BY60)	39	0	-1	%
31.78	-0.04	-1.21	1.21	267.73	31.78	-0.09	-1.49	1.5	266.46	1.0	0.286	0.272	0.401	0.274	1.209	11000047	(WDN_BY60)	32	0	-1	%
26.15	-0.06	-0.85	0.85	265.92	26.15	-0.1	-1.12	1.13	264.84	1.0	0.274	0.264	0.397	0.266	1.156	11000048	(WDN_BY60)	26	0	-1	%
21.31	-0.06	-0.38	0.38	260.66	21.31	-0.12	-0.7	0.72	260.22	1.0	0.33	0.324	0.498	0.328	1.335	11000049	(WDN_BY60)	21	0	-1	%

see similar files: <http://130.149.60.45/~farbmetrik/UE51/UE51L0NP.PDF> / .PS
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

%L*	a*	b*	C*ab0	hab0	L*1	a*1	b*1	C*ab1	hab1	DV	dE*ab	dE*94	dE*CM	dE*00	dE*85	NR	Code	L*	a*	b*	%
%CIELAB data for all colour (a) of experiment, iim=330, Richter threshold data %																					
16.98	0.13	0.14	0.19	48.11	16.98	0.06	-0.19	0.2	287.05	1.0	0.352	0.351	0.542	0.359	1.317	11000050	(WDN_BY60)	17	0	0	%
14.28	0.49	0.59	0.77	49.9	14.28	0.43	0.22	0.49	27.55	1.0	0.371	0.362	0.542	0.369	1.274	11000051	(WDN_BY60)	14	0	0	%
11.13	0.61	1.12	1.28	61.32	11.13	0.54	0.73	0.91	53.51	1.0	0.396	0.377	0.554	0.386	1.179	11000052	(WDN_BY60)	11	1	1	%
8.39	0.72	1.78	1.92	67.88	8.39	0.63	1.33	1.47	64.54	1.0	0.456	0.42	0.603	0.433	1.185	11000053	(WDN_BY60)	8	1	2	%
5.78	0.68	1.64	1.78	67.37	5.78	0.6	1.22	1.36	63.76	1.0	0.434	0.403	0.581	0.415	1.2	11000054	(WDN_BY60)	6	1	1	%
129.53	0.74	1.13	1.35	56.72	129.54	0.6	-0.61	0.86	314.39	1.0	1.76	1.72	2.49	1.72	1.703	11000055	(QPN_BY60)	130	1	0	%
107.37	-0.46	-1.9	1.95	256.39	107.37	-0.62	-3.22	3.28	259.01	1.0	1.328	1.221	1.749	1.197	1.535	11000056	(QPN_BY60)	107	-1	-3	%
89.08	-0.78	-3.06	3.16	255.65	89.09	-0.89	-4.23	4.32	258.11	1.0	1.165	1.021	1.403	1.001	1.575	11000057	(QPN_BY60)	89	-1	-4	%
75.95	-0.72	-2.98	3.07	256.31	75.96	-0.82	-4.0	4.08	258.41	1.0	1.018	0.895	1.233	0.88	1.547	11000058	(QPN_BY60)	76	-1	-3	%
65.28	-0.39	-2.14	2.17	259.47	65.29	-0.48	-3.16	3.19	261.33	1.0	1.024	0.933	1.325	0.916	1.71	11000059	(QPN_BY60)	65	0	-3	%
56.75	0.14	-1.49	1.5	275.62	56.76	0.07	-2.41	2.41	271.76	1.0	0.921	0.863	1.258	0.852	1.66	11000060	(QPN_BY60)	57	0	-2	%
49.19	0.51	-0.33	0.61	326.71	49.19	0.42	-1.28	1.35	288.23	1.0	0.952	0.933	1.41	0.931	1.817	11000061	(QPN_BY60)	49	0	-1	%
42.58	0.93	0.75	1.2	38.7	42.58	0.85	-0.24	0.89	343.99	1.0	0.999	0.978	1.427	0.975	1.979	11000062	(QPN_BY60)	43	1	0	%
36.36	1.32	1.94	2.35	55.76	36.36	1.23	0.86	1.51	34.99	1.0	1.086	1.009	1.43	1.027	2.17	11000063	(QPN_BY60)	36	1	1	%
30.94	1.72	3.03	3.49	60.32	30.94	1.61	1.83	2.44	48.53	1.0	1.209	1.071	1.489	1.099	2.377	11000064	(QPN_BY60)	31	2	2	%
25.83	2.05	4.03	4.52	63.04	25.83	1.93	2.71	3.33	54.49	1.0	1.317	1.122	1.545	1.155	2.47	11000065	(QPN_BY60)	26	2	3	%
27.1	-0.47	-1.29	1.37	249.76	27.1	-0.56	-2.17	2.24	255.5	1.0	0.886	0.836	1.225	0.824	1.942	11000066	(OPN_BY60)	27	-1	-2	%
20.75	-0.69	-1.84	1.96	249.3	20.75	-0.79	-2.8	2.91	254.25	1.0	0.972	0.895	1.28	0.88	2.081	11000067	(OPN_BY60)	21	-1	-2	%
15.22	-0.65	-1.93	2.04	251.26	15.22	-0.77	-3.01	3.11	255.66	1.0	1.086	0.996	1.421	0.979	2.129	11000068	(OPN_BY60)	15	-1	-2	%
11.2	-0.56	-1.66	1.75	251.4	11.2	-0.68	-2.79	2.88	256.22	1.0	1.137	1.055	1.522	1.036	1.961	11000069	(OPN_BY60)	11	-1	-2	%
7.94	-0.44	-1.37	1.43	252.08	7.94	-0.57	-2.6	2.67	257.53	1.0	1.245	1.17	1.71	1.146	1.844	11000070	(OPN_BY60)	8	-1	-2	%
5.69	-0.26	-0.56	0.62	244.96	5.69	-0.36	-1.82	1.86	258.62	1.0	1.265	1.231	1.867	1.202	1.84	11000071	(OPN_BY60)	6	0	-1	%
4.15	-0.12	-0.15	0.2	230.85	4.15	-0.24	-1.21	1.23	258.57	1.0	1.062	1.053	1.632	1.036	1.633	11000072	(OPN_BY60)	4	0	-1	%
2.7	-0.06	0.15	0.16	114.06	2.7	-0.15	-0.78	0.79	259.1	1.0	0.938	0.934	1.447	0.93	1.518	11000073	(OPN_BY60)	3	0	0	%
2.16	0.09	0.35	0.36	74.59	2.16	0.0	-0.61	0.61	270.69	1.0	0.968	0.962	1.467	0.962	1.598	11000074	(OPN_BY60)	2	0	0	%
1.53	0.11	0.45	0.46	75.25	1.53	0.05	-0.39	0.4	277.83	1.0	0.852	0.846	1.28	0.847	1.434	11000075	(OPN_BY60)	2	0	0	%
1.08	0.13	0.46	0.48	73.98	1.08	0.06	-0.24	0.25	284.96	1.0	0.712	0.706	1.068	0.709	1.215	11000076	(OPN_BY60)	1	0	0	%
29.8	26.7	-56.9	62.86	295.13	29.82	26.5	-57.34	63.18	294.8	1.0	0.484	0.206	0.274	0.28	1.812	11000077	(ANY_AY20)	30	27	-57	%
29.88	18.99	-44.66	48.54	293.04	29.88	18.83	-45.11	48.89	292.65	1.0	0.48	0.219	0.284	0.281	2.098	11000078	(ANY_AY20)	30	19	-45	%
30.49	10.67	-29.71	31.57	289.75	30.49	10.49	-30.21	31.98	289.15	1.0	0.527	0.282	0.361	0.338	2.438	11000079	(ANY_AY20)	30	11	-30	%
30.97	5.73	-18.73	19.59	287.02	30.97	5.57	-19.23	20.02	286.16	1.0	0.524	0.324	0.425	0.395	2.421	11000080	(ANY_AY20)	31	6	-19	%
31.18	7.51	-5.33	9.21	324.64	31.18	7.43	-5.92	9.51	321.42	1.0	0.601	0.505	0.959	0.48	2.652	11000081	(ANY_AY20)	31	7	-6	%
31.18	4.74	5.03	6.92	46.73	31.18	4.66	4.34	6.37	42.93	1.0	0.7	0.576	0.926	0.585	2.456	11000082	(ANY_AY20)	31	5	5	%
29.98	8.21	13.35	15.67	58.4	29.98	8.14	12.2	14.66	56.29	1.0	1.15	0.743	1.117	0.787	2.957	11000083	(ANY_AY20)	30	8	13	%
30.05	7.62	23.59	24.79	72.08	30.05	7.54	22.03	23.29	71.1	1.0	1.559	0.771	0.953	0.806	2.693	11000084	(ANY_AY20)	30	8	23	%
30.35	8.14	33.28	34.26	76.24	30.35	8.05	31.18	32.2	75.51	1.0	2.105	0.858	1.047	0.891	2.437	11000085	(ANY_AY20)	30	8	32	%
30.27	8.47	44.62	45.41	79.24	30.27	8.36	41.59	42.42	78.63	1.0	3.029	1.022	1.282	1.062	2.557	11000086	(ANY_AY20)	30	8	43	%
30.05	2.51	43.27	43.34	86.67	30.05	2.32	40.38	40.45	86.69	1.0	2.893	0.98	1.204	1.002	2.497	11000087	(ANY_AY20)	30	2	42	%
48.67	-5.37	-24.16	24.76	257.45	48.69	-4.43	-23.95	24.36	259.51	1.0	0.968	0.67	0.778	0.74	2.101	11000088	(BDY_RC60)	49	-5	-24	%
48.15	-3.2	-18.43	18.7	260.13	48.16	-2.39	-18.22	18.38	262.5	1.0	0.835	0.626	0.783	0.809	1.893	11000089	(BDY_RC60)	48	-3	-18	%
48.62	-2.53	-11.98	12.24	258.06	48.64	-1.7	-11.74	11.86	261.73	1.0	0.862	0.697	0.945	0.972	1.989	11000090	(BDY_RC60)	49	-2	-12	%
48.81	-1.94	-7.51	7.75	255.51	48.82	-1.23	-7.29	7.39	260.37	1.0	0.736	0.634	0.888	0.899	1.715	11000091	(BDY_RC60)	49	-2	-7	%
48.9	-0.9	-3.61	3.73	255.98	48.91	-0.25	-3.4	3.41	265.7	1.0	0.683	0.634	0.865	0.92	1.619	11000092	(BDY_RC60)	49	-1	-4	%
47.6	-0.74	-0.41	0.85	209.33	47.61	-0.18	-0.21	0.28	230.5	1.0	0.595	0.574	0.86	0.836	1.43	11000093	(BDY_RC60)	48	0	0	%
47.28	2.24	10.33	10.57	77.75	47.28	3.0	10.69	11.11	74.31	1.0	0.84	0.667	1.117	0.971	1.933	11000094	(BDY_RC60)	47	3	11	%
51.77	3.91	27.25	27.53	81.82	51.78	4.84	27.89	28.31	80.15	1.0	1.125	0.673	0.949	0.794	2.224	11000095	(BDY_RC60)	52	4	28	%
49.19	5.05	37.84	38.17	82.39	49.2	5.91	38.64	39.09	81.3	1.0	1.177	0.577	0.774	0.65	2.084	11000096	(BDY_RC60)	49	5	38	%
49.59	6.17	52.86	53.22	83.33	49.61	7.17	54.37	54.84	82.48	1.0	1.808	0.655	0.87	0.723	2.403	11000097	(BDY_RC60)	50	7	54	%
50.09	6.8	71.85	72.17	84.59	50.1	7.64	74.65	75.04	84.14	1.0	2.928	0.729	1.027	0.749	2.004	11000098	(BDY_RC60)	50	7	73	%
47.55	69.79	50.82	86.34	36.06	47.58	70.99	53.36	88.81	36.93	1.0	2.801	0.767	1.33	0.837	2.772	11000099	(RDC_RC60)	48	70	52	%

TUB registration: 20140801-UE51/UE51L0NP.PDF /.PS
application for measurement of display or printer output, no separation
TUB material: code=rha4ta

see similar files: <http://130.149.60.45/~farbmetrik/UE51/UE51L0NP.PDF> / .PS
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

%L*	a*	b*	C*ab0	hab0	L*1	a*1	b*1	C*ab1	hab1	DV	dE*ab	dE*94	dE*CM	dE*00	dE*85	NR	Code	L*	a*	b*	%
%CIELAB data for all colour of experiment, iim=330, Richter threshold data %																					
46.74	54.19	29.4	61.65	28.48	46.75	55.17	30.45	63.02	28.89	1.0	1.438	0.43	0.65	0.439	2.424	11000100	(RDC_RC60)	47	55	30 %	
47.25	40.76	9.59	41.87	13.24	47.26	41.76	10.2	42.99	13.73	1.0	1.181	0.449	0.64	0.443	2.591	11000101	(RDC_RC60)	47	41	10 %	
47.92	23.63	8.68	25.18	20.18	47.93	24.47	9.13	26.12	20.46	1.0	0.948	0.45	0.542	0.463	2.128	11000102	(RDC_RC60)	48	24	9 %	
48.01	10.77	3.08	11.2	15.96	48.02	11.54	3.41	12.03	16.46	1.0	0.838	0.56	0.69	0.674	1.976	11000103	(RDC_RC60)	48	11	3 %	
47.82	-0.68	-1.1	1.29	238.23	47.83	-0.08	-0.89	0.89	264.46	1.0	0.63	0.609	0.882	0.882	1.514	11000104	(RDC_RC60)	48	0	-1 %	
47.05	-13.21	-3.25	13.61	193.85	47.07	-11.96	-2.84	12.29	193.36	1.0	1.323	0.823	0.965	1.021	2.762	11000105	(RDC_RC60)	47	-13	-3 %	
47.88	-32.06	-5.9	32.6	190.42	47.89	-30.71	-5.53	31.2	190.2	1.0	1.4	0.571	0.67	0.586	2.312	11000106	(RDC_RC60)	48	-31	-6 %	
49.16	-43.47	-7.35	44.09	189.59	49.17	-41.77	-6.93	42.35	189.42	1.0	1.75	0.59	0.724	0.599	2.533	11000107	(RDC_RC60)	49	-43	-7 %	
49.53	-55.29	-8.57	55.95	188.81	49.55	-53.19	-8.11	53.81	188.67	1.0	2.143	0.613	0.795	0.621	2.719	11000108	(RDC_RC60)	50	-54	-8 %	
49.91	-66.03	-9.6	66.72	188.27	49.92	-63.48	-9.11	64.13	188.16	1.0	2.601	0.652	0.894	0.661	2.873	11000109	(RDC_RC60)	50	-65	-9 %	
48.8	-83.87	49.41	97.34	149.49	48.81	-81.29	51.14	96.04	147.82	1.0	3.099	1.169	1.242	0.969	2.222	11000110	(GDV_RC60)	49	-83	50 %	
48.15	-58.13	31.64	66.18	151.44	48.16	-56.5	32.46	65.16	150.11	1.0	1.828	0.803	0.814	0.696	1.95	11000111	(GDV_RC60)	48	-57	32 %	
47.51	-33.96	16.73	37.86	153.76	47.52	-32.58	17.33	36.91	151.98	1.0	1.504	0.82	0.834	0.753	2.265	11000112	(GDV_RC60)	48	-33	17 %	
48.16	-18.76	8.48	20.59	155.66	48.17	-17.81	8.86	19.89	153.54	1.0	1.023	0.677	0.746	0.71	1.9	11000113	(GDV_RC60)	48	-18	9 %	
47.89	-8.04	3.0	8.58	159.5	47.91	-7.22	3.31	7.95	155.37	1.0	0.869	0.698	0.887	0.874	1.886	11000114	(GDV_RC60)	48	-8	3 %	
47.65	-0.46	-0.94	1.05	244.0	47.66	0.21	-0.7	0.73	287.12	1.0	0.719	0.704	1.028	1.025	1.739	11000115	(GDV_RC60)	48	0	-1 %	
45.73	7.93	-5.45	9.63	325.52	45.75	8.8	-5.14	10.19	329.69	1.0	0.913	0.741	1.361	0.895	2.232	11000116	(GDV_RC60)	46	8	-5 %	
44.49	18.85	-11.56	22.11	328.46	44.51	19.77	-11.25	22.75	330.35	1.0	0.972	0.639	1.086	0.644	2.347	11000117	(GDV_RC60)	45	19	-11 %	
44.34	27.37	-16.26	31.84	329.28	44.35	28.28	-15.96	32.47	330.55	1.0	0.956	0.549	0.888	0.517	2.258	11000118	(GDV_RC60)	44	28	-16 %	
43.63	33.53	-19.44	38.76	329.89	43.64	34.44	-19.14	39.41	330.92	1.0	0.957	0.504	0.803	0.467	2.231	11000119	(GDV_RC60)	44	34	-19 %	
43.17	38.89	-22.22	44.79	330.24	43.18	39.8	-21.93	45.45	331.14	1.0	0.961	0.473	0.75	0.433	2.208	11000120	(TDM_RC60)	43	39	-22 %	
45.64	-82.44	-12.69	83.41	188.75	45.65	-79.26	-12.22	80.19	188.77	1.0	3.215	0.676	1.01	0.686	2.835	11000121	(GDV_RC60)	46	-81	-12 %	
45.69	-52.39	-9.67	53.28	190.45	45.7	-50.54	-9.27	51.38	190.39	1.0	1.894	0.558	0.717	0.565	2.454	11000122	(TDM_RC60)	46	-51	-9 %	
46.65	-28.73	-6.27	29.41	192.32	46.66	-27.32	-5.88	27.94	192.15	1.0	1.465	0.632	0.736	0.659	2.526	11000123	(TDM_RC60)	47	-28	-6 %	
48.01	-15.7	-4.13	16.23	194.73	48.02	-14.68	-3.8	15.17	194.54	1.0	1.067	0.617	0.715	0.741	2.133	11000124	(TDM_RC60)	48	-15	-4 %	
48.61	-6.65	-2.38	7.07	199.72	48.62	-5.94	-2.14	6.32	199.87	1.0	0.748	0.567	0.712	0.757	1.657	11000125	(TDM_RC60)	49	-6	-2 %	
47.71	-0.93	-1.0	1.37	227.2	47.71	-0.36	-0.81	0.89	245.63	1.0	0.598	0.571	0.83	0.827	1.426	11000126	(TDM_RC60)	48	-1	-1 %	
46.7	29.14	-5.22	29.6	349.83	46.71	29.81	-4.95	30.22	350.55	1.0	0.719	0.37	0.587	0.351	1.695	11000127	(TDM_RC60)	47	29	-5 %	
46.95	59.08	-10.53	60.01	349.89	46.96	59.95	-10.14	60.8	350.39	1.0	0.952	0.351	0.583	0.314	2.189	11000128	(TDM_RC60)	47	60	-10 %	
48.26	78.75	-14.55	80.09	349.53	48.27	79.72	-14.1	80.96	349.96	1.0	1.068	0.338	0.593	0.294	2.402	11000129	(TDM_RC60)	48	79	-14 %	
48.45	91.65	-17.39	93.28	349.25	48.46	92.52	-16.99	94.07	349.59	1.0	0.964	0.277	0.506	0.238	2.122	11000130	(TDM_RC60)	48	92	-17 %	
48.53	100.22	-19.93	102.18	348.75	48.56	101.23	-19.46	103.09	349.11	1.0	1.111	0.303	0.567	0.258	2.415	11000131	(TDM_RC60)	49	101	-20 %	
48.67	-4.4	-24.22	24.62	259.7	48.69	-5.4	-23.89	24.5	257.25	1.0	1.056	0.768	0.904	0.842	2.469	11000132	(BDY_GV60)	49	-5	-24 %	
48.14	-2.36	-18.47	18.62	262.71	48.17	-3.24	-18.18	18.47	259.89	1.0	0.927	0.72	0.918	0.922	2.224	11000133	(BDY_GV60)	48	-3	-18 %	
48.62	-1.68	-12.02	12.14	262.0	48.64	-2.54	-11.69	11.96	257.71	1.0	0.919	0.772	1.082	1.06	2.259	11000134	(BDY_GV60)	49	-2	-12 %	
48.8	-1.17	-7.56	7.65	261.16	48.83	-2.0	-7.24	7.51	254.55	1.0	0.886	0.792	1.156	1.105	2.163	11000135	(BDY_GV60)	49	-2	-7 %	
48.89	-0.17	-3.68	3.68	267.2	48.92	-0.97	-3.33	3.47	253.67	1.0	0.869	0.82	1.133	1.169	2.173	11000136	(BDY_GV60)	49	-1	-4 %	
47.59	-0.05	-0.5	0.5	263.82	47.62	-0.86	-0.13	0.87	188.62	1.0	0.894	0.885	1.337	1.239	2.271	11000137	(BDY_GV60)	48	0	0 %	
47.27	2.97	10.32	10.74	73.93	47.3	2.27	10.71	10.95	77.99	1.0	0.797	0.677	1.253	0.998	1.878	11000138	(BDY_GV60)	47	3	11 %	
51.76	4.78	27.26	27.68	80.04	51.79	3.97	27.88	28.16	81.88	1.0	1.023	0.672	0.991	0.811	2.017	11000139	(BDY_GV60)	52	4	28 %	
49.19	5.92	37.81	38.27	81.08	49.21	5.03	38.67	39.0	82.57	1.0	1.238	0.691	0.961	0.802	2.188	11000140	(BDY_GV60)	49	5	38 %	
49.59	7.12	52.93	53.4	82.33	49.61	6.23	54.29	54.64	83.45	1.0	1.624	0.688	0.933	0.8	2.156	11000141	(BDY_GV60)	50	7	54 %	
50.07	7.72	71.6	72.02	83.84	50.11	6.73	74.89	75.19	84.86	1.0	3.43	0.979	1.374	1.084	2.394	11000142	(BDY_GV60)	50	7	73 %	
47.55	70.82	51.13	87.35	35.82	47.59	69.96	53.02	87.78	37.15	1.0	2.075	0.883	1.669	1.034	2.128	11000143	(RDC_GV60)	48	70	52 %	
46.73	55.06	29.49	62.46	28.17	46.76	54.31	30.34	62.21	29.19	1.0	1.135	0.575	1.066	0.628	1.957	11000144	(RDC_GV60)	47	55	30 %	
47.24	41.71	9.59	42.8	12.95	47.27	40.81	10.19	42.07	14.02	1.0	1.083	0.545	0.973	0.535	2.455	11000145	(RDC_GV60)	47	41	10 %	
47.91	24.5	8.63	25.98	19.4	47.94	23.6	9.19	25.33	21.27	1.0	1.062	0.674	1.279	0.69	2.474	11000146	(RDC_GV60)	48	24	9 %	
48.0	11.51	3.06	11.91	14.89	48.03	10.79	3.42	11.32	17.61	1.0	0.808	0.606	1.188	0.706	1.99	11000147	(RDC_GV60)	48	11	3 %	
47.81	0.01	-1.17	1.17	270.68	47.84	-0.78	-0.81	1.13	226.38	1.0	0.87	0.855	1.238	1.206	2.199	11000148	(RDC_GV60)	48	0	-1 %	
47.05	-12.07	-3.26	12.5	195.12	47.07	-13.1	-2.83	13.4	192.22	1.0	1.118	0.8	0.94	0.933	2.476	11000149	(RDC_GV60)	47	-13	-3 %	

see similar files: <http://130.149.60.45/~farbmetrik/UE51/UE51L0NP.PDF> / .PS
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

%L*	a*	b*	C*ab0	hab0	L*1	a*1	b*1	C*ab1	hab1	DV	dE*ab	dE*94	dE*CM	dE*00	dE*85	NR	Code	L*	a*	b*	%
%CIELAB	data for all colour (a)				of experiment, iim=330, Richter				threshold data %												
47.87	-30.61	-5.96	31.18	191.03	47.91	-32.15	-5.46	32.61	189.64	1.0	1.627	0.796	0.857	0.8	2.868	11000150	(RDC_GV60)	48	-31	-6 %	
49.14	-41.78	-7.39	42.43	190.04	49.18	-43.46	-6.88	44.01	189.0	1.0	1.763	0.723	0.793	0.724	2.766	11000151	(RDC_GV60)	49	-43	-7 %	
49.52	-53.35	-8.59	54.04	189.14	49.56	-55.12	-8.09	55.71	188.35	1.0	1.839	0.643	0.734	0.645	2.595	11000152	(RDC_GV60)	50	-54	-8 %	
49.89	-63.67	-9.62	64.4	188.59	49.93	-65.82	-9.08	66.44	187.85	1.0	2.209	0.677	0.811	0.679	2.796	11000153	(RDC_GV60)	50	-65	-9 %	
48.78	-81.03	49.17	94.79	148.75	48.83	-84.1	51.37	98.55	148.58	1.0	3.778	0.726	1.136	0.712	2.723	11000154	(GDV_GV60)	49	-83	50 %	
48.14	-56.37	31.51	64.58	150.79	48.17	-58.25	32.58	66.75	150.78	1.0	2.163	0.555	0.754	0.548	2.351	11000155	(GDV_GV60)	48	-57	32 %	
47.5	-32.59	16.7	36.62	152.87	47.54	-33.95	17.37	38.13	152.9	1.0	1.514	0.573	0.683	0.568	2.347	11000156	(GDV_GV60)	48	-33	17 %	
48.15	-17.66	8.39	19.55	154.59	48.19	-18.9	8.95	20.91	154.65	1.0	1.356	0.722	0.832	0.792	2.597	11000157	(GDV_GV60)	48	-18	9 %	
47.89	-7.1	2.92	7.68	157.6	47.91	-8.15	3.38	8.83	157.44	1.0	1.148	0.853	1.06	1.067	2.569	11000158	(GDV_GV60)	48	-8	3 %	
47.64	0.27	-1.0	1.03	285.33	47.67	-0.51	-0.64	0.82	231.34	1.0	0.867	0.853	1.246	1.216	2.199	11000159	(GDV_GV60)	48	0	-1 %	
45.72	8.85	-5.5	10.42	328.12	45.75	7.89	-5.09	9.39	327.15	1.0	1.044	0.716	0.894	0.925	2.671	11000160	(GDV_GV60)	46	8	-5 %	
44.48	19.81	-11.62	22.97	329.61	44.51	18.81	-11.2	21.89	329.22	1.0	1.089	0.543	0.646	0.6	2.793	11000161	(GDV_GV60)	45	19	-11 %	
44.32	28.38	-16.35	32.75	330.05	44.36	27.27	-15.88	31.56	329.78	1.0	1.207	0.496	0.596	0.506	3.134	11000162	(GDV_GV60)	44	28	-16 %	
43.61	34.55	-19.53	39.69	330.52	43.66	33.42	-19.06	38.48	330.3	1.0	1.218	0.445	0.549	0.449	3.148	11000163	(GDV_GV60)	44	34	-19 %	
43.15	39.88	-22.3	45.69	330.78	43.2	38.81	-21.86	44.55	330.61	1.0	1.156	0.386	0.486	0.388	2.997	11000164	(GDV_GV60)	43	39	-22 %	
45.62	-78.98	-12.82	80.01	189.22	45.67	-82.7	-12.1	83.58	188.32	1.0	3.793	0.972	1.262	0.969	3.911	11000165	(TDM_GV60)	46	-81	-12 %	
45.68	-50.49	-9.73	51.42	190.9	45.72	-52.43	-9.21	53.23	189.97	1.0	2.002	0.729	0.82	0.73	2.864	11000166	(TDM_GV60)	46	-51	-9 %	
46.64	-27.38	-6.3	28.1	192.96	46.67	-28.66	-5.86	29.25	191.55	1.0	1.354	0.712	0.76	0.722	2.518	11000167	(TDM_GV60)	47	-28	-6 %	
48.0	-14.66	-4.16	15.24	195.87	48.03	-15.72	-3.77	16.17	193.48	1.0	1.132	0.764	0.869	0.867	2.377	11000168	(TDM_GV60)	48	-15	-4 %	
48.61	-5.84	-2.45	6.34	202.79	48.63	-6.75	-2.08	7.06	197.11	1.0	0.984	0.828	1.064	1.048	2.288	11000169	(TDM_GV60)	49	-6	-2 %	
47.7	-0.29	-1.07	1.11	254.68	47.72	-1.0	-0.74	1.25	216.67	1.0	0.782	0.768	1.115	1.073	1.979	11000170	(TDM_GV60)	48	-1	-1 %	
46.69	29.9	-5.3	30.37	349.94	46.72	29.05	-4.88	29.46	350.46	1.0	0.95	0.428	0.576	0.428	2.426	11000171	(TDM_GV60)	47	29	-5 %	
46.94	60.0	-10.59	60.92	349.98	46.98	59.03	-10.08	59.88	350.3	1.0	1.098	0.333	0.497	0.32	2.8	11000172	(TDM_GV60)	47	60	-10 %	
48.24	79.77	-14.62	81.1	349.6	48.29	78.71	-14.02	79.95	349.89	1.0	1.219	0.311	0.503	0.293	3.138	11000173	(TDM_GV60)	48	79	-14 %	
48.43	92.63	-17.5	94.27	349.29	48.48	91.54	-16.88	93.09	349.55	1.0	1.253	0.288	0.488	0.269	3.209	11000174	(TDM_GV60)	48	92	-17 %	
48.52	101.31	-20.02	103.27	348.81	48.57	100.15	-19.37	102.0	349.05	1.0	1.337	0.282	0.492	0.265	3.361	11000175	(TDM_GV60)	49	101	-20 %	
48.67	-4.43	-24.06	24.47	259.56	48.69	-5.37	-24.05	24.64	257.39	1.0	0.945	0.684	0.806	0.754	1.878	11000176	(BDY_TM60)	49	-5	-24 %	
48.15	-2.39	-18.33	18.49	262.56	48.16	-3.2	-18.32	18.59	260.06	1.0	0.816	0.636	0.812	0.823	1.688	11000177	(BDY_TM60)	48	-3	-18 %	
48.62	-1.71	-11.87	11.99	261.76	48.64	-2.51	-11.84	12.11	258.0	1.0	0.799	0.674	0.947	0.945	1.668	11000178	(BDY_TM60)	49	-2	-12 %	
48.81	-1.2	-7.41	7.5	260.76	48.82	-1.97	-7.39	7.65	255.06	1.0	0.768	0.687	0.999	0.983	1.614	11000179	(BDY_TM60)	49	-2	-7 %	
48.9	-0.19	-3.52	3.53	266.83	48.91	-0.96	-3.49	3.62	254.58	1.0	0.769	0.73	1.008	1.079	1.645	11000180	(BDY_TM60)	49	-1	-4 %	
47.61	-0.1	-0.33	0.35	251.99	47.61	-0.81	-0.3	0.86	200.36	1.0	0.705	0.698	1.069	1.026	1.525	11000181	(BDY_TM60)	48	0	0 %	
47.28	3.01	10.5	10.92	73.95	47.29	2.22	10.53	10.76	78.04	1.0	0.79	0.673	1.251	1.033	1.716	11000182	(BDY_TM60)	47	3	11 %	
51.77	4.82	27.54	27.95	80.07	51.78	3.94	27.6	27.88	81.87	1.0	0.882	0.62	0.931	0.767	1.83	11000183	(BDY_TM60)	52	4	28 %	
49.19	5.91	38.18	38.63	81.19	49.2	5.05	38.29	38.63	82.48	1.0	0.868	0.55	0.78	0.656	1.829	11000184	(BDY_TM60)	49	5	38 %	
49.59	7.15	53.5	53.97	82.38	49.61	6.19	53.71	54.06	83.42	1.0	0.986	0.543	0.75	0.667	2.032	11000185	(BDY_TM60)	50	7	54 %	
50.09	7.69	73.11	73.52	83.99	50.1	6.76	73.52	73.83	84.74	1.0	1.018	0.465	0.649	0.59	1.952	11000186	(BDY_TM60)	50	7	73 %	
29.8	27.28	-57.1	63.28	295.53	29.82	25.92	-57.14	62.75	294.4	1.0	1.355	0.654	0.873	0.923	2.92	11000187	(ANY_TM20)	30	27	-57 %	
29.87	19.57	-44.88	48.96	293.56	29.89	18.25	-44.9	48.47	292.12	1.0	1.317	0.722	0.946	0.977	2.953	11000188	(ANY_TM20)	30	19	-45 %	
30.48	11.22	-29.96	32.0	290.52	30.5	9.94	-29.96	31.57	288.35	1.0	1.279	0.833	1.112	1.079	2.978	11000189	(ANY_TM20)	30	11	-30 %	
30.96	6.33	-18.99	20.02	288.42	30.98	4.98	-18.96	19.61	284.71	1.0	1.347	1.01	1.46	1.496	3.195	11000190	(ANY_TM20)	31	6	-19 %	
31.18	8.07	-5.65	9.86	325.01	31.18	6.87	-5.6	8.87	320.78	1.0	1.204	0.91	1.471	1.203	2.82	11000191	(ANY_TM20)	31	7	-6 %	
31.17	5.38	4.66	7.12	40.91	31.19	4.02	4.71	6.2	49.49	1.0	1.353	1.136	1.973	1.601	3.216	11000192	(ANY_TM20)	31	5	5 %	
29.98	8.72	12.75	15.45	55.61	29.98	7.62	12.79	14.89	59.2	1.0	1.103	0.839	1.583	1.161	2.572	11000193	(ANY_TM20)	30	8	13 %	
30.05	8.15	22.76	24.18	70.28	30.05	7.01	22.85	23.91	72.93	1.0	1.146	0.827	1.357	1.07	2.676	11000194	(ANY_TM20)	30	8	23 %	
30.35	8.67	32.13	33.28	74.9	30.35	7.53	32.28	33.15	76.86	1.0	1.143	0.759	1.145	0.908	2.648	11000195	(ANY_TM20)	30	8	32 %	
30.27	9.04	43.01	43.95	78.12	30.27	7.79	43.21	43.91	79.77	1.0	1.269	0.765	1.095	0.923	2.923	11000196	(ANY_TM20)	30	8	43 %	
30.05	3.03	41.67	41.78	85.83	30.05	1.8	42.0	42.04	87.53	1.0	1.27	0.77	1.05	0.914	2.945	11000197	(ANY_TM20)	30	2	42 %	
47.56	70.81	51.92	87.81	36.24	47.57	69.96	52.21	87.3	36.73	1.0	0.898	0.334	0.622	0.388	1.444	11000198	(RDC_TM60)	48	70	52 %	
46.74	55.16	29.83	62.71	28.4	46.75	54.21	30.0	61.96	28.96	1.0	0.961	0.368	0.637	0.394	1.73	11000199	(RDC_TM60)	47	55	30 %	

see similar files: <http://130.149.60.45/~farbmetrik/UE51/UE51L0NP.PDF> / .PS
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

%L*a*b*	a*	b*	C*ab	hab	L*	a*	b*	C*ab	hab	DV	dE*ab	dE*94	dE*CM	dE*00	dE*85	NR	Code	L*	a*	b*	%
%CIE LAB data for all colour (a) of experiment, iim=330, Richter threshold data %																					
36.36	1.59	1.36	2.09	40.58	36.36	0.96	1.44	1.74	56.14	1.0	0.629	0.599	0.856	0.878	1.552	11000250	(QPN_TM60)	36	1	1 %	
30.94	2.04	2.38	3.14	49.46	30.94	1.3	2.47	2.79	62.16	1.0	0.741	0.695	1.0	1.021	1.86	11000251	(QPN_TM60)	31	2	2 %	
25.83	2.32	3.33	4.06	55.16	25.83	1.66	3.4	3.79	63.88	1.0	0.655	0.607	0.905	0.893	1.633	11000252	(QPN_TM60)	26	2	3 %	
27.1	-0.21	-1.76	1.77	263.17	27.1	-0.82	-1.7	1.89	244.13	1.0	0.618	0.601	0.847	0.883	1.543	11000253	(QPN_TM60)	27	-1	-2 %	
20.75	-0.4	-2.36	2.39	260.21	20.75	-1.07	-2.29	2.53	244.78	1.0	0.676	0.651	0.901	0.949	1.605	11000254	(QPN_TM60)	21	-1	-2 %	
15.22	-0.33	-2.51	2.53	262.49	15.22	-1.09	-2.44	2.68	245.88	1.0	0.767	0.737	1.02	1.078	1.644	11000255	(QPN_TM60)	15	-1	-2 %	
11.2	-0.2	-2.27	2.28	264.8	11.2	-1.03	-2.19	2.42	244.68	1.0	0.835	0.806	1.121	1.181	1.571	11000256	(QPN_TM60)	11	-1	-2 %	
7.94	-0.06	-2.03	2.03	268.12	7.94	-0.94	-1.95	2.16	244.11	1.0	0.884	0.856	1.199	1.26	1.446	11000257	(QPN_TM60)	8	-1	-2 %	
5.69	0.09	-1.23	1.23	274.59	5.69	-0.72	-1.15	1.36	237.81	1.0	0.828	0.812	1.174	1.201	1.451	11000258	(QPN_TM60)	6	0	-1 %	
4.15	0.18	-0.71	0.73	284.68	4.15	-0.55	-0.64	0.84	229.41	1.0	0.741	0.732	1.088	1.088	1.365	11000259	(QPN_TM60)	4	0	-1 %	
2.7	0.25	-0.33	0.42	307.45	2.7	-0.46	-0.28	0.54	211.08	1.0	0.724	0.719	1.091	1.072	1.395	11000260	(QPN_TM60)	3	0	0 %	
2.16	0.41	-0.15	0.44	339.63	2.16	-0.3	-0.08	0.31	196.04	1.0	0.723	0.718	1.089	1.074	1.416	11000261	(QPN_TM60)	2	0	0 %	
1.53	0.38	0.01	0.38	2.33	1.53	-0.2	0.05	0.21	163.86	1.0	0.593	0.589	0.897	0.883	1.183	11000262	(QPN_TM60)	2	0	0 %	
1.08	0.4	0.1	0.42	14.0	1.08	-0.19	0.13	0.23	144.42	1.0	0.602	0.598	0.909	0.897	1.21	11000263	(QPN_TM60)	1	0	0 %	
48.64	-4.9	-24.08	24.57	258.48	48.72	-4.9	-24.04	24.53	258.47	1.0	0.095	0.088	0.071	0.088	0.943	11000264	(BDY_WN60)	49	-5	-24 %	
48.13	-2.8	-18.33	18.55	261.31	48.18	-2.8	-18.31	18.53	261.3	1.0	0.054	0.051	0.042	0.051	0.541	11000265	(BDY_WN60)	48	-3	-18 %	
48.59	-2.11	-11.87	12.05	259.87	48.67	-2.11	-11.85	12.03	259.86	1.0	0.077	0.075	0.061	0.075	0.779	11000266	(BDY_WN60)	49	-2	-12 %	
48.78	-1.58	-7.41	7.58	257.9	48.85	-1.58	-7.39	7.55	257.87	1.0	0.078	0.076	0.063	0.076	0.773	11000267	(BDY_WN60)	49	-2	-7 %	
48.87	-0.57	-3.5	3.55	260.62	48.94	-0.57	-3.51	3.56	260.62	1.0	0.074	0.074	0.058	0.073	0.759	11000268	(BDY_WN60)	49	-1	-4 %	
47.57	-0.46	-0.31	0.56	214.61	47.64	-0.46	-0.31	0.56	214.61	1.0	0.077	0.077	0.061	0.075	0.799	11000269	(BDY_WN60)	48	0	0 %	
47.26	2.62	10.53	10.85	76.0	47.31	2.62	10.5	10.82	75.97	1.0	0.058	0.054	0.047	0.054	0.548	11000270	(BDY_WN60)	47	3	11 %	
51.75	4.39	27.61	27.96	80.96	51.8	4.36	27.53	27.87	80.98	1.0	0.1	0.067	0.061	0.067	0.596	11000271	(BDY_WN60)	52	4	28 %	
49.16	5.49	38.32	38.71	81.84	49.24	5.47	38.15	38.54	81.83	1.0	0.189	0.097	0.096	0.097	0.802	11000272	(BDY_WN60)	49	5	38 %	
49.56	6.68	53.76	54.18	82.91	49.64	6.66	53.44	53.86	82.89	1.0	0.328	0.118	0.133	0.119	0.797	11000273	(BDY_WN60)	50	7	54 %	
50.06	7.23	73.72	74.07	84.39	50.13	7.21	72.92	73.28	84.34	1.0	0.799	0.198	0.27	0.2	0.791	11000274	(BDY_WN60)	50	7	73 %	
29.75	26.67	-57.19	63.1	295.0	29.87	26.54	-57.05	62.93	294.94	1.0	0.225	0.135	0.156	0.114	1.928	11000275	(ANY_WN20)	30	27	-57 %	
29.83	18.96	-44.96	48.8	292.87	29.93	18.86	-44.82	48.63	292.82	1.0	0.2	0.114	0.131	0.098	1.601	11000276	(ANY_WN20)	30	19	-45 %	
30.43	10.6	-30.01	31.82	289.45	30.55	10.56	-29.92	31.73	289.44	1.0	0.153	0.126	0.139	0.101	1.603	11000277	(ANY_WN20)	30	11	-30 %	
30.91	5.67	-19.01	19.84	286.61	31.03	5.63	-18.94	19.77	286.57	1.0	0.142	0.125	0.136	0.102	1.472	11000278	(ANY_WN20)	31	6	-19 %	
31.12	7.46	-5.65	9.36	322.88	31.24	7.48	-5.61	9.35	323.13	1.0	0.123	0.122	0.144	0.098	1.359	11000279	(ANY_WN20)	31	7	-6 %	
31.13	4.69	4.69	6.63	45.01	31.23	4.71	4.68	6.65	44.8	1.0	0.097	0.096	0.109	0.081	1.074	11000280	(ANY_WN20)	31	5	5 %	
29.93	8.15	12.79	15.17	57.48	30.03	8.19	12.75	15.15	57.27	1.0	0.113	0.108	0.139	0.095	1.146	11000281	(ANY_WN20)	30	8	13 %	
29.99	7.58	22.88	24.1	71.66	30.12	7.58	22.73	23.97	71.54	1.0	0.189	0.143	0.166	0.123	1.453	11000282	(ANY_WN20)	30	8	23 %	
30.29	8.09	32.36	33.36	75.95	30.41	8.1	32.06	33.07	75.8	1.0	0.326	0.176	0.208	0.163	1.461	11000283	(ANY_WN20)	30	8	32 %	
30.23	8.42	43.33	44.14	79.0	30.32	8.41	42.9	43.71	78.9	1.0	0.441	0.178	0.214	0.17	1.206	11000284	(ANY_WN20)	30	8	43 %	
29.99	2.44	42.11	42.18	86.67	30.12	2.39	41.56	41.63	86.69	1.0	0.564	0.226	0.268	0.213	1.528	11000285	(ANY_WN20)	30	2	42 %	
45.59	-81.07	-12.48	82.02	188.75	45.69	-80.6	-12.44	81.56	188.77	1.0	0.477	0.139	0.168	0.136	1.1	11000286	(TDM_WN60)	46	-81	-12 %	
45.67	-51.53	-9.47	52.39	190.42	45.72	-51.4	-9.47	52.26	190.43	1.0	0.141	0.067	0.067	0.065	0.604	11000287	(TDM_WN60)	46	-51	-9 %	
46.61	-28.08	-6.08	28.73	192.22	46.7	-27.97	-6.07	28.62	192.25	1.0	0.146	0.105	0.094	0.103	0.995	11000288	(TDM_WN60)	47	-28	-6 %	
47.97	-15.21	-3.97	15.72	194.65	48.06	-15.17	-3.96	15.68	194.63	1.0	0.099	0.092	0.076	0.092	0.927	11000289	(TDM_WN60)	48	-15	-4 %	
48.58	-6.31	-2.27	6.71	199.8	48.66	-6.29	-2.26	6.68	199.79	1.0	0.078	0.077	0.063	0.078	0.771	11000290	(TDM_WN60)	49	-6	-2 %	
47.66	-0.64	-0.9	1.11	234.45	47.75	-0.65	-0.91	1.11	234.45	1.0	0.089	0.089	0.071	0.088	0.928	11000291	(TDM_WN60)	48	-1	-1 %	
46.68	29.49	-5.09	29.93	350.19	46.73	29.46	-5.08	29.89	350.2	1.0	0.063	0.054	0.046	0.053	0.566	11000292	(TDM_WN60)	47	29	-5 %	
46.92	59.57	-10.35	60.47	350.13	47.0	59.45	-10.32	60.34	350.14	1.0	0.153	0.086	0.079	0.084	0.911	11000293	(TDM_WN60)	47	60	-10 %	
48.22	79.33	-14.35	80.61	349.74	48.32	79.15	-14.3	80.43	349.75	1.0	0.209	0.108	0.099	0.107	1.177	11000294	(TDM_WN60)	48	79	-14 %	
48.4	92.18	-17.21	93.77	349.42	48.51	91.99	-17.18	93.58	349.42	1.0	0.222	0.118	0.106	0.117	1.294	11000295	(TDM_WN60)	48	92	-17 %	
48.49	100.85	-19.73	102.76	348.92	48.6	100.6	-19.66	102.5	348.93	1.0	0.284	0.121	0.117	0.121	1.371	11000296	(TDM_WN60)	49	101	-20 %	
59.08	0.15	1.17	1.18	82.33	59.17	0.15	1.17	1.18	82.33	1.0	0.082	0.082	0.058	0.073	0.773	11000297	(WDN_WN60)	59	0	1 %	
47.88	-0.06	-0.48	0.48	262.13	47.97	-0.06	-0.48	0.48	262.13	1.0	0.089	0.089	0.071	0.087	0.92	11000298	(WDN_WN60)	48	0	0 %	
38.53	-0.1	-1.31	1.31	265.3	38.63	-0.1	-1.31	1.32	265.3	1.0	0.104	0.104	0.096	0.09	1.163	11000299	(WDN_WN60)	39	0	-1 %	

see similar files: <http://130.149.60.45/~farbmetrik/UE51/UE51L0NP.PDF> / .PS
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

%L*0	a*0	b*0	C*ab0	hab0	L*1	a*1	b*1	C*ab1	hab1	DV	dE*ab	dE*94	dE*CM	dE*00	dE*85	NR	Code	L*	a*	b*	%
%CIELAB data for all colour (a) of experiment, iim=330, Richter threshold data %																					
31.73	-0.07	-1.35	1.35	267.03	31.82	-0.07	-1.35	1.36	267.03	1.0	0.091	0.091	0.096	0.072	1.044	11000300	(WDN_WN60)	32	0	-1 %	
26.09	-0.08	-0.99	0.99	265.31	26.21	-0.08	-0.99	0.99	265.31	1.0	0.117	0.117	0.143	0.086	1.34	11000301	(WDN_WN60)	26	0	-1 %	
21.26	-0.09	-0.54	0.55	260.38	21.37	-0.09	-0.54	0.55	260.38	1.0	0.112	0.112	0.16	0.078	1.241	11000302	(WDN_WN60)	21	0	-1 %	
16.91	0.09	-0.02	0.1	344.31	17.06	0.09	-0.02	0.1	344.31	1.0	0.143	0.143	0.248	0.096	1.486	11000303	(WDN_WN60)	17	0	0 %	
14.23	0.47	0.41	0.62	41.05	14.34	0.46	0.4	0.61	41.47	1.0	0.114	0.114	0.222	0.075	1.102	11000304	(WDN_WN60)	14	0	0 %	
11.06	0.58	0.94	1.1	58.05	11.2	0.57	0.92	1.09	58.07	1.0	0.142	0.142	0.277	0.091	1.234	11000305	(WDN_WN60)	11	1	1 %	
8.3	0.68	1.56	1.7	66.38	8.48	0.67	1.55	1.69	66.48	1.0	0.175	0.175	0.342	0.108	1.347	11000306	(WDN_WN60)	8	1	2 %	
5.69	0.64	1.43	1.56	65.83	5.87	0.64	1.43	1.57	65.8	1.0	0.18	0.18	0.353	0.109	1.454	11000307	(WDN_WN60)	6	1	1 %	
129.39	0.67	0.25	0.72	20.87	129.68	0.67	0.25	0.72	20.87	1.0	0.294	0.294	0.14	0.134	1.548	11000308	(QPN_QN60)	130	1	0 %	
107.25	-0.54	-2.56	2.61	258.04	107.49	-0.54	-2.56	2.62	258.04	1.0	0.235	0.235	0.121	0.127	1.448	11000309	(QPN_QN60)	107	-1	-3 %	
88.99	-0.83	-3.64	3.74	257.07	89.18	-0.83	-3.65	3.74	257.07	1.0	0.193	0.193	0.108	0.122	1.372	11000310	(QPN_QN60)	89	-1	-4 %	
75.87	-0.77	-3.49	3.57	257.52	76.04	-0.77	-3.49	3.58	257.52	1.0	0.172	0.172	0.105	0.124	1.373	11000311	(QPN_QN60)	76	-1	-3 %	
65.21	-0.43	-2.64	2.68	260.58	65.35	-0.44	-2.65	2.69	260.58	1.0	0.141	0.141	0.093	0.116	1.247	11000312	(QPN_QN60)	65	0	-3 %	
56.68	0.11	-1.95	1.95	273.24	56.83	0.11	-1.95	1.95	273.24	1.0	0.147	0.147	0.105	0.135	1.405	11000313	(QPN_QN60)	57	0	-2 %	
49.13	0.46	-0.81	0.93	299.97	49.25	0.46	-0.81	0.93	299.97	1.0	0.122	0.122	0.095	0.122	1.251	11000314	(QPN_QN60)	49	0	-1 %	
42.5	0.89	0.25	0.92	15.64	42.65	0.89	0.25	0.93	15.64	1.0	0.151	0.151	0.13	0.138	1.636	11000315	(QPN_QN60)	43	1	0 %	
36.29	1.28	1.41	1.91	47.6	36.44	1.27	1.39	1.89	47.67	1.0	0.153	0.152	0.147	0.129	1.708	11000316	(QPN_QN60)	36	1	1 %	
30.87	1.67	2.43	2.95	55.39	31.02	1.66	2.42	2.94	55.49	1.0	0.142	0.142	0.153	0.112	1.625	11000317	(QPN_QN60)	31	2	2 %	
25.75	1.99	3.38	3.93	59.46	25.9	1.99	3.35	3.9	59.29	1.0	0.153	0.151	0.188	0.114	1.702	11000318	(QPN_QN60)	26	2	3 %	
27.0	-0.51	-1.74	1.82	253.46	27.19	-0.51	-1.72	1.79	253.2	1.0	0.197	0.197	0.235	0.148	2.249	11000319	(OPN_ON60)	27	-1	-2 %	
20.65	-0.74	-2.33	2.45	252.25	20.84	-0.73	-2.31	2.42	252.3	1.0	0.194	0.194	0.285	0.136	2.121	11000320	(OPN_ON60)	21	-1	-2 %	
15.11	-0.72	-2.49	2.59	253.81	15.32	-0.7	-2.46	2.56	254.07	1.0	0.215	0.215	0.419	0.144	2.126	11000321	(OPN_ON60)	15	-1	-2 %	
11.09	-0.62	-2.25	2.33	254.44	11.31	-0.62	-2.22	2.3	254.4	1.0	0.213	0.212	0.414	0.136	1.845	11000322	(OPN_ON60)	11	-1	-2 %	
7.85	-0.5	-2.0	2.06	255.78	8.12	-0.89	-1.82	2.03	243.82	1.0	0.507	0.496	0.784	0.602	1.36	11000323	(OPN_ON60)	8	-1	-2 %	
5.6	-0.31	-1.19	1.23	255.07	5.78	-0.31	-1.19	1.23	255.21	1.0	0.18	0.18	0.353	0.108	1.455	11000324	(OPN_ON60)	6	0	-1 %	
4.06	-0.18	-0.67	0.7	254.62	4.24	-0.18	-0.67	0.7	254.79	1.0	0.18	0.18	0.353	0.107	1.527	11000325	(OPN_ON60)	4	0	-1 %	
2.61	-0.1	-0.3	0.32	250.56	2.8	-0.1	-0.3	0.32	250.56	1.0	0.18	0.18	0.353	0.105	1.603	11000326	(OPN_ON60)	3	0	0 %	
2.07	0.05	-0.11	0.13	293.5	2.25	0.05	-0.12	0.13	294.04	1.0	0.18	0.18	0.353	0.105	1.633	11000327	(OPN_ON60)	2	0	0 %	
1.44	0.08	0.03	0.09	24.71	1.62	0.09	0.03	0.09	21.6	1.0	0.18	0.18	0.353	0.105	1.67	11000328	(OPN_ON60)	2	0	0 %	
0.99	0.09	0.11	0.15	49.98	1.17	0.1	0.12	0.16	50.34	1.0	0.18	0.18	0.353	0.104	1.697	11000329	(OPN_ON60)	1	0	0 %	

TUB registration: 20140801-UE51/UE51L0NP.PDF /.PS
application for measurement of display or printer output, no separation
TUB material: code=rha4ta

%L*	a*	b*	C*ab	hab	L*1	a*1	b*1	C*ab1	hab1	DV	dE*ab	dE*94	dE*CM	dE*00	dE*85	NR	Code	L*	a*	b*
%CIELAB data for all colour (a) of experiment, iim=330, Richter threshold data %																				
Minimum, maximum and average colour difference value																				
STRESS constant F and STRESS value S																				
iai+1 = 330, d_CIELABmin = 0.05, d_CIELABmax = 4.85, d_CIELABave = 0.9																				
iai+1 = 330, CIELAB_Fa = 0.9, CIELAB_STRESSa = 61.04																				
iai+1 = 330, d_CIELCHmin = 0.05, d_CIELCHmax = 4.85, d_CIELCHave = 0.9																				
iai+1 = 330, CIELCHFa = 0.9, CIELCHSTRESSa = 61.04																				
iai+1 = 330, d_C94LCHmin = 0.05, d_C94LCHmax = 1.72, d_C94LCHave = 0.52																				
iai+1 = 330, C94LCHFa = 0.52, C94LCHSTRESSa = 47.82																				
iai+1 = 330, d_CCMLCHmin = 0.04, d_CCMLCHmax = 2.49, d_CCMLCHave = 0.73																				
iai+1 = 330, CCMLCHFa = 0.73, CCMLCHSTRESSa = 50.08																				
iai+1 = 330, d_C00LCHmin = 0.05, d_C00LCHmax = 1.72, d_C00LCHave = 0.59																				
iai+1 = 330, C00LCHFa = 0.59, C00LCHSTRESSa = 52.55																				
iai+1 = 330, d_C85LCHmin = 0.54, d_C85LCHmax = 3.91, d_C85LCHave = 1.86																				
iai+1 = 330, C85LCHFa = 1.86, C85LCHSTRESSa = 30.23																				

%XS2	YS2	ZS2	X02	Y02	Z02	X12	Y12	Z12	DV2	dE*ab	dE*CH	dE*94	dE*CM	dE*00	dE*85	NR	Code	L*	a*	b*	%
%CIEXYZ*1000 data for colours (2) of experiment with CIELAB dE*ab<=2, iim=305, Richter threshold data %																					
0095189	0100000	0044159	0000423	0000450	0000217	0000442	0000470	0000226	0001000	00180	00180	00180	00353	00107	01527	11000300	(WDN_WN60)	32	0	-1	%
0095189	0100000	0044159	0000273	0000290	0000136	0000292	0000310	0000145	0001000	00180	00180	00180	00353	00105	01603	11000301	(WDN_WN60)	26	0	-1	%
0095189	0100000	0044159	0000220	0000229	0000104	0000239	0000250	0000113	0001000	00180	00180	00180	00353	00105	01633	11000302	(WDN_WN60)	21	0	-1	%
0095189	0100000	0044159	0000154	0000160	0000069	0000173	0000180	0000078	0001000	00180	00180	00180	00353	00105	01670	11000303	(WDN_WN60)	17	0	0	%
0095189	0100000	0044159	0000107	0000110	0000045	0000126	0000130	0000053	0001000	00180	00180	00180	00353	00104	01697	11000304	(WDN_WN60)	14	0	0	%

see similar files: <http://130.149.60.45/~farbmetrik/UE51/UE51.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20140801-UE51/UE51L0NP.PDF /.PS TUB material: code=rha4ta
application for measurement of display or printer output, no separation

%XS2	YS2	ZS2	X02	Y02	Z02	X12	Y12	Z12	DV2	dE*ab	dE*CH	dE*94	dE*CM	dE*00	dE*85	NR	Code	L*	a*	b*	%
%CIEXYZ*1000 data for colours (2) of experiment with CIELAB dE*ab<=2, iim=305, Richter threshold data %																					
Minimum, maximum and average colour difference value																					
STRESS constant F and STRESS value S																					
i2i+1 = 305, d_CIELABmin2 = 0.05, d_CIELABmax2 = 1.89, d_CIELABave2 = 0.74																					
i2i+1 = 305, CIELABF2 = 0.74, CIELABSTRESS2 = 49.15																					
i2i+1 = 305, d_CIELCHmin2 = 0.05, d_CIELCHmax2 = 1.89, d_CIELCHave2 = 0.74																					
i2i+1 = 305, CIELCHF2 = 0.74, CIELCHSTRESS2 = 49.15																					
i2i+1 = 305, d_C94LCHmin2 = 0.05, d_C94LCHmax2 = 1.72, d_C94LCHave2 = 0.5																					
i2i+1 = 305, C94LCHF2 = 0.5, C94LCHSTRESS2 = 48.96																					
i2i+1 = 305, d_CCMLCHmin2 = 0.04, d_CCMLCHmax2 = 2.49, d_CCMLCHave2 = 0.71																					
i2i+1 = 305, CCMLCHF2 = 0.71, CCMLCHSTRESS2 = 51.35																					
i2i+1 = 305, d_C00LCHmin2 = 0.05, d_C00LCHmax2 = 1.72, d_C00LCHave2 = 0.58																					
i2i+1 = 305, C00LCHF2 = 0.58, C00LCHSTRESS2 = 54.28																					
i2i+1 = 305, d_C85LCHmin2 = 0.54, d_C85LCHmax2 = 3.36, d_C85LCHave2 = 1.82																					
i2i+1 = 305, C85LCHF2 = 1.82, C85LCHSTRESS2 = 30.24																					

see similar files: <http://130.149.60.45/~farbmetrik/UE51/UE51L0NP.PDF> / .PS
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

%L*a*b*	a*02	b*02	C*ab02	hab02	L*12	a*12	b*12	C*ab12	hab12	DV2	dE*ab	dE*94	dE*CM	dE*00	dE*85	NR	Code	L*	a*	b*	%
%CIELAB data for colours (2) of experiment with CIELAB dE*ab<=2, iim=305, Richter threshold data %																					
47.51	-33.96	16.73	37.86	153.76	47.52	-32.58	17.33	36.91	151.98	1.0	1.504	0.82	0.834	0.753	2.265	11000100	(RDC_RC60)	47	55	30 %	
48.16	-18.76	8.48	20.59	155.66	48.17	-17.81	8.86	19.89	153.54	1.0	1.023	0.677	0.746	0.71	1.9	11000101	(RDC_RC60)	47	41	10 %	
47.89	-8.04	3.0	8.58	159.5	47.91	-7.22	3.31	7.95	155.37	1.0	0.869	0.698	0.887	0.874	1.886	11000102	(RDC_RC60)	48	24	9 %	
47.65	-0.46	-0.94	1.05	244.0	47.66	0.21	-0.7	0.73	287.12	1.0	0.719	0.704	1.028	1.025	1.739	11000103	(RDC_RC60)	48	11	3 %	
45.73	7.93	-5.45	9.63	325.52	45.75	8.8	-5.14	10.19	329.69	1.0	0.913	0.741	1.361	0.895	2.232	11000104	(RDC_RC60)	48	0	-1 %	
44.49	18.85	-11.56	22.11	328.46	44.51	19.77	-11.25	22.75	330.35	1.0	0.972	0.639	1.086	0.644	2.347	11000105	(RDC_RC60)	47	-13	-3 %	
44.34	27.37	-16.26	31.84	329.28	44.35	28.28	-15.96	32.47	330.55	1.0	0.956	0.549	0.888	0.517	2.258	11000106	(RDC_RC60)	48	-31	-6 %	
43.63	33.53	-19.44	38.76	329.89	43.64	34.44	-19.14	39.41	330.92	1.0	0.957	0.504	0.803	0.467	2.231	11000107	(RDC_RC60)	49	-43	-7 %	
43.17	38.89	-22.22	44.79	330.24	43.18	39.8	-21.93	45.45	331.14	1.0	0.961	0.473	0.75	0.433	2.208	11000108	(RDC_RC60)	50	-54	-8 %	
45.69	-52.39	-9.67	53.28	190.45	45.7	-50.54	-9.27	51.38	190.39	1.0	1.894	0.558	0.717	0.565	2.454	11000109	(RDC_RC60)	50	-65	-9 %	
46.65	-28.73	-6.27	29.41	192.32	46.66	-27.32	-5.88	27.94	192.15	1.0	1.465	0.632	0.736	0.659	2.526	11000110	(GDV_RC60)	49	-83	50 %	
48.01	-15.7	-4.13	16.23	194.73	48.02	-14.68	-3.8	15.17	194.54	1.0	1.067	0.617	0.715	0.741	2.133	11000111	(GDV_RC60)	48	-57	32 %	
48.61	-6.65	-2.38	7.07	199.72	48.62	-5.94	-2.14	6.32	199.87	1.0	0.748	0.567	0.712	0.757	1.657	11000112	(GDV_RC60)	48	-33	17 %	
47.71	-0.93	-1.0	1.37	227.2	47.71	-0.36	-0.81	0.89	245.63	1.0	0.598	0.571	0.83	0.827	1.426	11000113	(GDV_RC60)	48	-18	9 %	
46.7	29.14	-5.22	29.6	349.83	46.71	29.81	-4.95	30.22	350.55	1.0	0.719	0.37	0.587	0.351	1.695	11000114	(GDV_RC60)	48	-8	3 %	
46.95	59.08	-10.53	60.01	349.89	46.96	59.95	-10.14	60.8	350.39	1.0	0.952	0.351	0.583	0.314	2.189	11000115	(GDV_RC60)	48	0	-1 %	
48.26	78.75	-14.55	80.09	349.53	48.27	79.72	-14.1	80.96	349.96	1.0	1.068	0.338	0.593	0.294	2.402	11000116	(GDV_RC60)	46	8	-5 %	
48.45	91.65	-17.39	93.28	349.25	48.46	92.52	-16.99	94.07	349.59	1.0	0.964	0.277	0.506	0.238	2.122	11000117	(GDV_RC60)	45	19	-11 %	
48.53	100.22	-19.93	102.18	348.75	48.56	101.23	-19.46	103.09	349.11	1.0	1.111	0.303	0.567	0.258	2.415	11000118	(GDV_RC60)	44	28	-16 %	
48.67	-4.4	-24.22	24.62	259.7	48.69	-5.4	-23.89	24.5	257.25	1.0	1.056	0.768	0.904	0.842	2.469	11000119	(GDV_RC60)	44	34	-19 %	
48.14	-2.36	-18.47	18.62	262.71	48.17	-3.24	-18.18	18.47	259.89	1.0	0.927	0.72	0.918	0.922	2.224	11000120	(TDM_RC60)	43	39	-22 %	
48.62	-1.68	-12.02	12.14	262.0	48.64	-2.54	-11.69	11.96	257.71	1.0	0.919	0.772	1.082	1.06	2.259	11000121	(TDM_RC60)	46	-81	-12 %	
48.8	-1.17	-7.56	7.65	261.16	48.83	-2.0	-7.24	7.51	254.55	1.0	0.886	0.792	1.156	1.105	2.163	11000122	(TDM_RC60)	46	-51	-9 %	
48.89	-0.17	-3.68	3.68	267.2	48.92	-0.97	-3.33	3.47	253.67	1.0	0.869	0.82	1.133	1.169	2.173	11000123	(TDM_RC60)	47	-28	-6 %	
47.59	-0.05	-0.5	0.5	263.82	47.62	-0.86	-0.13	0.87	188.62	1.0	0.894	0.885	1.337	1.239	2.271	11000124	(TDM_RC60)	48	-15	-4 %	
47.27	2.97	10.32	10.74	73.93	47.3	2.27	10.71	10.95	77.99	1.0	0.797	0.677	1.253	0.998	1.878	11000125	(TDM_RC60)	49	-6	-2 %	
51.76	4.78	27.26	27.68	80.04	51.79	3.97	27.88	28.16	81.88	1.0	1.023	0.672	0.991	0.811	2.017	11000126	(TDM_RC60)	48	-1	-1 %	
49.19	5.92	37.81	38.27	81.08	49.21	5.03	38.67	39.0	82.57	1.0	1.238	0.691	0.961	0.802	2.188	11000127	(TDM_RC60)	47	29	-5 %	
49.59	7.12	52.93	53.4	82.33	49.61	6.23	54.29	54.64	83.45	1.0	1.624	0.688	0.933	0.8	2.156	11000128	(TDM_RC60)	47	60	-10 %	
46.73	55.06	29.49	62.46	28.17	46.76	54.31	30.34	62.21	29.19	1.0	1.135	0.575	1.066	0.628	1.957	11000129	(TDM_RC60)	48	79	-14 %	
47.24	41.71	9.59	42.8	12.95	47.27	40.81	10.19	42.07	14.02	1.0	1.083	0.545	0.973	0.535	2.455	11000130	(TDM_RC60)	48	92	-17 %	
47.91	24.5	8.63	25.98	19.4	47.94	23.6	9.19	25.33	21.27	1.0	1.062	0.674	1.279	0.69	2.474	11000131	(TDM_RC60)	49	101	-20 %	
48.0	11.51	3.06	11.91	14.89	48.03	10.79	3.42	11.32	17.61	1.0	0.808	0.606	1.188	0.706	1.99	11000132	(BDY_GV60)	49	-5	-24 %	
47.81	0.01	-1.17	1.17	270.68	47.84	-0.78	-0.81	1.13	226.38	1.0	0.87	0.855	1.238	1.206	2.199	11000133	(BDY_GV60)	48	-3	-18 %	
47.05	-12.07	-3.26	12.5	195.12	47.07	-13.1	-2.83	13.4	192.22	1.0	1.118	0.8	0.94	0.933	2.476	11000134	(BDY_GV60)	49	-2	-12 %	
47.87	-30.61	-5.96	31.18	191.03	47.91	-32.15	-5.46	32.61	189.64	1.0	1.627	0.796	0.857	0.8	2.868	11000135	(BDY_GV60)	49	-2	-7 %	
49.14	-41.78	-7.39	42.43	190.04	49.18	-43.46	-6.88	44.01	189.0	1.0	1.763	0.723	0.793	0.724	2.766	11000136	(BDY_GV60)	49	-1	-4 %	
49.52	-53.35	-8.59	54.04	189.14	49.56	-55.12	-8.09	55.71	188.35	1.0	1.839	0.643	0.734	0.645	2.595	11000137	(BDY_GV60)	48	0	0 %	
47.5	-32.59	16.7	36.62	152.87	47.54	-33.95	17.37	38.13	152.9	1.0	1.514	0.573	0.683	0.568	2.347	11000138	(BDY_GV60)	47	3	11 %	
48.15	-17.66	8.39	19.55	154.59	48.19	-18.9	8.95	20.91	154.65	1.0	1.356	0.722	0.832	0.792	2.597	11000139	(BDY_GV60)	52	4	28 %	
47.89	-7.1	2.92	7.68	157.6	47.91	-8.15	3.38	8.83	157.44	1.0	1.148	0.853	1.06	1.067	2.569	11000140	(BDY_GV60)	49	5	38 %	
47.64	0.27	-1.0	1.03	285.33	47.67	-0.51	-0.64	0.82	231.34	1.0	0.867	0.853	1.246	1.216	2.199	11000141	(BDY_GV60)	50	7	54 %	
45.72	8.85	-5.5	10.42	328.12	45.75	7.89	-5.09	9.39	327.15	1.0	1.044	0.716	0.894	0.925	2.671	11000142	(BDY_GV60)	50	7	73 %	
44.48	19.81	-11.62	22.97	329.61	44.51	18.81	-11.2	21.89	329.22	1.0	1.089	0.543	0.646	0.6	2.793	11000143	(RDC_GV60)	48	70	52 %	
44.32	28.38	-16.35	32.75	330.05	44.36	27.27	-15.88	31.56	329.78	1.0	1.207	0.496	0.596	0.506	3.134	11000144	(RDC_GV60)	47	55	30 %	
43.61	34.55	-19.53	39.69	330.52	43.66	33.42	-19.06	38.48	330.3	1.0	1.218	0.445	0.549	0.449	3.148	11000145	(RDC_GV60)	47	41	10 %	
43.15	39.88	-22.3	45.69	330.78	43.2	38.81	-21.86	44.55	330.61	1.0	1.156	0.386	0.486	0.388	2.997	11000146	(RDC_GV60)	48	24	9 %	
46.64	-27.38	-6.3	28.1	192.96	46.67	-28.66	-5.86	29.25	191.55	1.0	1.354	0.712	0.76	0.722	2.518	11000147	(RDC_GV60)	48	11	3 %	
48.0	-14.66	-4.16	15.24	195.87	48.03	-15.72	-3.77	16.17	193.48	1.0	1.132	0.764	0.869	0.867	2.377	11000148	(RDC_GV60)	48	0	-1 %	
48.61	-5.84	-2.45	6.34	202.79	48.63	-6.75	-2.08	7.06	197.11	1.0	0.984	0.828	1.064	1.048	2.288	11000149	(RDC_GV60)	47	-13	-3 %	

see similar files: <http://130.149.60.45/~farbmetrik/UE51/UE51L0NP.PDF> / .PS
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

%L*02	a*02	b*02	C*ab02	hab02	L*12	a*12	b*12	C*ab12	hab12	DV2	dE*ab	dE*94	dE*CM	dE*00	dE*85	NR	Code	L*	a*	b*	%
%CIELAB data for colours (2) of experiment with CIELAB dE*ab<=2, iim=305, Richter											threshold data %										
47.7	-0.25	-0.92	0.96	254.67	47.72	-1.04	-0.89	1.37	220.49	1.0	0.793	0.776	1.141	1.136	1.71	11000200	(RDC_TM60)	47	41	10 %	
46.7	29.97	-5.11	30.4	350.31	46.71	28.98	-5.06	29.42	350.08	1.0	0.992	0.424	0.511	0.436	1.995	11000201	(RDC_TM60)	48	24	9 %	
46.95	59.99	-10.36	60.88	350.19	46.96	59.03	-10.31	59.93	350.08	1.0	0.958	0.262	0.358	0.261	1.7	11000202	(RDC_TM60)	48	11	3 %	
48.26	79.79	-14.34	81.07	349.8	48.27	78.69	-14.3	79.98	349.69	1.0	1.099	0.245	0.371	0.242	1.76	11000203	(RDC_TM60)	48	0	-1 %	
48.45	92.61	-17.21	94.2	349.46	48.46	91.56	-17.17	93.16	349.37	1.0	1.053	0.208	0.335	0.206	1.587	11000204	(RDC_TM60)	47	-13	-3 %	
48.53	101.28	-19.72	103.18	348.98	48.56	100.17	-19.68	102.09	348.88	1.0	1.104	0.206	0.344	0.202	1.63	11000205	(RDC_TM60)	48	-31	-6 %	
59.12	0.44	1.15	1.23	69.07	59.13	-0.12	1.18	1.19	96.13	1.0	0.57	0.56	0.812	0.845	1.12	11000206	(RDC_TM60)	49	-43	-7 %	
47.93	0.17	-0.49	0.52	289.95	47.93	-0.31	-0.46	0.56	236.31	1.0	0.491	0.488	0.734	0.729	1.066	11000207	(RDC_TM60)	50	-54	-8 %	
38.58	0.13	-1.32	1.33	275.98	38.58	-0.35	-1.3	1.35	254.76	1.0	0.494	0.484	0.697	0.726	1.15	11000208	(RDC_TM60)	50	-65	-9 %	
31.78	0.17	-1.36	1.37	277.38	31.78	-0.31	-1.34	1.38	256.72	1.0	0.495	0.485	0.697	0.729	1.189	11000209	(RDC_TM60)	49	-83	-9 %	
26.15	0.18	-1.0	1.01	280.26	26.15	-0.34	-0.98	1.03	250.64	1.0	0.526	0.518	0.757	0.777	1.262	11000210	(GDV_TM60)	48	-57	32 %	
21.31	0.17	-0.55	0.58	287.72	21.31	-0.36	-0.53	0.64	235.74	1.0	0.543	0.538	0.807	0.804	1.26	11000211	(GDV_TM60)	48	-33	17 %	
16.98	0.4	-0.04	0.4	354.1	16.98	-0.21	-0.01	0.21	183.33	1.0	0.615	0.611	0.93	0.916	1.339	11000212	(GDV_TM60)	48	-18	9 %	
14.28	0.77	0.39	0.87	26.9	14.28	0.15	0.42	0.45	69.88	1.0	0.623	0.608	0.905	0.909	1.269	11000213	(GDV_TM60)	48	-8	3 %	
11.13	0.93	0.91	1.3	44.63	11.13	0.23	0.94	0.97	76.18	1.0	0.697	0.678	0.987	1.014	1.273	11000214	(GDV_TM60)	48	0	-1 %	
8.39	1.04	1.54	1.86	55.91	8.39	0.31	1.57	1.6	78.63	1.0	0.726	0.702	1.005	1.053	1.169	11000215	(GDV_TM60)	46	8	-5 %	
5.78	1.0	1.41	1.73	54.72	5.78	0.28	1.44	1.47	78.77	1.0	0.717	0.694	0.996	1.04	1.182	11000216	(GDV_TM60)	45	19	-11 %	
129.53	1.24	0.2	1.25	9.28	129.54	0.11	0.31	0.33	70.55	1.0	1.136	1.089	1.597	1.631	1.317	11000217	(GDV_TM60)	44	28	-16 %	
107.36	-0.08	-2.63	2.63	268.19	107.37	-1.0	-2.49	2.69	248.11	1.0	0.93	0.894	1.238	1.313	1.252	11000218	(GDV_TM60)	44	34	-19 %	
89.08	-0.38	-3.7	3.72	264.02	89.09	-1.28	-3.6	3.82	250.32	1.0	0.905	0.856	1.181	1.249	1.407	11000219	(GDV_TM60)	43	39	-22 %	
75.95	-0.37	-3.54	3.56	263.88	75.96	-1.16	-3.45	3.64	251.3	1.0	0.793	0.752	1.036	1.099	1.382	11000220	(TDM_TM60)	46	-81	-12 %	
65.28	-0.06	-2.69	2.69	268.66	65.29	-0.81	-2.6	2.73	252.61	1.0	0.759	0.729	1.009	1.078	1.464	11000221	(TDM_TM60)	46	-51	-9 %	
56.75	0.44	-1.99	2.04	282.66	56.76	-0.22	-1.91	1.92	263.26	1.0	0.678	0.657	0.925	0.994	1.427	11000222	(TDM_TM60)	47	-28	-6 %	
49.18	0.82	-0.84	1.18	314.37	49.19	0.1	-0.77	0.78	278.01	1.0	0.72	0.7	1.023	1.049	1.626	11000223	(TDM_TM60)	48	-15	-4 %	
42.58	1.19	0.22	1.21	10.7	42.58	0.59	0.27	0.65	24.81	1.0	0.602	0.573	0.845	0.851	1.43	11000224	(TDM_TM60)	49	-6	-2 %	
36.36	1.59	1.36	2.09	40.58	36.36	0.96	1.44	1.74	56.14	1.0	0.629	0.599	0.856	0.878	1.552	11000225	(TDM_TM60)	48	-1	-1 %	
30.94	2.04	2.38	3.14	49.46	30.94	1.3	2.47	2.79	62.16	1.0	0.741	0.695	1.0	1.021	1.86	11000226	(TDM_TM60)	47	29	-5 %	
25.83	2.32	3.33	4.06	55.16	25.83	1.66	3.4	3.79	63.88	1.0	0.655	0.607	0.905	0.893	1.633	11000227	(TDM_TM60)	47	60	-10 %	
27.1	-0.21	-1.76	1.77	263.17	27.1	-0.82	-1.7	1.89	244.13	1.0	0.618	0.601	0.847	0.883	1.543	11000228	(TDM_TM60)	48	79	-14 %	
20.75	-0.4	-2.36	2.39	260.21	20.75	-1.07	-2.29	2.53	244.78	1.0	0.676	0.651	0.901	0.949	1.605	11000229	(TDM_TM60)	48	92	-17 %	
15.22	-0.33	-2.51	2.53	262.49	15.22	-1.09	-2.44	2.68	245.88	1.0	0.767	0.737	1.02	1.078	1.644	11000230	(TDM_TM60)	49	101	-20 %	
11.2	-0.2	-2.27	2.28	264.8	11.2	-1.03	-2.19	2.42	244.68	1.0	0.835	0.806	1.121	1.181	1.571	11000231	(WDN_TM60)	59	0	1 %	
7.94	-0.06	-2.03	2.03	268.12	7.94	-0.94	-1.95	2.16	244.11	1.0	0.884	0.856	1.199	1.26	1.446	11000232	(WDN_TM60)	48	0	0 %	
5.69	0.09	-1.23	1.23	274.59	5.69	-0.72	-1.15	1.36	237.81	1.0	0.828	0.812	1.174	1.201	1.451	11000233	(WDN_TM60)	39	0	-1 %	
4.15	0.18	-0.71	0.73	284.68	4.15	-0.55	-0.64	0.84	229.41	1.0	0.741	0.732	1.088	1.088	1.365	11000234	(WDN_TM60)	32	0	-1 %	
2.7	0.25	-0.33	0.42	307.45	2.7	-0.46	-0.28	0.54	211.08	1.0	0.724	0.719	1.091	1.072	1.395	11000235	(WDN_TM60)	26	0	-1 %	
2.16	0.41	-0.15	0.44	339.63	2.16	-0.3	-0.08	0.31	196.04	1.0	0.723	0.718	1.089	1.074	1.416	11000236	(WDN_TM60)	21	0	-1 %	
1.53	0.38	0.01	0.38	2.33	1.53	-0.2	0.05	0.21	163.86	1.0	0.593	0.589	0.897	0.883	1.183	11000237	(WDN_TM60)	17	0	0 %	
1.08	0.4	0.1	0.42	14.0	1.08	-0.19	0.13	0.23	144.42	1.0	0.602	0.598	0.909	0.897	1.21	11000238	(WDN_TM60)	14	0	0 %	
48.64	-4.9	-24.08	24.57	258.48	48.72	-4.9	-24.04	24.53	258.47	1.0	0.095	0.088	0.071	0.088	0.943	11000239	(WDN_TM60)	11	1	1 %	
48.13	-2.8	-18.33	18.55	261.31	48.18	-2.8	-18.31	18.53	261.3	1.0	0.054	0.051	0.042	0.051	0.541	11000240	(WDN_TM60)	8	1	2 %	
48.59	-2.11	-11.87	12.05	259.87	48.67	-2.11	-11.85	12.03	259.86	1.0	0.077	0.075	0.061	0.075	0.779	11000241	(WDN_TM60)	6	1	1 %	
48.78	-1.58	-7.41	7.58	257.9	48.85	-1.58	-7.39	7.55	257.87	1.0	0.078	0.076	0.063	0.076	0.773	11000242	(QPN_TM60)	130	1	0 %	
48.87	-0.57	-3.5	3.55	260.62	48.94	-0.57	-3.51	3.56	260.62	1.0	0.074	0.074	0.058	0.073	0.759	11000243	(QPN_TM60)	107	-1	-3 %	
47.57	-0.46	-0.31	0.56	214.61	47.64	-0.46	-0.31	0.56	214.61	1.0	0.077	0.077	0.061	0.075	0.799	11000244	(QPN_TM60)	89	-1	-4 %	
47.26	2.62	10.53	10.85	76.0	47.31	2.62	10.5	10.82	75.97	1.0	0.058	0.054	0.047	0.054	0.548	11000245	(QPN_TM60)	76	-1	-3 %	
51.75	4.39	27.61	27.96	80.96	51.8	4.36	27.53	27.87	80.98	1.0	0.1	0.067	0.061	0.067	0.596	11000246	(QPN_TM60)	65	0	-3 %	
49.16	5.49	38.32	38.71	81.84	49.24	5.47	38.15	38.54	81.83	1.0	0.189	0.097	0.096	0.097	0.802	11000247	(QPN_TM60)	57	0	-2 %	
49.56	6.68	53.76	54.18	82.91	49.64	6.66	53.44	53.86	82.89	1.0	0.328	0.118	0.133	0.119	0.797	11000248	(QPN_TM60)	49	0	-1 %	
50.06	7.23	73.72	74.07	84.39	50.13	7.21	72.92	73.28	84.34	1.0	0.799	0.198	0.27	0.2	0.791	11000249	(QPN_TM60)	43	1	0 %	

%L*02	a*02	b*02	C*ab02	hab02	L*12	a*12	b*12	C*ab12	hab12	DV2	dE*ab	dE*94	dE*CM	dE*00	dE*85	NR	Code	L*	a*	b*	%
%CIELAB data for colours (2) of experiment with CIELAB dE*ab<=2, iim=305, Richter threshold data %																					
4.06	-0.18	-0.67	0.7	254.62	4.24	-0.18	-0.67	0.7	254.79	1.0	0.18	0.18	0.353	0.107	1.527	11000300	(WDN_WN60)	32	0	-1	%
2.61	-0.1	-0.3	0.32	250.56	2.8	-0.1	-0.3	0.32	250.56	1.0	0.18	0.18	0.353	0.105	1.603	11000301	(WDN_WN60)	26	0	-1	%
2.07	0.05	-0.11	0.13	293.5	2.25	0.05	-0.12	0.13	294.04	1.0	0.18	0.18	0.353	0.105	1.633	11000302	(WDN_WN60)	21	0	-1	%
1.44	0.08	0.03	0.09	24.71	1.62	0.09	0.03	0.09	21.6	1.0	0.18	0.18	0.353	0.105	1.67	11000303	(WDN_WN60)	17	0	0	%
0.99	0.09	0.11	0.15	49.98	1.17	0.1	0.12	0.16	50.34	1.0	0.18	0.18	0.353	0.104	1.697	11000304	(WDN_WN60)	14	0	0	%

see similar files: <http://130.149.60.45/~farbmetrik/UE51/UE51.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20140801-UE51/UE51L0NP.PDF /.PS TUB material: code=rh4ta
application for measurement of display or printer output, no separation

%L*02 a*02 b*02 C*ab02 hab02 L*12 a*12 b*12 C*ab12 hab12 DV2 dE*ab dE*94 dE*CM dE*00 dE*85 NR Code L* a* b* %
%CIELAB data for colours (2) of experiment with CIELAB dE*ab<=2, iim=305, Richter threshold data %
Minimum, maximum and average colour difference value
STRESS constant F and STRESS value S
i2i+1 = 305, d_CIELABmin2 = 0.05, d_CIELABmax2 = 1.89, d_CIELABave2 = 0.74
i2i+1 = 305, CIELABF2 = 0.74, CIELABSTRESS2 = 49.15

i2i+1 = 305, d_CIELCHmin2 = 0.05, d_CIELCHmax2 = 1.89, d_CIELCHave2 = 0.74
i2i+1 = 305, CIELCHF2 = 0.74, CIELCHSTRESS2 = 49.15

i2i+1 = 305, d_C94LCHmin2 = 0.05, d_C94LCHmax2 = 1.72, d_C94LCHave2 = 0.5
i2i+1 = 305, C94LCHF2 = 0.5, C94LCHSTRESS2 = 48.96

i2i+1 = 305, d_CCMLCHmin2 = 0.04, d_CCMLCHmax2 = 2.49, d_CCMLCHave2 = 0.71
i2i+1 = 305, CCMLCHF2 = 0.71, CCMLCHSTRESS2 = 51.35

i2i+1 = 305, d_C00LCHmin2 = 0.05, d_C00LCHmax2 = 1.72, d_C00LCHave2 = 0.58
i2i+1 = 305, C00LCHF2 = 0.58, C00LCHSTRESS2 = 54.28

i2i+1 = 305, d_C85LCHmin2 = 0.54, d_C85LCHmax2 = 3.36, d_C85LCHave2 = 1.82
i2i+1 = 305, C85LCHF2 = 1.82, C85LCHSTRESS2 = 30.24

see similar files: <http://130.149.60.45/~farbmetrik/UE51/UE51L0NP.PDF> / .PS
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

%XS4	YS4	ZS4	X04	Y04	Z04	X14	Y14	Z14	DV4	dE*ab	dE*CH	dE*94	dE*CM	dE*00	dE*85	NR	Code	L*	a*	b*	%
%CIEXYZ*1000 data for colours (4) of experiment with CIE DE2000 dE*≤2, iim=330, Richter threshold data %																					
0090383	0100000	0087548	0006284	0006960	0006400	0006320	0007000	0006436	0001000	00091	00091	00091	00096	00072	01044	11000300	(WDN_WN60)	32	0	-1	%
0090383	0100000	0087548	0004305	0004770	0004349	0004341	0004810	0004386	0001000	00117	00117	00117	00143	00086	01340	11000301	(WDN_WN60)	26	0	-1	%
0090383	0100000	0087548	0002981	0003304	0002968	0003009	0003335	0002995	0001000	00112	00112	00112	00160	00078	01241	11000302	(WDN_WN60)	21	0	-1	%
0090383	0100000	0087548	0002060	0002274	0001994	0002087	0002305	0002020	0001000	00143	00143	00143	00248	00096	01486	11000303	(WDN_WN60)	17	0	0	%
0090383	0100000	0087548	0001608	0001760	0001504	0001625	0001780	0001522	0001000	00114	00114	00114	00222	00075	01102	11000304	(WDN_WN60)	14	0	0	%
0090383	0100000	0087548	0001156	0001260	0001037	0001174	0001280	0001055	0001000	00142	00142	00142	00277	00091	01234	11000305	(WDN_WN60)	11	1	1	%
0090383	0100000	0087548	0000838	0000910	0000717	0000856	0000930	0000734	0001000	00175	00175	00175	00342	00108	01347	11000306	(WDN_WN60)	8	1	2	%
0090383	0100000	0087548	0000584	0000630	0000471	0000602	0000650	0000488	0001000	00180	00180	00180	00353	00109	01454	11000307	(WDN_WN60)	6	1	1	%
0095189	0100000	0044159	0188033	0196900	0086683	0189179	0198100	0087211	0001000	00294	00294	00294	00140	00134	01548	11000308	(QPN_QN60)	130	1	0	%
0095189	0100000	0044159	0113834	0119955	0054910	0114489	0120645	0055226	0001000	00235	00235	00235	00121	00127	01448	11000309	(QPN_QN60)	107	-1	-3	%
0095189	0100000	0044159	0070177	0074134	0034757	0070565	0074545	0034949	0001000	00193	00193	00193	00108	00122	01372	11000310	(QPN_QN60)	89	-1	-4	%
0095189	0100000	0044159	0047003	0049670	0023417	0047268	0049950	0023549	0001000	00172	00172	00172	00105	00124	01373	11000311	(QPN_QN60)	76	-1	-3	%
0095189	0100000	0044159	0032536	0034310	0016027	0032707	0034490	0016111	0001000	00141	00141	00141	00093	00116	01247	11000312	(QPN_QN60)	65	0	-3	%
0095189	0100000	0044159	0023436	0024595	0011376	0023579	0024745	0011446	0001000	00147	00147	00147	00105	00135	01405	11000313	(QPN_QN60)	57	0	-2	%
0095189	0100000	0044159	0016923	0017690	0007982	0017018	0017789	0008027	0001000	00122	00122	00122	00095	00122	01251	11000314	(QPN_QN60)	49	0	-1	%
0095189	0100000	0044159	0012333	0012820	0005619	0012429	0012920	0005662	0001000	00151	00151	00151	00130	00138	01636	11000315	(QPN_QN60)	43	1	0	%
0095189	0100000	0044159	0008860	0009150	0003853	0008935	0009230	0003889	0001000	00153	00153	00152	00147	00129	01708	11000316	(QPN_QN60)	36	1	1	%
0095189	0100000	0044159	0006430	0006589	0002654	0006487	0006650	0002680	0001000	00142	00142	00142	00153	00112	01625	11000317	(QPN_QN60)	31	2	2	%
0095189	0100000	0044159	0004580	0004654	0001778	0004628	0004705	0001801	0001000	00153	00153	00151	00188	00114	01702	11000318	(QPN_QN60)	26	2	3	%
0095189	0100000	0044159	0004799	0005085	0002408	0004865	0005154	0002438	0001000	00197	00197	00197	00235	00148	02249	11000319	(OPN_ON60)	27	-1	-2	%
0095189	0100000	0044159	0002951	0003145	0001549	0002998	0003195	0001571	0001000	00194	00194	00194	00285	00136	02121	11000320	(OPN_ON60)	21	-1	-2	%
0095189	0100000	0044159	0001798	0001920	0000972	0001836	0001960	0000990	0001000	00215	00215	00215	00419	00144	02126	11000321	(OPN_ON60)	15	-1	-2	%
0095189	0100000	0044159	0001184	0001265	0000643	0001213	0001295	0000657	0001000	00213	00213	00212	00414	00136	01845	11000322	(OPN_ON60)	11	-1	-2	%
0095189	0100000	0044159	0000815	0000870	0000438	0000834	0000890	0000447	0001000	00507	00507	00496	00784	00602	01360	11000323	(OPN_ON60)	8	-1	-2	%
0095189	0100000	0044159	0000582	0000620	0000307	0000601	0000640	0000316	0001000	00180	00180	00180	00353	00108	01455	11000324	(OPN_ON60)	6	0	-1	%
0095189	0100000	0044159	0000423	0000450	0000217	0000442	0000470	0000226	0001000	00180	00180	00180	00353	00107	01527	11000325	(OPN_ON60)	4	0	-1	%
0095189	0100000	0044159	0000273	0000290	0000136	0000292	0000310	0000145	0001000	00180	00180	00180	00353	00105	01603	11000326	(OPN_ON60)	3	0	0	%
0095189	0100000	0044159	0000220	0000229	0000104	0000239	0000250	0000113	0001000	00180	00180	00180	00353	00105	01633	11000327	(OPN_ON60)	2	0	0	%
0095189	0100000	0044159	0000154	0000160	0000069	0000173	0000180	0000078	0001000	00180	00180	00180	00353	00105	01670	11000328	(OPN_ON60)	2	0	0	%
0095189	0100000	0044159	0000107	0000110	0000045	0000126	0000130	0000053	0001000	00180	00180	00180	00353	00104	01697	11000329	(OPN_ON60)	1	0	0	%

%XS4	YS4	ZS4	X04	Y04	Z04	X14	Y14	Z14	DV4	dE*ab	dE*CH	dE*94	dE*CM	dE*00	dE*85	NR	Code	L*	a*	b*	%
%CIEXYZ*1000 data for colours (4) of experiment with CIE DE2000 dE*<=2, iim=330, Richter threshold data %																					
Minimum, maximum and average colour difference value																					
STRESS constant F and STRESS value S																					
i4i+1 = 330, d_CIELABmin4 = 0.05, d_CIELABmax4 = 4.85, d_CIELABave4 = 0.9																					
i4i+1 = 330, CIELABF4 = 0.9, CIELABSTRESS4 = 61.04																					
i4i+1 = 330, d_CIELCHmin4 = 0.05, d_CIELCHmax4 = 4.85, d_CIELCHave4 = 0.9																					
i4i+1 = 330, CIELCHF4 = 0.9, CIELCHSTRESS4 = 61.04																					
i4i+1 = 330, d_C94LCHmin4 = 0.05, d_C94LCHmax4 = 1.72, d_C94LCHave4 = 0.52																					
i4i+1 = 330, C94LCHF4 = 0.52, C94LCHSTRESS4 = 47.82																					
i4i+1 = 330, d_CCMLCHmin4 = 0.04, d_CCMLCHmax4 = 2.49, d_CCMLCHave4 = 0.73																					
i4i+1 = 330, CCMLCHF4 = 0.73, CCMLCHSTRESS4 = 50.08																					
i4i+1 = 330, d_C00LCHmin4 = 0.05, d_C00LCHmax4 = 1.72, d_C00LCHave4 = 0.59																					
i4i+1 = 330, C00LCHF4 = 0.59, C00LCHSTRESS4 = 52.55																					
i4i+1 = 330, d_C85LCHmin4 = 0.54, d_C85LCHmax4 = 3.91, d_C85LCHave4 = 1.86																					
i4i+1 = 330, C85LCHF4 = 1.86, C85LCHSTRESS4 = 30.23																					

%L*	a*04	b*04	C*ab04	hab04	L*14	a*14	b*14	C*ab14	hab14	DV4	dE*ab	dE*94	dE*CM	dE*00	dE*85	NR	Code	L*	a*	b*
%CIELAB data for colours (4) of experiment with CIE DE2000 dE*≤2, iim=330, Richter threshold data %																				
48.68	-4.86	-23.88	24.37	258.49	48.68	-4.94	-24.24	24.74	258.46	1.0	0.372	0.177	0.205	0.178	1.555	11000000	(BDY_BY60)	49	-5	-24 %
48.15	-2.74	-18.09	18.3	261.39	48.15	-2.86	-18.56	18.78	261.23	1.0	0.481	0.265	0.307	0.27	1.978	11000001	(BDY_BY60)	48	-3	-18 %
48.63	-2.06	-11.64	11.82	259.95	48.63	-2.17	-12.07	12.26	259.79	1.0	0.441	0.288	0.342	0.295	1.757	11000002	(BDY_BY60)	49	-2	-12 %
48.82	-1.53	-7.18	7.35	257.92	48.82	-1.64	-7.61	7.79	257.84	1.0	0.439	0.33	0.412	0.336	1.706	11000003	(BDY_BY60)	49	-2	-7 %
48.9	-0.53	-3.27	3.32	260.81	48.9	-0.62	-3.74	3.79	260.46	1.0	0.473	0.412	0.563	0.418	1.797	11000004	(BDY_BY60)	49	-1	-4 %
47.61	-0.41	-0.09	0.42	192.3	47.61	-0.5	-0.54	0.74	227.06	1.0	0.465	0.459	0.7	0.466	1.743	11000005	(BDY_BY60)	48	0	0 %
47.28	2.69	10.89	11.21	76.11	47.28	2.55	10.14	10.46	75.86	1.0	0.758	0.504	0.604	0.515	2.134	11000006	(BDY_BY60)	47	3	11 %
51.78	4.42	27.98	28.33	81.0	51.78	4.33	27.16	27.5	80.94	1.0	0.824	0.362	0.422	0.366	1.463	11000007	(BDY_BY60)	52	4	28 %
49.2	5.52	38.86	39.25	81.9	49.2	5.43	37.62	38.01	81.77	1.0	1.24	0.45	0.545	0.456	1.602	11000008	(BDY_BY60)	49	5	38 %
49.6	6.72	54.62	55.03	82.98	49.6	6.62	52.62	53.03	82.82	1.0	2.006	0.581	0.755	0.591	1.575	11000009	(BDY_BY60)	50	7	54 %
50.09	7.28	75.7	76.05	84.5	50.1	7.16	70.84	71.2	84.22	1.0	4.859	1.108	1.596	1.144	1.74	11000010	(BDY_BY60)	50	7	73 %
47.56	70.42	53.28	88.31	37.1	47.57	70.35	50.89	86.83	35.88	1.0	2.385	0.859	1.589	0.997	1.9	11000011	(RDC_BY60)	48	70	52 %
46.74	54.73	30.58	62.7	29.19	46.75	54.63	29.26	61.98	28.17	1.0	1.32	0.6	1.087	0.652	2.163	11000012	(RDC_BY60)	47	55	30 %
47.25	41.3	10.34	42.58	14.06	47.26	41.22	9.45	42.29	12.91	1.0	0.899	0.528	0.998	0.513	2.598	11000013	(RDC_BY60)	47	41	10 %
47.92	24.11	9.3	25.85	21.1	47.93	23.99	8.51	25.46	19.53	1.0	0.8	0.535	1.05	0.525	2.361	11000014	(RDC_BY60)	48	24	9 %
48.01	11.2	3.57	11.76	17.67	48.01	11.1	2.92	11.48	14.73	1.0	0.655	0.537	1.202	0.499	2.247	11000015	(RDC_BY60)	48	11	3 %
47.82	-0.32	-0.74	0.81	246.68	47.82	-0.44	-1.24	1.32	250.3	1.0	0.517	0.499	0.75	0.509	1.932	11000016	(RDC_BY60)	48	0	-1 %
47.06	-12.53	-2.78	12.83	192.51	47.06	-12.64	-3.31	13.07	194.7	1.0	0.548	0.441	0.513	0.421	2.105	11000017	(RDC_BY60)	47	-13	-3 %
47.89	-31.3	-5.42	31.77	189.83	47.89	-31.46	-6.0	32.02	190.8	1.0	0.595	0.379	0.363	0.381	2.282	11000018	(RDC_BY60)	48	-31	-6 %
49.16	-42.55	-6.88	43.11	189.18	49.16	-42.69	-7.4	43.32	189.83	1.0	0.538	0.308	0.285	0.314	2.062	11000019	(RDC_BY60)	49	-43	-7 %
49.54	-54.16	-8.09	54.76	188.5	49.54	-54.32	-8.59	54.99	188.99	1.0	0.527	0.267	0.248	0.274	1.993	11000020	(RDC_BY60)	50	-54	-8 %
49.91	-64.64	-9.09	65.27	188.01	49.92	-64.86	-9.61	65.56	188.43	1.0	0.561	0.253	0.241	0.26	2.053	11000021	(RDC_BY60)	50	-65	-9 %
48.8	-82.44	51.33	97.11	148.08	48.81	-82.71	49.22	96.25	149.24	1.0	2.131	0.809	0.861	0.669	1.846	11000022	(GDV_BY60)	49	-83	50 %
48.15	-57.22	32.63	65.87	150.3	48.15	-57.41	31.47	65.47	151.26	1.0	1.175	0.564	0.555	0.481	1.791	11000023	(GDV_BY60)	48	-57	32 %
47.52	-33.19	17.44	37.5	152.27	47.52	-33.35	16.62	37.27	153.5	1.0	0.838	0.523	0.513	0.465	1.953	11000024	(GDV_BY60)	48	-33	17 %
48.17	-18.22	9.03	20.34	153.64	48.17	-18.34	8.31	20.13	155.61	1.0	0.726	0.544	0.596	0.493	2.139	11000025	(GDV_BY60)	48	-18	9 %
47.9	-7.57	3.46	8.33	155.45	47.9	-7.69	2.85	8.2	159.61	1.0	0.612	0.54	0.712	0.516	2.095	11000026	(GDV_BY60)	48	-8	3 %
47.66	-0.07	-0.56	0.56	262.6	47.66	-0.17	-1.08	1.09	261.04	1.0	0.532	0.518	0.789	0.523	2.005	11000027	(GDV_BY60)	48	0	-1 %
45.73	8.44	-4.98	9.8	329.42	45.75	8.3	-5.6	10.01	325.94	1.0	0.637	0.544	1.098	0.511	2.517	11000028	(GDV_BY60)	46	8	-5 %
44.5	19.38	-11.13	22.35	330.12	44.5	19.23	-11.68	22.51	328.71	1.0	0.572	0.419	0.77	0.378	2.358	11000029	(GDV_BY60)	45	19	-11 %
44.34	27.89	-15.82	32.07	330.43	44.35	27.76	-16.41	32.25	329.41	1.0	0.6	0.393	0.675	0.358	2.542	11000030	(GDV_BY60)	44	28	-16 %
43.63	34.05	-19.01	39.0	330.82	43.64	33.92	-19.58	39.17	330.0	1.0	0.586	0.359	0.603	0.325	2.522	11000031	(GDV_BY60)	44	34	-19 %
43.17	39.4	-21.81	45.03	331.03	43.18	39.29	-22.35	45.21	330.36	1.0	0.557	0.321	0.534	0.289	2.432	11000032	(GDV_BY60)	43	39	-22 %
45.64	-80.71	-12.2	81.62	188.59	45.64	-80.96	-12.72	81.96	188.92	1.0	0.576	0.223	0.222	0.229	2.177	11000033	(TDM_BY60)	46	-81	-12 %
45.7	-51.35	-9.21	52.18	190.17	45.7	-51.57	-9.73	52.48	190.68	1.0	0.556	0.276	0.261	0.281	2.127	11000034	(TDM_BY60)	46	-51	-9 %
46.65	-27.96	-5.85	28.57	191.81	46.65	-28.08	-6.31	28.78	192.66	1.0	0.474	0.311	0.303	0.309	1.849	11000035	(TDM_BY60)	47	-28	-6 %
48.01	-15.13	-3.73	15.59	193.84	48.01	-15.25	-4.2	15.82	195.43	1.0	0.49	0.376	0.418	0.358	1.87	11000036	(TDM_BY60)	48	-15	-4 %
48.62	-6.25	-2.01	6.56	197.86	48.62	-6.35	-2.52	6.83	201.65	1.0	0.517	0.453	0.583	0.442	1.952	11000037	(TDM_BY60)	49	-6	-2 %
47.71	-0.6	-0.66	0.89	227.88	47.71	-0.69	-1.15	1.34	238.8	1.0	0.498	0.481	0.718	0.485	1.877	11000038	(TDM_BY60)	48	-1	-1 %
46.71	29.52	-4.81	29.91	350.74	46.71	29.42	-5.37	29.91	349.65	1.0	0.569	0.392	0.756	0.34	2.235	11000039	(TDM_BY60)	47	29	-5 %
46.95	59.57	-10.03	60.41	350.43	46.96	59.45	-10.64	60.4	349.84	1.0	0.621	0.326	0.595	0.27	2.512	11000040	(TDM_BY60)	47	60	-10 %
48.26	79.28	-14.01	80.51	349.97	48.27	79.2	-14.64	80.54	349.52	1.0	0.639	0.289	0.543	0.234	2.62	11000041	(TDM_BY60)	48	79	-14 %
48.45	92.12	-16.85	93.65	349.63	48.46	92.05	-17.54	93.7	349.21	1.0	0.696	0.289	0.558	0.23	2.89	11000042	(TDM_BY60)	48	92	-17 %
48.54	100.77	-19.32	102.61	349.14	48.55	100.68	-20.07	102.66	348.72	1.0	0.747	0.294	0.578	0.232	3.124	11000043	(TDM_BY60)	49	101	-20 %
59.13	0.18	1.29	1.3	81.94	59.13	0.13	1.04	1.05	82.81	1.0	0.255	0.241	0.355	0.249	0.837	11000044	(WDN_BY60)	59	0	1 %
47.93	-0.04	-0.35	0.36	263.2	47.93	-0.09	-0.6	0.61	261.5	1.0	0.25	0.246	0.379	0.25	0.939	11000045	(WDN_BY60)	48	0	0 %
38.58	-0.08	-1.18	1.18	265.88	38.58	-0.13	-1.44	1.45	264.83	1.0	0.27	0.257	0.379	0.26	1.102	11000046	(WDN_BY60)	39	0	-1 %
31.78	-0.04	-1.21	1.21	267.73	31.78	-0.09	-1.49	1.5	266.46	1.0	0.286	0.272	0.401	0.274	1.209	11000047	(WDN_BY60)	32	0	-1 %
26.15	-0.06	-0.85	0.85	265.92	26.15	-0.1	-1.12	1.13	264.84	1.0	0.274	0.264	0.397	0.266	1.156	11000048	(WDN_BY60)	26	0	-1 %
21.31	-0.06	-0.38	0.38	260.66	21.31	-0.12	-0.7	0.72	260.22	1.0	0.33	0.324	0.498	0.328	1.335	11000049	(WDN_BY60)	21	0	-1 %

TUB-test chart UE51; Colour differences and formulae

Richter (1985) colour threshold experiments, 330 of 330 colours with $\Delta E^*_{DE2000} \leq 2$

input: w/rgb/cmyk $\rightarrow$ (w/rgb/cmyk)

TUB registration: 20140801-UE51/UE51L0NP.PDF /.PS TUB : application for measurement of display or printer output, no separation

see similar files: <http://130.149.60.45/~farbmetrik/UE51/UE51L0NP.PDF> / .PS
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

%L*04	a*04	b*04	C*ab04	hab04	L*14	a*14	b*14	C*ab14	hab14	DV4	dE*ab	dE*94	dE*CM	dE*00	dE*85	NR	Code	L*	a*	b*	%
%CIELAB data for colours (4) of experiment with CIE DE2000 dE*≤2, iim=330, Richter											threshold data %										
46.74	54.19	29.4	61.65	28.48	46.75	55.17	30.45	63.02	28.89	1.0	1.438	0.43	0.65	0.439	2.424	11000100	(RDC_RC60)	47	55	30 %	
47.25	40.76	9.59	41.87	13.24	47.26	41.76	10.2	42.99	13.73	1.0	1.181	0.449	0.64	0.443	2.591	11000101	(RDC_RC60)	47	41	10 %	
47.92	23.63	8.68	25.18	20.18	47.93	24.47	9.13	26.12	20.46	1.0	0.948	0.45	0.542	0.463	2.128	11000102	(RDC_RC60)	48	24	9 %	
48.01	10.77	3.08	11.2	15.96	48.02	11.54	3.41	12.03	16.46	1.0	0.838	0.56	0.69	0.674	1.976	11000103	(RDC_RC60)	48	11	3 %	
47.82	-0.68	-1.1	1.29	238.23	47.83	-0.08	-0.89	0.89	264.46	1.0	0.63	0.609	0.882	0.882	1.514	11000104	(RDC_RC60)	48	0	-1 %	
47.05	-13.21	-3.25	13.61	193.85	47.07	-11.96	-2.84	12.29	193.36	1.0	1.323	0.823	0.965	1.021	2.762	11000105	(RDC_RC60)	47	-13	-3 %	
47.88	-32.06	-5.9	32.6	190.42	47.89	-30.71	-5.53	31.2	190.2	1.0	1.4	0.571	0.67	0.586	2.312	11000106	(RDC_RC60)	48	-31	-6 %	
49.16	-43.47	-7.35	44.09	189.59	49.17	-41.77	-6.93	42.35	189.42	1.0	1.75	0.59	0.724	0.599	2.533	11000107	(RDC_RC60)	49	-43	-7 %	
49.53	-55.29	-8.57	55.95	188.81	49.55	-53.19	-8.11	53.81	188.67	1.0	2.143	0.613	0.795	0.621	2.719	11000108	(RDC_RC60)	50	-54	-8 %	
49.91	-66.03	-9.6	66.72	188.27	49.92	-63.48	-9.11	64.13	188.16	1.0	2.601	0.652	0.894	0.661	2.873	11000109	(RDC_RC60)	50	-65	-9 %	
48.8	-83.87	49.41	97.34	149.49	48.81	-81.29	51.14	96.04	147.82	1.0	3.099	1.169	1.242	0.969	2.222	11000110	(GDV_RC60)	49	-83	50 %	
48.15	-58.13	31.64	66.18	151.44	48.16	-56.5	32.46	65.16	150.11	1.0	1.828	0.803	0.814	0.696	1.95	11000111	(GDV_RC60)	48	-57	32 %	
47.51	-33.96	16.73	37.86	153.76	47.52	-32.58	17.33	36.91	151.98	1.0	1.504	0.82	0.834	0.753	2.265	11000112	(GDV_RC60)	48	-33	17 %	
48.16	-18.76	8.48	20.59	155.66	48.17	-17.81	8.86	19.89	153.54	1.0	1.023	0.677	0.746	0.71	1.9	11000113	(GDV_RC60)	48	-18	9 %	
47.89	-8.04	3.0	8.58	159.5	47.91	-7.22	3.31	7.95	155.37	1.0	0.869	0.698	0.887	0.874	1.886	11000114	(GDV_RC60)	48	-8	3 %	
47.65	-0.46	-0.94	1.05	244.0	47.66	0.21	-0.7	0.73	287.12	1.0	0.719	0.704	1.028	1.025	1.739	11000115	(GDV_RC60)	48	0	-1 %	
45.73	7.93	-5.45	9.63	325.52	45.75	8.8	-5.14	10.19	329.69	1.0	0.913	0.741	1.361	0.895	2.232	11000116	(GDV_RC60)	46	8	-5 %	
44.49	18.85	-11.56	22.11	328.46	44.51	19.77	-11.25	22.75	330.35	1.0	0.972	0.639	1.086	0.644	2.347	11000117	(GDV_RC60)	45	19	-11 %	
44.34	27.37	-16.26	31.84	329.28	44.35	28.28	-15.96	32.47	330.55	1.0	0.956	0.549	0.888	0.517	2.258	11000118	(GDV_RC60)	44	28	-16 %	
43.63	33.53	-19.44	38.76	329.89	43.64	34.44	-19.14	39.41	330.92	1.0	0.957	0.504	0.803	0.467	2.231	11000119	(GDV_RC60)	44	34	-19 %	
43.17	38.89	-22.22	44.79	330.24	43.18	39.8	-21.93	45.45	331.14	1.0	0.961	0.473	0.75	0.433	2.208	11000120	(TDM_RC60)	43	39	-22 %	
45.64	-82.44	-12.69	83.41	188.75	45.65	-79.26	-12.22	80.19	188.77	1.0	3.215	0.676	1.01	0.686	2.835	11000121	(TDM_RC60)	46	-81	-12 %	
45.69	-52.39	-9.67	53.28	190.45	45.7	-50.54	-9.27	51.38	190.39	1.0	1.894	0.558	0.717	0.565	2.454	11000122	(TDM_RC60)	46	-51	-9 %	
46.65	-28.73	-6.27	29.41	192.32	46.66	-27.32	-5.88	27.94	192.15	1.0	1.465	0.632	0.736	0.659	2.526	11000123	(TDM_RC60)	47	-28	-6 %	
48.01	-15.7	-4.13	16.23	194.73	48.02	-14.68	-3.8	15.17	194.54	1.0	1.067	0.617	0.715	0.741	2.133	11000124	(TDM_RC60)	48	-15	-4 %	
48.61	-6.65	-2.38	7.07	199.72	48.62	-5.94	-2.14	6.32	199.87	1.0	0.748	0.567	0.712	0.757	1.657	11000125	(TDM_RC60)	49	-6	-2 %	
47.71	-0.93	-1.0	1.37	227.2	47.71	-0.36	-0.81	0.89	245.63	1.0	0.598	0.571	0.83	0.827	1.426	11000126	(TDM_RC60)	48	-1	-1 %	
46.7	29.14	-5.22	29.6	349.83	46.71	29.81	-4.95	30.22	350.55	1.0	0.719	0.37	0.587	0.351	1.695	11000127	(TDM_RC60)	47	29	-5 %	
46.95	59.08	-10.53	60.01	349.89	46.96	59.95	-10.14	60.8	350.39	1.0	0.952	0.351	0.583	0.314	2.189	11000128	(TDM_RC60)	47	60	-10 %	
48.26	78.75	-14.55	80.09	349.53	48.27	79.72	-14.1	80.96	349.96	1.0	1.068	0.338	0.593	0.294	2.402	11000129	(TDM_RC60)	48	79	-14 %	
48.45	91.65	-17.39	93.28	349.25	48.46	92.52	-16.99	94.07	349.59	1.0	0.964	0.277	0.506	0.238	2.122	11000130	(TDM_RC60)	48	92	-17 %	
48.53	100.22	-19.93	102.18	348.75	48.56	101.23	-19.46	103.09	349.11	1.0	1.111	0.303	0.567	0.258	2.415	11000131	(TDM_RC60)	49	101	-20 %	
48.67	-4.4	-24.22	24.62	259.7	48.69	-5.4	-23.89	24.5	257.25	1.0	1.056	0.768	0.904	0.842	2.469	11000132	(BDY_GV60)	49	-5	-24 %	
48.14	-2.36	-18.47	18.62	262.71	48.17	-3.24	-18.18	18.47	259.89	1.0	0.927	0.72	0.918	0.922	2.224	11000133	(BDY_GV60)	48	-3	-18 %	
48.62	-1.68	-12.02	12.14	262.0	48.64	-2.54	-11.69	11.96	257.71	1.0	0.919	0.772	1.082	1.06	2.259	11000134	(BDY_GV60)	49	-2	-12 %	
48.8	-1.17	-7.56	7.65	261.16	48.83	-2.0	-7.24	7.51	254.55	1.0	0.886	0.792	1.156	1.105	2.163	11000135	(BDY_GV60)	49	-2	-7 %	
48.89	-0.17	-3.68	3.68	267.2	48.92	-0.97	-3.33	3.47	253.67	1.0	0.869	0.82	1.133	1.169	2.173	11000136	(BDY_GV60)	49	-1	-4 %	
47.59	-0.05	-0.5	0.5	263.82	47.62	-0.86	-0.13	0.87	188.62	1.0	0.894	0.885	1.337	1.239	2.271	11000137	(BDY_GV60)	48	0	0 %	
47.27	2.97	10.32	10.74	73.93	47.3	2.27	10.71	10.95	77.99	1.0	0.797	0.677	1.253	0.998	1.878	11000138	(BDY_GV60)	47	3	11 %	
51.76	4.78	27.26	27.68	80.04	51.79	3.97	27.88	28.16	81.88	1.0	1.023	0.672	0.991	0.811	2.017	11000139	(BDY_GV60)	52	4	28 %	
49.19	5.92	37.81	38.27	81.08	49.21	5.03	38.67	39.0	82.57	1.0	1.238	0.691	0.961	0.802	2.188	11000140	(BDY_GV60)	49	5	38 %	
49.59	7.12	52.93	53.4	82.33	49.61	6.23	54.29	54.64	83.45	1.0	1.624	0.688	0.933	0.8	2.156	11000141	(BDY_GV60)	50	7	54 %	
50.07	7.72	71.6	72.02	83.84	50.11	6.73	74.89	75.19	84.86	1.0	3.43	0.979	1.374	1.084	2.394	11000142	(BDY_GV60)	50	7	73 %	
47.55	70.82	51.13	87.35	35.82	47.59	69.96	53.02	87.78	37.15	1.0	2.075	0.883	1.669	1.034	2.128	11000143	(RDC_GV60)	48	70	52 %	
46.73	55.06	29.49	62.46	28.17	46.76	54.31	30.34	62.21	29.19	1.0	1.135	0.575	1.066	0.628	1.957	11000144	(RDC_GV60)	47	55	30 %	
47.24	41.71	9.59	42.8	12.95	47.27	40.81	10.19	42.07	14.02	1.0	1.083	0.545	0.973	0.535	2.455	11000145	(RDC_GV60)	47	41	10 %	
47.91	24.5	8.63	25.98	19.4	47.94	23.6	9.19	25.33	21.27	1.0	1.062	0.674	1.279	0.69	2.474	11000146	(RDC_GV60)	48	24	9 %	
48.0	11.51	3.06	11.91	14.89	48.03	10.79	3.42	11.32	17.61	1.0	0.808	0.606	1.188	0.706	1.99	11000147	(RDC_GV60)	48	11	3 %	
47.81	0.01	-1.17	1.17	270.68	47.84	-0.78	-0.81	1.13	226.38	1.0	0.87	0.855	1.238	1.206	2.199	11000148	(RDC_GV60)	48	0	-1 %	
47.05	-12.07	-3.26	12.5	195.12	47.07	-13.1	-2.83	13.4	192.22	1.0	1.118	0.8	0.94	0.933	2.476	11000149	(RDC_GV60)	47	-13	-3 %	

TUB registration: 20140801-UE51/UE51L0NP.PDF /.PS
application for measurement of display or printer output, no separation
TUB material: code=rha4ta

see similar files: <http://130.149.60.45/~farbmetrik/UE51/UE51L0NP.PDF> / .PS
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

%L*04	a*04	b*04	C*ab04	hab04	L*14	a*14	b*14	C*ab14	hab14	DV4	dE*ab	dE*94	dE*CM	dE*00	dE*85	NR	Code	L*	a*	b*	%
%CIELAB data for colours (4) of experiment with CIE DE2000 dE*≤2, iim=330, Richter threshold data %																					
31.73	-0.07	-1.35	1.35	267.03	31.82	-0.07	-1.35	1.36	267.03	1.0	0.091	0.091	0.096	0.072	1.044	11000300	(WDN_WN60)	32	0	-1 %	
26.09	-0.08	-0.99	0.99	265.31	26.21	-0.08	-0.99	0.99	265.31	1.0	0.117	0.117	0.143	0.086	1.34	11000301	(WDN_WN60)	26	0	-1 %	
21.26	-0.09	-0.54	0.55	260.38	21.37	-0.09	-0.54	0.55	260.38	1.0	0.112	0.112	0.16	0.078	1.241	11000302	(WDN_WN60)	21	0	-1 %	
16.91	0.09	-0.02	0.1	344.31	17.06	0.09	-0.02	0.1	344.31	1.0	0.143	0.143	0.248	0.096	1.486	11000303	(WDN_WN60)	17	0	0 %	
14.23	0.47	0.41	0.62	41.05	14.34	0.46	0.4	0.61	41.47	1.0	0.114	0.114	0.222	0.075	1.102	11000304	(WDN_WN60)	14	0	0 %	
11.06	0.58	0.94	1.1	58.05	11.2	0.57	0.92	1.09	58.07	1.0	0.142	0.142	0.277	0.091	1.234	11000305	(WDN_WN60)	11	1	1 %	
8.3	0.68	1.56	1.7	66.38	8.48	0.67	1.55	1.69	66.48	1.0	0.175	0.175	0.342	0.108	1.347	11000306	(WDN_WN60)	8	1	2 %	
5.69	0.64	1.43	1.56	65.83	5.87	0.64	1.43	1.57	65.8	1.0	0.18	0.18	0.353	0.109	1.454	11000307	(WDN_WN60)	6	1	1 %	
129.39	0.67	0.25	0.72	20.87	129.68	0.67	0.25	0.72	20.87	1.0	0.294	0.294	0.14	0.134	1.548	11000308	(QPN_QN60)	130	1	0 %	
107.25	-0.54	-2.56	2.61	258.04	107.49	-0.54	-2.56	2.62	258.04	1.0	0.235	0.235	0.121	0.127	1.448	11000309	(QPN_QN60)	107	-1	-3 %	
88.99	-0.83	-3.64	3.74	257.07	89.18	-0.83	-3.65	3.74	257.07	1.0	0.193	0.193	0.108	0.122	1.372	11000310	(QPN_QN60)	89	-1	-4 %	
75.87	-0.77	-3.49	3.57	257.52	76.04	-0.77	-3.49	3.58	257.52	1.0	0.172	0.172	0.105	0.124	1.373	11000311	(QPN_QN60)	76	-1	-3 %	
65.21	-0.43	-2.64	2.68	260.58	65.35	-0.44	-2.65	2.69	260.58	1.0	0.141	0.141	0.093	0.116	1.247	11000312	(QPN_QN60)	65	0	-3 %	
56.68	0.11	-1.95	1.95	273.24	56.83	0.11	-1.95	1.95	273.24	1.0	0.147	0.147	0.105	0.135	1.405	11000313	(QPN_QN60)	57	0	-2 %	
49.13	0.46	-0.81	0.93	299.97	49.25	0.46	-0.81	0.93	299.97	1.0	0.122	0.122	0.095	0.122	1.251	11000314	(QPN_QN60)	49	0	-1 %	
42.5	0.89	0.25	0.92	15.64	42.65	0.89	0.25	0.93	15.64	1.0	0.151	0.151	0.13	0.138	1.636	11000315	(QPN_QN60)	43	1	0 %	
36.29	1.28	1.41	1.91	47.6	36.44	1.27	1.39	1.89	47.67	1.0	0.153	0.152	0.147	0.129	1.708	11000316	(QPN_QN60)	36	1	1 %	
30.87	1.67	2.43	2.95	55.39	31.02	1.66	2.42	2.94	55.49	1.0	0.142	0.142	0.153	0.112	1.625	11000317	(QPN_QN60)	31	2	2 %	
25.75	1.99	3.38	3.93	59.46	25.9	1.99	3.35	3.9	59.29	1.0	0.153	0.151	0.188	0.114	1.702	11000318	(QPN_QN60)	26	2	3 %	
27.0	-0.51	-1.74	1.82	253.46	27.19	-0.51	-1.72	1.79	253.2	1.0	0.197	0.197	0.235	0.148	2.249	11000319	(OPN_ON60)	27	-1	-2 %	
20.65	-0.74	-2.33	2.45	252.25	20.84	-0.73	-2.31	2.42	252.3	1.0	0.194	0.194	0.285	0.136	2.121	11000320	(OPN_ON60)	21	-1	-2 %	
15.11	-0.72	-2.49	2.59	253.81	15.32	-0.7	-2.46	2.56	254.07	1.0	0.215	0.215	0.419	0.144	2.126	11000321	(OPN_ON60)	15	-1	-2 %	
11.09	-0.62	-2.25	2.33	254.44	11.31	-0.62	-2.22	2.3	254.4	1.0	0.213	0.212	0.414	0.136	1.845	11000322	(OPN_ON60)	11	-1	-2 %	
7.85	-0.5	-2.0	2.06	255.78	8.12	-0.89	-1.82	2.03	243.82	1.0	0.507	0.496	0.784	0.602	1.36	11000323	(OPN_ON60)	8	-1	-2 %	
5.6	-0.31	-1.19	1.23	255.07	5.78	-0.31	-1.19	1.23	255.21	1.0	0.18	0.18	0.353	0.108	1.455	11000324	(OPN_ON60)	6	0	-1 %	
4.06	-0.18	-0.67	0.7	254.62	4.24	-0.18	-0.67	0.7	254.79	1.0	0.18	0.18	0.353	0.107	1.527	11000325	(OPN_ON60)	4	0	-1 %	
2.61	-0.1	-0.3	0.32	250.56	2.8	-0.1	-0.3	0.32	250.56	1.0	0.18	0.18	0.353	0.105	1.603	11000326	(OPN_ON60)	3	0	0 %	
2.07	0.05	-0.11	0.13	293.5	2.25	0.05	-0.12	0.13	294.04	1.0	0.18	0.18	0.353	0.105	1.633	11000327	(OPN_ON60)	2	0	0 %	
1.44	0.08	0.03	0.09	24.71	1.62	0.09	0.03	0.09	21.6	1.0	0.18	0.18	0.353	0.105	1.67	11000328	(OPN_ON60)	2	0	0 %	
0.99	0.09	0.11	0.15	49.98	1.17	0.1	0.12	0.16	50.34	1.0	0.18	0.18	0.353	0.104	1.697	11000329	(OPN_ON60)	1	0	0 %	

TUB registration: 20140801-UE51/UE51L0NP.PDF /.PS
application for measurement of display or printer output, no separation
TUB material: code=rha4ta

%L*04	a*04	b*04	C*ab04	hab04	L*14	a*14	b*14	C*ab14	hab14	DV4	dE*ab	dE*94	dE*CM	dE*00	dE*85	NR	Code	L*	a*	b*	%
%CIELAB data for colours (4) of experiment with CIE DE2000 dE*≤2, iim=330, Richter threshold data %																					
Minimum, maximum and average colour difference value																					
STRESS constant F and STRESS value S																					
i4i+1 = 330, d_CIELABmin4 = 0.05, d_CIELABmax4 = 4.85, d_CIELABave4 = 0.9																					
i4i+1 = 330, CIELABF4 = 0.9, CIELABSTRESS4 = 61.04																					
i4i+1 = 330, d_CIELCHmin4 = 0.05, d_CIELCHmax4 = 4.85, d_CIELCHave4 = 0.9																					
i4i+1 = 330, CIELCHF4 = 0.9, CIELCHSTRESS4 = 61.04																					
i4i+1 = 330, d_C94LCHmin4 = 0.05, d_C94LCHmax4 = 1.72, d_C94LCHave4 = 0.52																					
i4i+1 = 330, C94LCHF4 = 0.52, C94LCHSTRESS4 = 47.82																					
i4i+1 = 330, d_CCMLCHmin4 = 0.04, d_CCMLCHmax4 = 2.49, d_CCMLCHave4 = 0.73																					
i4i+1 = 330, CCMLCHF4 = 0.73, CCMLCHSTRESS4 = 50.08																					
i4i+1 = 330, d_C00LCHmin4 = 0.05, d_C00LCHmax4 = 1.72, d_C00LCHave4 = 0.59																					
i4i+1 = 330, C00LCHF4 = 0.59, C00LCHSTRESS4 = 52.55																					
i4i+1 = 330, d_C85LCHmin4 = 0.54, d_C85LCHmax4 = 3.91, d_C85LCHave4 = 1.86																					
i4i+1 = 330, C85LCHF4 = 1.86, C85LCHSTRESS4 = 30.23																					