


log ΔL Leuchtdichte-Differenz-
 renzschwelle; $\Delta L = L \cdot F$

$L_g = 0,6 \text{ cd/m}^2$
 $PCO = 0,3$


x y
 A 0,39 0,41 LI 0,4s A
 A1=24.6
 A2=0.49
 A3=1.0
 A4=0.33


equation

$$F = A1(F3'/F3 + F4'/F4); \Delta L = L \cdot F$$



$\log \Delta L$ Leuchtdichte-Differenz-
 renzschwelle; $\Delta L = L \cdot F$ • $L_0 = 6 \text{ cd/m}^2$
 $F_{CO} = 0,3$






log ΔL Leuchtdichte-Differenz-
 renzschwelle; $\Delta L = L \cdot F$ • $L_g = 600 \text{ cd/m}^2$
 $p_{CO} = 0.3$

x y
 A 0,39 0,41 LI 0,4s A
 A1=49.17 equation
 A2=-1.93
 A3=-1.0
 A4=0.33

$$F = A1(F3'/F3 + F4'/F4); \Delta L = L \cdot F$$



log ΔL Leuchtdichte-Differenz-
 renzschwelle; $\Delta L = L \cdot F$ • $L_g = 6000 \text{ cd/m}^2$
 $p_{CO} = 0,3$

x y
 A 0,39 0,41 LI 0,4s A

$A1 = 63,0$ equation

$A2 = -2,76$

$A3 = 1,0$

$A4 = 0,33$

$$F = A1(F3'/F3 + F4'/F4); \Delta L = L \cdot F$$

x = log L