

log ΔL Leuchtdichte-Differenz- $\bullet L_g=6,3\text{cd/m}^2$
 renzschwelle

02 26s R 6,3cd/m²; hyp2

$$\Delta L = A_1 \cdot A_2 \cdot A_3 \cdot L^t / (L^t + A_2)^2$$

$$A_1=278.9$$


$$A_2=4.79$$

$$A_3=0.48=t$$

$$A_6=649.4$$

$$A_7=25.23$$

$$\Delta=3.159$$



$\log(L/\Delta L)$ Leuchtdichte-Kontrast
Empfindlichkeitsschwelle

02 26s R 6,3cd/m²; hyp2

$$\log(L/\Delta L) = A_1 + A_2 \cdot E^t + A_3 \cdot (E^t + A_2)^2$$

$$A_1 = 278.9$$


$$A_2 = 4.79$$

$$A_3 = 0.48 = t$$

$$A_4 = 649.4$$

$$A_7 = 25.23$$

$$\Delta = 3.159$$



$L/\Delta L$ Leuchtdichte-Kontrast- $\bullet L_g = 6,3 \text{ cd/m}^2$
 Empfindlichkeitsschwelle

02 26s R 6,3cd/m²; hyp2

$$L/\Delta L = A_1 \cdot A_2 \cdot t \cdot L / (J_t + A_2)^2$$

$$A_1 = 278.9$$


$$A_2 = 4.79$$

$$A_3 = 0.48 = t$$

$$A_6 = 649.4$$

$$A_7 = 25.23$$

$$\Delta = 3.159$$



T^* Leuchtdichte-Differenz-
renzschwellensumme

• $L_g = 6,3 \text{ cd/m}^2$

02 26s R 6,3cd/m²; hyp2

$$T^* = A_1 \cdot L^t / (L^t + A_2)$$

$$A_1 = 278.9$$

$$A_2 = 4.79$$

$$A_3 = 0.48 = t$$

$$A_6 = 649.4$$

$$A_7 = 25.23$$

$$\Delta = 3.159$$

