

log ΔL Leuchtdichte-Differenz- $\bullet L_g = 63 \text{cd/m}^2$
 renzschwelle

02 26s Y 63cd/m²; hyp2

$$\Delta L = A_1 \cdot A_2 \cdot A_3 \cdot L^t / (L^t + A_2)^2$$

$$A_1 = 195.1$$


$$A_2 = 24.03$$

$$A_3 = 0.8 = t$$

$$A_6 = 3751.0$$

$$A_7 = 53.2$$

$$\Delta = 15.75$$



$\log(L/\Delta L)$ Leuchtdichte-Kontrast
 Empfindlichkeitsschwelle $L_g = 63 \text{ cd/m}^2$

02 26s Y 63cd/m²; hyp2

$$\log(L/\Delta L) = A_1 \cdot A_2 \cdot t \cdot \left(\frac{L}{L_g} \right)^{A_3} \cdot \left(\frac{L}{L_g} \right)^{A_6} \cdot \left(\frac{L}{L_g} \right)^{A_7} \cdot \left(\frac{L}{L_g} \right)^{A_2}$$

$$A_1 = 195.1$$


$$A_2 = 24.03$$

$$A_3 = 0.8 = t$$

$$A_6 = 375.1$$

$$A_7 = 58.2$$

$$\Delta = 15.73$$



$L/\Delta L$ Leuchtdichte-Kontrast- $\bullet L_g = 63 \text{ cd/m}^2$
 Empfindlichkeitsschwelle

02 26s Y 63cd/m²; hyp2

$$L/\Delta L = A_1 \cdot A_2 \cdot t \cdot L / (L^t \cdot A_2)$$

$$A_1 = 195.1$$


$$A_2 = 24.03$$

$$A_3 = 0.8 = t$$

$$A_6 = 3751.0$$

$$A_7 = 53.2$$

$$\Delta = 15.73$$



T^* Leuchtdichte-Differenz-
renzschwellensumme

$L_g = 63 \text{ cd/m}^2$

02 26s Y 63cd/m²; hyp2

$$T^* = A_1 \cdot L^t / (L^t + A_2)$$

$$A_1 = 195.1$$

$$A_2 = 24.03$$

$$A_3 = 0.8 = t$$

$$A_6 = 3751.0$$

$$A_7 = 53.2$$

$$\Delta = 15.73$$

