

log ΔL Leuchtdichte-Differenz- $\bullet L_g=63\text{cd/m}^2$
 renzschwelle

02 26s R 63cd/m²; hyp2

$$\Delta L = A_1 \cdot A_2 \cdot A_3 \cdot L^t / (L^t + A_2)^2$$

$$A_1=127.7$$


$$A_2=8.6$$

$$A_3=0.8=t$$

$$A_6=878.4$$

$$A_7=14.73$$

$$\Delta=2.384$$



$\log(L/\Delta L)$ Leuchtdichte-Kontrast
 Empfindlichkeitsschwelle $L_g = 63 \text{ cd/m}^2$

02 26s R 63cd/m²; hyp2

$$\log(L/\Delta L) = A_1 \cdot A_2 \cdot t \cdot L / (L^t + A_2)^2$$

$$A_1 = 127.7$$


$$A_2 = 8.6$$

$$A_3 = 0.8 = t$$

$$A_6 = 878.4$$

$$A_7 = 14.73$$

$$\Delta = 2.384$$



$L/\Delta L$ Leuchtdichte-Kontrast- $\bullet L_g = 63 \text{ cd/m}^2$
 Empfindlichkeitsschwelle g

02 26s R 63cd/m²; hyp2

$$L/\Delta L = A_1 \cdot A_2 \cdot t \cdot L / (L^t + A_2)^2$$

$$A_1 = 127.7$$


$$A_2 = 8.6$$

$$A_3 = 0.8 = t$$

$$A_6 = 878.4$$

$$A_7 = 14.73$$

$$\Delta = 2.384$$



T^* Leuchtdichte-Differenz- renzschwellensumme

02 26s R 63cd/m²; hyp2

$$T^* = A_1 \cdot L^t / (L^t + A_2)$$

$$A_1 = 127.7$$

$$A_2 = 8.6$$

$$A_3 = 0.8 = t$$

$$A_6 = 878.4$$

$$A_7 = 14.73$$

$$\Delta = 2.384$$

