

log ΔL Leuchtdichte-Differenz- $\bullet L_g=6,3\text{cd/m}^2$
 renzschwelle

02 26s R 6,3cd/m²; hyp2

$$\Delta L = A_1 \cdot A_2 \cdot A_3 \cdot L^t / (L^t + A_2)^2$$

$$A_1=112.5$$


$$A_2=5.21$$

$$A_3=0.8=t$$

$$A_6=469.4$$

$$A_7=7.88$$

$$\Delta=7.406$$



$\log(L/\Delta L)$ Leuchtdichte-Kontrast
Empfindlichkeitsschwelle

02 26s R 6,3cd/m²; hyp2

$$\log(L/\Delta L) = A_1 \cdot A_2 \cdot t \cdot L / (L^t + A_2)^2$$

$$A_1 = 112.5$$


$$A_2 = 5.21$$

$$A_3 = 0.87$$

$$A_6 = 469.4$$

$$A_7 = 7.88$$

$$\Delta = 7.406$$



$L/\Delta L$ Leuchtdichte-Kontrast- $\bullet L_g = 6,3 \text{cd/m}^2$
 Empfindlichkeitsschwelle

02 26s R 6,3cd/m²; hyp2

$$L/\Delta L = A_1 \cdot A_2 \cdot t \cdot L / (L^t + A_2)^2$$

$$A_1 = 112.5$$


$$A_2 = 5.21$$

$$A_3 = 0.8 = t$$

$$A_6 = 469.4$$

$$A_7 = 7.88$$

$$\Delta = 7.406$$



T^* Leuchtdichte-Differenz- renzschwellensumme

02 26s R 6,3cd/m²; hyp2

$$T^* = A_1 \cdot L^t / (L^t + A_2)$$

$$A_1 = 112.5$$

$$A_2 = 5.21$$

$$A_3 = 0.8 = t$$

$$A_6 = 469.4$$

$$A_7 = 7.88$$

$$\Delta = 7.406$$

$$L_g = 6,3 \text{cd/m}^2$$

