

log ΔL Leuchtdichte-Differenz- $\bullet L_g=63\text{cd/m}^2$
renzschwelle

04 26s A&G 63cd/m^2 ; hyp2

$$\Delta L = A_1 \cdot A_2 \cdot A_3 \cdot L^t / (L^t + A_2)^2$$

$$A_1=153.3 \quad A_1=168.3$$


$$A_2=17.79 \quad A_2=17.36$$

$$A_3=0.8=t \quad A_3=0.8=t$$

$$A_6=2182.0 \quad A_6=2337.0$$

$$A_7=36.53 \quad A_7=35.41$$

$$\Delta=28.11 \quad \Delta=29.936$$



$\log(L/\Delta L)$ Leuchtdichte-Kontrast
Empfindlichkeitsschwelle

04 26s A&G 63cd/m²; hyp2

$$\log(L/\Delta L) = A_1 \cdot A_2 \cdot t \cdot (A_3 + A_4 \cdot x^2)$$

$$A_1 = 153.3$$

$$A_1 = 168.3$$

$$A_2 = 17.79$$

$$A_2 = 17.36$$

$$A_3 = 0.8 = t$$

$$A_3 = 0.8 = t$$

$$A_6 = 2182.0$$


$$A_6 = 2337.0$$

$$A_7 = 36.53$$

$$A_7 = 35.41$$

$$\Delta = 28.11$$

$$\Delta = 4.936$$



$L/\Delta L$ Leuchtdichte-Kontrast- $\bullet L_g=63\text{cd/m}^2$
Empfindlichkeitsschwelle

04 26s A&G 63cd/m^2 ; hyp2

$$L/\Delta L = A_1 \cdot A_2 \cdot t \cdot L / (L^t + A_2)^2$$

$$A_1=153.3 \quad A_1=168.3$$


$$A_2=17.79 \quad A_2=17.36$$

$$A_3=0.8=t \quad A_3=0.8=t$$

$$A_6=2182.0 \quad A_6=2337$$

$$A_7=36.53 \quad A_7=35.4$$

$$\Delta=28.11 \quad \Delta=4.956$$



T^* Leuchtdichte-Differenz-
renzschwellensumme

04 26s A&G 63cd/m²; hyp2

$$T^* = A_1 \cdot L^t / (L^t + A_2)$$

$$A_1 = 153.3 \quad A_1 = 168.3$$

$$A_2 = 17.79 \quad A_2 = 17.36$$

$$A_3 = 0.8 = t \quad A_3 = 0.8 = t$$

$$A_6 = 2182.0 \quad A_6 = 2337.0$$

$$A_7 = 36.53 \quad A_7 = 35.41$$

$$\Delta = 28.11 \quad \Delta = 4.936$$

$$L_g = 63 \text{cd/m}^2$$

