

log ΔL Leuchtdichte-Differenz- $\bullet L_g=630\text{cd/m}^2$
 renzschwelle

02 0,1s Y 630cd/m²; hyp3

$$\Delta L = A_1 \cdot A_2 \cdot A_3 \cdot L^t / (L^t + A_2)^2$$

$$A_1=147.2$$


$$A_2=106.8$$

$$A_3=0.75=t$$

$$A_6=11900.0$$

$$A_7=480.7$$

$$\Delta=0.775$$



$\log(L/\Delta L)$ Leuchtdichte-Kontrast-
Empfindlichkeitsschwelle

02 0,1s Y 630cd/m²; hyp3

$$\log(L/\Delta L) = A_1 \cdot A_2 \cdot t \cdot L / (L^t + A_2)^2$$

$$A_1 = 147.2$$


$$A_2 = 106.8$$

$$A_3 = 0.75 = t$$

$$A_6 = 11900.0$$

$$A_7 = 480.7$$

$$\Delta = 0.775$$



$L/\Delta L$ Leuchtdichte-Kontrast- $\bullet L_g = 630 \text{ cd/m}^2$
 Empfindlichkeitsschwelle

02 0,1s Y 630cd/m²; hyp3

$$L/\Delta L = A_1 \cdot A_2 \cdot t \cdot L / (L^t + A_2)^2$$

$$A_1 = 147.2$$


$$A_2 = 106.8$$

$$A_3 = 0.75 = t$$

$$A_6 = 11900.0$$

$$A_7 = 480.7$$

$$\Delta = 0.775$$



T^* Leuchtdichte-Differenz-
renzschwellensumme

• $L_g = 630 \text{ cd/m}^2$

02 0,1s Y 630 cd/m^2 ; hyp3

$$T^* = A_1 \cdot L^t / (L^t + A_2)$$

$$A_1 = 147.2$$

$$A_2 = 106.8$$

$$A_3 = 0.75 = t$$

$$A_6 = 11900.0$$

$$A_7 = 480.7$$

$$\Delta = 0.775$$

