

log ΔL Leuchtdichte-Differenz- $\bullet L_g=6,3\text{cd/m}^2$
 renzschwelle

02 0,1s R 6,3cd/m²; hyp3

$$\Delta L = A_1 \cdot A_2 \cdot A_3 \cdot L^t / (L^t + A_2)^2$$

$$A_1=80.36$$


$$A_2=3.85$$

$$A_3=0.66=t$$

$$A_6=206.2$$

$$A_7=7.61$$

$$\Delta=5.889$$



$\log(L/\Delta L)$ Leuchtdichte-Kontrast
Empfindlichkeitsschwelle

02 0,1s R 6,3cd/m²; hyp3

$$\log(L/\Delta L) = A_1 \cdot A_2 \cdot t \cdot L / (L^t + A_2)^2$$

$$A_1 = 80.36$$


$$A_2 = 3.85$$

$$A_3 = 0.66$$

$$A_6 = 206.2$$

$$A_7 = 7.61$$

$$\Delta = 5.889$$



$L/\Delta L$ Leuchtdichte-Kontrast- $\bullet L_g = 6,3 \text{cd/m}^2$
 Empfindlichkeitsschwelle

02 0,1s R 6,3cd/m²; hyp3

$$L/\Delta L = A_1 \cdot A_2 \cdot t \cdot L / (L^t + A_2)^2$$

$$A_1 = 80.36$$


$$A_2 = 3.85$$

$$A_3 = 0.66 = t$$

$$A_6 = 206.2$$

$$A_7 = 7.61$$

$$\Delta = 5.889$$



T^* Leuchtdichte-Differenz-
renzschwellensumme

• $L_g = 6,3 \text{ cd/m}^2$

02 0,1s R 6,3cd/m²; hyp3

$$T^* = A_1 \cdot L^t / (L^t + A_2)$$

$$A_1 = 80.36$$

$$A_2 = 3.85$$

$$A_3 = 0.66 = t$$

$$A_6 = 206.2$$

$$A_7 = 7.61$$

$$\Delta = 5.889$$

