

log ΔL Leuchtdichte-Differenz- $\bullet L_g=6,3\text{cd/m}^2$
renzschwelle

04 26s A $6,3\text{cd/m}^2$; hyp3

$$\Delta L = A_1 \cdot A_2 \cdot A_3 \cdot L^t / (L^t + A_2)^2$$

$$A_1=201.9$$


$$A_2=12.88$$

$$A_3=0.8=t$$

$$A_6=2080.0$$

$$A_7=24.4$$

$$\Delta=91.01$$



$\log(L/\Delta L)$ Leuchtdichte-Kontrast
 Empfindlichkeitsschwelle $L_g = 6,3 \text{ cd/m}^2$

04 26s A 6,3cd/m²; hyp3

$$\log(L/\Delta L) = A_1 + A_2 \cdot L^t + A_3 \cdot (\Delta L)^2$$

$$A_1 = 201.9$$


$$A_2 = 12.88$$

$$A_3 = 0.8 = t$$

$$A_6 = 2080.0$$

$$A_7 = 24.4$$

$$\Delta = 91.01$$



$L/\Delta L$ Leuchtdichte-Kontrast- $\bullet L_g=6,3\text{cd/m}^2$
 Empfindlichkeitsschwelle

04 26s A 6,3cd/m²; hyp3

$$L/\Delta L = A_1 \cdot A_2 \cdot t \cdot L / (L^t + A_2)^2$$

$$A_1=201.9$$


$$A_2=12.88$$

$$A_3=0.8=t$$

$$A_6=2080.0$$

$$A_7=24.4$$

$$\Delta=91.01$$



T^* Leuchtdichte-Differenz-
renzschwellensumme

● $L_g = 6,3 \text{ cd/m}^2$

80 04 26s A $6,3 \text{ cd/m}^2$; hyp3

$$T^* = A_1 \cdot L^t / (L^t + A_2)$$

60 $A_1 = 201.9$

$A_2 = 12.88$

40 $A_3 = 0.8 = t$

$A_6 = 2080.0$

$A_7 = 24.4$

$\Delta = 91.01$

