

log ΔL Leuchtdichte-Differenz- $\bullet L_g=6,3\text{cd/m}^2$
 renzschwelle

02 26s R 6,3cd/m²; hyp3

$$\Delta L = A_1 \cdot A_2 \cdot A_3 \cdot L^t / (L^t + A_2)^2$$

$$A_1=184.5$$


$$A_2=7.1$$

$$A_3=0.8=t$$

$$A_6=1048.0$$

$$A_7=11.59$$


$$\Delta=22.19$$



$\log(L/\Delta L)$ Leuchtdichte-Kontrast = 6,3cd/m²
Empfindlichkeitsschwelle

02 26s R 6,3cd/m²; hyp3

$$\log(L/\Delta L) = A_1 + A_2 \cdot E^{\dagger} + A_2^2$$

$$A_1 = 184.5$$
 $A_2 = 7.1$ ~~$A_3 = 0.8 = 1$~~ ~~$A_s \cong 1048.0$~~
$$A_7 = 11.59$$
 $\Delta=22.19$ 

$L/\Delta L$ Leuchtdichte-Kontrast- $\bullet L_g = 6,3 \text{ cd/m}^2$
 Empfindlichkeitsschwelle

02 26s R 6,3cd/m²; hyp3

$$L/\Delta L = A_1 \cdot A_2 \cdot t \cdot L / (L^t + A_2)^2$$

$$A_1 = 184.5$$


$$A_2 = 7.1$$

$$A_3 = 0.8 = t$$

$$A_6 = 1048.0$$

$$A_7 = 11.59$$

$$\Delta = 22.19$$



T^* Leuchtdichte-Differenz-
renzschwellensumme

• $L_g = 6,3 \text{ cd/m}^2$

02 26s R 6,3cd/m²; hyp3

$$T^* = A_1 \cdot L^t / (L^t + A_2)$$

$$A_1 = 184.5$$

$$A_2 = 7.1$$

$$A_3 = 0.8 = t$$

$$A_6 = 1048.0$$

$$A_7 = 11.59$$

$$\Delta = 22.19$$

