

log ΔL Leuchtdichte-Differenz- $\bullet L_g=6,3\text{cd/m}^2$
 renzschwelle

AD 26&0,1s G 6,3cd/m²; hyp3

$$\Delta L = A_1 \cdot A_2 \cdot A_3 \cdot L^t / (L^t + A_7)^2$$

$$A_1=103.3 \quad A_1=61.44$$


$$A_2=6.51 \quad A_2=3.73$$

$$A_3=0.8=t \quad A_3=0.8=t$$

$$A_6=538.5 \quad A_6=183.7$$

$$A_7=10.42 \quad A_7=5.19$$

$$\Delta=16.78 \quad \Delta=16.78$$



$\log(L/\Delta L)$ Leuchtdichte-Kontrast-
Empfindlichkeitsschwelle $L_g = 6,3 \text{ cd/m}^2$

AD 26&0,1s G 6,3cd/m²; hyp3

$$\log(L/\Delta L) = A_1 \cdot A_2 \cdot t \cdot L / (L^t + A_2)^2$$

$$A_1 = 103.3$$

$$A_2 = 6.51$$

$$A_3 = 0.8 = t$$

$$A_6 = 535.5$$

$$A_7 = 19.42$$

$$\Delta = 16.73$$

$$A_1 = 61.14$$


$$A_2 = 3.73$$

$$A_3 = 0.8 = t$$

$$A_6 = 183.7$$

$$A_7 = 5.19$$

$$\Delta = 1.703$$



$L/\Delta L$ Leuchtdichte-Kontrast- $\bullet L_g = 6,3 \text{ cd/m}^2$
 Empfindlichkeitsschwelle

$AD\ 26\&0,1s\ G\ 6,3 \text{ cd/m}^2; \text{hyp3}$

$$L/\Delta L = A_1 \cdot A_2 \cdot t \cdot L / (L^t + A_2)^2$$

$$A_1 = 103.3 \quad A_1 = 61.44$$


$$A_2 = 6.51 \quad A_2 = 3.73$$

$$A_3 = 0.8 = t \quad A_3 = 0.8 = t$$

$$A_6 = 538.5 \quad A_6 = 183.7$$

$$A_7 = 10.42 \quad A_7 = 5.19$$

$$\Delta = 16.73 \quad \Delta = 1.503$$



T^* Leuchtdichte-Differenz-
renzschwellensumme

$AD\ 26\&0,1s\ G\ 6,3cd/m^2; hyp3$

$$T^* = A_1 \cdot L^t / (L^t + A_2)$$

$$A_1 = 103.3 \quad A_1 = 61.44$$

$$A_2 = 6.51 \quad A_2 = 3.73$$

$$A_3 = 0.8 = t \quad A_3 = 0.8 = t$$

$$A_6 = 538.5 \quad A_6 = 183.7$$

$$A_7 = 10.42 \quad A_7 = 5.19$$

$$\Delta = 16.73 \quad \Delta = 1.703$$

$$\bullet L_g = 6,3cd/m^2$$

