

log ΔL Leuchtdichte-Differenz- $\bullet L_g=63\text{cd/m}^2$
renzschwelle

04 26s A 63cd/m^2 ; hyp3

$$\Delta L = A_1 \cdot A_2 \cdot A_3 \cdot L^t / (L^t + A_2)^2$$

$$A_1=209.4$$


$$A_2=8.64$$

$$A_3=0.51=t$$

$$A_6=938.0$$

$$A_7=64.49$$

$$\Delta=12.22$$



$\log(L/\Delta L)$ Leuchtdichte-Kontrast
Empfindlichkeitsschwelle $L_g = 63 \text{ cd/m}^2$

04 26s A 63cd/m²; hyp3

$$\log(L/\Delta L) = A_1 \cdot A_2 \cdot t \cdot L^t + A_3 \cdot (L + A_6)^2$$

$$A_1 = 209.4$$


$$A_2 = 8.64$$

$$A_3 = 0.51 = t$$

$$A_6 = 938.0$$

$$A_7 = 64.49$$

$$\Delta = 12.22$$



$L/\Delta L$ Leuchtdichte-Kontrast- $\bullet L_g = 63 \text{ cd/m}^2$
 Empfindlichkeitsschwelle

04 26s A 63 cd/m^2 ; hyp3

$$L/\Delta L = A_1 \cdot A_2 \cdot t \cdot L / (L^t + A_2)^2$$

$$A_1 = 209.4$$


$$A_2 = 8.64$$

$$A_3 = 0.51 = t$$

$$A_6 = 938.0$$

$$A_7 = 64.49$$

$$\Delta = 12.22$$



T^* Leuchtdichte-Differenz-
renzschwellensumme

04 26s A 63cd/m²; hyp3

$$T^* = A_1 \cdot L^t / (L^t + A_2)$$

$$A_1 = 209.4$$

$$A_2 = 8.64$$

$$A_3 = 0.51 = t$$

$$A_6 = 938.0$$

$$A_7 = 64.49$$

$$\Delta = 12.22$$

$$L_g = 63 \text{ cd/m}^2$$

