

log ΔL Leuchtdichte-Differenz- $\bullet L_g=63\text{cd/m}^2$
 renzschwelle

02 26s Y 63cd/m²; hyp3

$$\Delta L = A_1 \cdot A_2 \cdot A_3 \cdot L^t / (L^t + A_2)^2$$

$$A_1=271.2$$


$$A_2=12.51$$

$$A_3=0.54=t$$

$$A_6=1856.0$$

$$A_7=101.3$$

$$\Delta=4.25$$



$\log(L/\Delta L)$ Leuchtdichte-Kontrast
Empfindlichkeitsschwelle

02 26s Y 63cd/m²; hyp3

$$\log(L/\Delta L) = A_1 \cdot A_2 \cdot t \cdot L^4 \cdot (\Sigma + A_2)^2$$

$$A_1 = 271.2$$


$$A_2 = 12.51$$

$$A_3 = 0.54 = t$$

$$A_6 = 1856$$

$$A_7 = 181.3$$

$$\Delta = 4.23$$



$L/\Delta L$ Leuchtdichte-Kontrast-
Empfindlichkeitsschwelle $L_g = 63 \text{ cd/m}^2$

02 26s Y 63cd/m²; hyp3

$$L/\Delta L = A_1 \cdot A_2 \cdot t \cdot L / (L^t + A_2^2)$$

$$A_1 = 271.2$$


$$A_2 = 12.51$$

$$A_3 = 0.54 = t$$

$$A_6 = 1856.0$$

$$A_7 = 101.3$$

$$\Delta = 4.23$$



T^* Leuchtdichte-Differenz-
renzschwellensumme

● $L_g = 63 \text{ cd/m}^2$

02 26s Y 63cd/m²; hyp3

$$T^* = A_1 \cdot L^t / (L^t + A_2)$$

$$A_1 = 271.2$$

$$A_2 = 12.51$$

$$A_3 = 0.54 = t$$

$$A_6 = 1856.0$$

$$A_7 = 101.3$$

$$\Delta = 4.23$$

