

log ΔL Leuchtdichte-Differenz- $\bullet L_g=63\text{cd/m}^2$
 renzschwelle

02 26s R 63cd/m²; hyp3

$$\Delta L = A_1 \cdot A_2 \cdot A_3 \cdot L^t / (L^t + A_2)^2$$

$$A_1=154.5$$


$$A_2=7.25$$

$$A_3=0.64=t$$

$$A_6=721.4$$

$$A_7=21.66$$

$$\Delta=1.033$$



$\log(L/\Delta L)$ Leuchtdichte-Kontrast
Empfindlichkeitsschwelle

02 26s R 63cd/m²; hyp3

$$\log(L/\Delta L) = A_1 \cdot A_2 \cdot t \cdot L / (L^t + A_2)^2$$

$$A_1 = 154.5$$


$$A_2 = 7.25$$

$$A_3 = 0.64 = t$$

$$A_6 = 721.4$$

$$A_7 = 21.66$$

$$\Delta = 1.033$$



$L/\Delta L$ Leuchtdichte-Kontrast- $\bullet L_g = 63 \text{ cd/m}^2$
 Empfindlichkeitsschwelle g

02 26s R 63 cd/m^2 ; hyp3

$$L/\Delta L = A_1 \cdot A_2 \cdot t \cdot L / (L^t + A_2)^2$$

$$A_1 = 154.5$$


$$A_2 = 7.25$$

$$A_3 = 0.64 = t$$

$$A_6 = 721.4$$

$$A_7 = 21.66$$

$$\Delta = 1.033$$



T^* Leuchtdichte-Differenz- renzschwellensumme

02 26s R 63cd/m²; hyp3

$$T^* = A_1 \cdot L^t / (L^t + A_2)$$

$$A_1 = 154.5$$

$$A_2 = 7.25$$

$$A_3 = 0.64 = t$$

$$A_6 = 721.4$$

$$A_7 = 21.66$$

$$\Delta = 1.033$$

$$L_g = 63 \text{cd/m}^2$$

