

log ΔL Leuchtdichte-Differenz- $\bullet L_g=6,3\text{cd/m}^2$
 renzschwelle

02 26s B 6,3cd/m²; hyp3

$$\Delta L = A_1 \cdot A_2 \cdot A_3 \cdot L^t / (L^t + A_2)^2$$

$$A_1=146.6$$


$$A_2=4.42$$

$$A_3=0.58=t$$

$$A_6=379.7$$

$$A_7=12.72$$

$$\Delta=0.824$$



log(L/ΔL) Leuchtdichte-Kontrast
Empfindlichkeitsschwelle

02 26s B 6,3cd/m²; hyp3

$$\log(L/\Delta L) = A_1 \cdot A_2 \cdot t \cdot L / (L^t + A_2)^2$$

$$A_1 = 146.6$$


$$A_2 = 4.42$$

$$A_3 = 0.58 = t$$

$$A_6 = 379.7$$

$$A_7 = 12.72$$

$$\Delta = 0.824$$



$L/\Delta L$ Leuchtdichte-Kontrast- $\bullet L_g = 6,3 \text{cd/m}^2$
 Empfindlichkeitsschwelle

02 26s B 6,3cd/m²; hyp3

$$L/\Delta L = A_1 \cdot A_2 \cdot t \cdot L / (L^t + A_2)^2$$

$$A_1 = 146.6$$


$$A_2 = 4.42$$

$$A_3 = 0.58 = t$$

$$A_6 = 379.7$$

$$A_7 = 12.72$$

$$\Delta = 0.824$$



T^* Leuchtdichte-Differenz-
renzschwellensumme

● $L_g = 6,3 \text{ cd/m}^2$

02 26s B 6,3cd/m²; hyp3

$$T^* = A_1 \cdot L^t / (L^t + A_2)$$

$$A_1 = 146.6$$

$$A_2 = 4.42$$

$$A_3 = 0.58 = t$$

$$A_6 = 379.7$$

$$A_7 = 12.72$$

$$\Delta = 0.824$$

