

log ΔL Leuchtdichte-Differenz- $\bullet L_g=63\text{cd/m}^2$
renzschwelle

AD 0,1&26s G 63cd/m²; hyp2

$$\Delta L = A_1 \cdot A_2 \cdot A_3 \cdot L^t / (L^t + A_2)^2$$

$$A_1=77.73 \quad A_1=168.3$$


$$A_2=18.2 \quad A_2=17.36$$

$$A_3=0.8=t \quad A_3=0.8=t$$

$$A_6=1133.0 \quad A_6=2337.0$$

$$A_7=37.63 \quad A_7=35.41$$

$$\Delta=0.116 \quad \Delta=0.116$$



$\log(L/\Delta L)$ Leuchtdichte-Kontrast
Empfindlichkeitsschwelle

AD 0,1&26s G 63cd/m²; hyp2

$$\log(L/\Delta L) = A_1 \cdot A_2 \cdot t \cdot L / (L + A_2)^2$$

$$A_1 = 77.73$$

$$A_1 = 168.5$$

$$A_2 = 18.2$$

$$A_2 = 17.36$$

$$A_3 = 0.8 = t$$

$$A_3 = 0.8 = t$$

$$A_6 = 1133.0$$


$$A_6 = 2337.0$$

$$A_7 = 37.63$$

$$A_7 = 35.41$$

$$\Delta = 0.116$$

$$\Delta = 0.116$$



$L/\Delta L$ Leuchtdichte-Kontrast- $\bullet L_g=63\text{cd/m}^2$
 Empfindlichkeitsschwelle

$AD\ 0,1\&26s\ G\ 63\text{cd/m}^2; \text{hyp2}$

$$L/\Delta L = A_1 \cdot A_2 \cdot t \cdot L / (L^t + A_2)^2$$

$$A_1=77.73 \quad A_1=168.3$$


$$A_2=18.2 \quad A_2=17.36$$

$$A_3=0.8=t \quad A_3=0.8=t$$

$$A_6=1133.0 \quad A_6=2337.5$$

$$A_7=37.63 \quad A_7=35.41$$

$$\Delta=0.116 \quad \Delta=0.116$$



T^* Leuchtdichte-Differenz-
renzschwellensumme

$L_g = 63 \text{ cd/m}^2$

80 $AD\ 0,1\&26s\ G\ 63 \text{ cd/m}^2; \text{hyp2}$

$$T^* = A_1 \cdot L^t / (L^t + A_2)$$

60 $A_1 = 77.73 \quad A_1 = 168.3$

$A_2 = 18.2 \quad A_2 = 17.36$

40 $A_3 = 0.8 = t \quad A_3 = 0.8 = t$

$A_6 = 1133.0 \quad A_6 = 2337.0$

$A_7 = 37.63 \quad A_7 = 35.41$

$\Delta = 0.116 \quad \Delta = 0.116$

0 $x = \log L$