

log ΔL Leuchtdichte-Differenz-
renzschwelle • $L_g = 6,3 \text{ cd/m}^2$

04 0,1&26s A 6,3cd/m²; hyp2

$$\Delta L = A_1 \cdot A_2 \cdot A_3 \cdot L^t / (L^t + A_2)^2$$

$$A_1 = 81.89 \quad A_1 = 223.9$$


$$A_2 = 5.59 \quad A_2 = 22.37$$

$$A_3 = 0.8=t \quad A_3 = 0.8=t$$

$$A_6 = 366.6 \quad A_6 = 4007.0$$

$$A_7 = 8.6 \quad A_7 = 48.64$$

$$\Delta = 7.289 \quad \Delta = 7.289$$



$\log(L/\Delta L)$ Leuchtdichte-Kontrast
Empfindlichkeitsschwelle

04 0,1&26s A 6,3cd/m²; hyp2

$$\log(L/\Delta L) = A_1 \cdot A_2 \cdot A_3 \cdot A_6 \cdot A_7 \cdot (L/\Delta L)^{A_2}$$

$$A_1 = 81.89$$

$$A_2 = 22.37$$

$$A_2 = 5.59$$

$$A_7 = 22.37$$

$$A_3 = 0.8 = t$$

$$A_3 = 0.8 = t$$

$$A_6 = 366.6$$


$$A_6 = 4007.0$$


$$A_7 = 8.6$$

$$A_7 = 48.64$$

$$\Delta = 7.289$$

$$\Delta = 7.289$$





T^* Leuchtdichte-Differenz- renzschwellensumme

