

log  $\Delta L$  Leuchtdichte-Differenz- $\bullet L_g=630\text{cd/m}^2$   
 renzschwelle

04 0,1&26s A 630cd/m<sup>2</sup>; hyp3

$$\Delta L = A_1 \cdot A_2 \cdot A_3 \cdot L^t / (L^t + A_2)^2$$

$$A_1=141.1 \quad A_1=204.0$$


$$A_2=149.6 \quad A_2=32.63$$

$$A_3=0.82=t \quad A_3=0.61=t$$

$$A_6=17310.0 \quad A_6=4099.0$$

$$A_7=448.2 \quad A_7=287.2$$

$$\Delta=0.495 \quad \Delta=0.495$$



$\log(L/\Delta L)$  Leuchtdichte-Kontrast  
Empfindlichkeitsschwelle  $L_g = 630 \text{ cd/m}^2$

04 0,1&26s A 630cd/m<sup>2</sup>; hyp3

$$\log(L/\Delta L) = A_1 \cdot A_2 \cdot t \cdot L / (I_t \cdot A \cdot 2)$$

$$A_1 = 141.1 \quad A_1 = 204.0$$


$$A_2 = 149.6 \quad A_2 = 32.63$$

$$A_3 = 0.82 = t \quad A_3 = 0.61 = t$$

$$A_6 = 17310.0 \quad A_6 = 4099.0$$

$$A_7 = 448.2 \quad A_7 = 287.2$$

$$\Delta = 0.495 \quad \Delta = 0.495$$



$L/\Delta L$  Leuchtdichte-Kontrast- $\bullet L_g = 630 \text{ cd/m}^2$   
 Empfindlichkeitsschwelle

04 0,1&26s A 630cd/m<sup>2</sup>; hyp3

$$L/\Delta L = A_1 \cdot A_2 \cdot t \cdot L / (L^t + A_2)^2$$

$$A_1 = 141.1 \quad A_1 = 204.0$$


$$A_2 = 149.6 \quad A_2 = 32.63$$

$$A_3 = 0.82 = t \quad A_3 = 0.61 = t$$

$$A_6 = 17310.0 \quad A_6 = 4099.0$$

$$A_7 = 448.2 \quad A_7 = 287.2$$

$$\Delta = 0.495 \quad \Delta = 0.495$$



# $T^*$ Leuchtdichte-Differenz- renzschwellensumme

•  $L_g = 630 \text{ cd/m}^2$

04 0,1&26s A 630cd/m<sup>2</sup>; hyp3

$$T^* = A_1 \cdot L^t / (L^t + A_2)$$

$$A_1 = 141.1 \quad A_1 = 204.0$$

$$A_2 = 149.6 \quad A_2 = 32.63$$

$$A_3 = 0.82 = t \quad A_3 = 0.61 = t$$

$$A_6 = 17310.0 \quad A_6 = 4099.0$$

$$A_7 = 448.2 \quad A_7 = 287.2$$

$$\Delta = 0.495 \quad \Delta = 0.495$$

