

log ΔL Leuchtdichte-Differenz- $\bullet L_g=630\text{cd/m}^2$
 renzschwelle

02 0,1&26s B 630cd/m²; hyp3

$$\Delta L = A_1 \cdot A_2 \cdot A_3 \cdot L^t / (L^t + A_2)^2$$

$$A_1=66.74 \quad A_1=73.06$$


$$A_2=85.0 \quad A_2=28.21$$

$$A_3=0.88=t \quad A_3=1.04=t$$

$$A_6=5001.0 \quad A_6=2143.0$$

$$A_7=154.39 \quad A_7=24.81$$

$$\Delta=0.001 \quad \Delta=0.001$$



log(L/ΔL) Leuchtdichte-Kontrast
Empfindlichkeitsschwelle

02 0,1&26s B 630cd/m²; hyp3

$$\log(L/\Delta L) = A_1 \cdot A_2 \cdot t \cdot L / (L^t + A_2)^2$$

$$A_1 = 66.74 \quad A_1 = 73.06$$


$$A_2 = 85.0 \quad A_2 = 28.21$$

$$A_3 = 0.88 = t \quad A_3 = 1.04 = t$$

$$A_6 = 5001.0 \quad A_6 = 2143.0$$

$$A_7 = 154.39 \quad A_7 = 24.81$$

$$\Delta = 0.001 \quad \Delta = 0.001$$



$L/\Delta L$ Leuchtdichte-Kontrast- • $L_g = 630 \text{ cd/m}^2$
 Empfindlichkeitsschwelle

02 0,1&26s B 630cd/m²; hyp3

$$L/\Delta L = A_1 \cdot A_2 \cdot t \cdot L / (L^t + A_2)^2$$

$$A_1 = 66.74 \quad A_1 = 73.06$$


$$A_2 = 85.0 \quad A_2 = 28.21$$

$$A_3 = 0.88 = t \quad A_3 = 1.04 = t$$

$$A_6 = 5001.0 \quad A_6 = 2143.0$$

$$A_7 = 154.39 \quad A_7 = 24.81$$

$$\Delta = 0.001 \quad \Delta = 0.001$$



T^* Leuchtdichte-Differenz- renzschwellensumme

• $L_g = 630 \text{ cd/m}^2$

02 0,1&26s B 630 cd/m^2 ; hyp3

$$T^* = A_1 \cdot L^t / (L^t + A_2)$$

$$A_1 = 66.74 \quad A_1 = 73.06$$

$$A_2 = 85.0 \quad A_2 = 28.21$$

$$A_3 = 0.88 = t \quad A_3 = 1.04 = t$$

$$A_6 = 5001.0 \quad A_6 = 2143.0$$

$$A_7 = 154.39 \quad A_7 = 24.81$$

$$\Delta = 0.001 \quad \Delta = 0.001$$

